

Quarterly Groundwater Monitoring Report

Prepared for

Black & Decker (U.S.) Inc.

Hampstead, Maryland

January 2010

Prepared by

WESTON SOLUTIONS, INC.

West Chester, Pennsylvania 19380-1499

TABLE OF CONTENTS

Section	Page
1. INTRODUCTION	1-1
2. SITE CHARACTERISTICS	2-1
2.1 HYDRAULIC PROPERTIES	2-1
2.2 EFFLUENT CHARACTERISTICS	2-1
2.3 GROUNDWATER QUALITY DATA	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. RECOMMENDATIONS	4-1

LIST OF APPENDICES

APPENDIX A - GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS

APPENDIX B - DISCHARGE MONITORING REPORTS

APPENDIX C - GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE

LIST OF TABLES

Table	Page
Table 2-1 Treatment System Pumping Records – 4th Quarter 2009	2-2
Table 2-2 Groundwater Elevation Data – 4th Quarter 2009	2-3
Table 2-3 Effluent Characteristics Summary – 4th Quarter 2009	2-4
Table 2-4 Summary of Groundwater Analytical Results - November 2009	2-5
Table 3-1 Treatment System Maintenance Activities – 4th Quarter 2009	3-2

1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of October through December 2009.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of October through December 2009, the extraction wells were pumping at an average combined rate of approximately 151 gallons per minute (gpm).

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of October through December 2009 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of October through December 2009, approximately 15.9 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (84.7%) and tetrachloroethene (PCE) (15.3%). Analytical results of the groundwater collected from the air stripper for the period of October through December 2009 are included in Appendix C.

A summary of the analytical results from the third quarter (November 2009) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

Table 2-1
Treatment System Pumping Records - 4th Quarter 2009
Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
October 2009	6,043,401
November 2009	6,059,578
December 2009	6,196,514

**Table 2-2
Groundwater Elevation Data - 4th Quarter 2009
Black & Decker
Hampstead, Maryland**

WELL NO.	TOC ELEV.	TOTAL DEPTH	10/21/2009		11/4/2009		12/30/2009	
			DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	72.41	776.80	73.21	776.00	74.26	774.95
EW-3	846.64	118	80.96	765.68	85.10	761.54	85.81	760.83
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	72.85	791.32	73.50	790.67	74.06	790.11
EW-6	831.98	115	102.50	729.48	102.81	729.17	103.00	728.98
EW-7	818.38	78	57.82	760.56	50.55	767.83	51.61	766.77
EW-8	811.13	98	91.79	719.34	91.75	719.38	92.05	719.08
EW-9	811.35	141	100.86	710.49	101.34	710.01	101.56	709.79
EW-10	807.74	INA	54.88	752.86	53.26	754.48	53.27	754.47
RFW-1A	864.37	78	51.03	813.34	50.61	813.76	51.11	813.26
RFW-1B	864.23	200	51.06	813.17	50.67	813.56	51.14	813.09
RFW-2A	857.41	35	15.84	841.57	13.86	843.55	15.67	841.74
RFW-2B	857.73	75	16.41	841.32	14.53	843.20	16.07	841.66
RFW-3B	839.21	153	36.16	803.05	36.26	802.95	37.02	802.19
RFW-4A	830.37	62	37.84	792.53	35.95	794.42	37.89	792.48
RFW-4B	830.37	120	37.91	792.46	35.82	794.55	38.06	792.31
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	3.67	781.37	3.23	781.81	4.41	780.63
RFW-7	805.14	29	6.99	798.15	5.24	799.90	7.40	797.74
RFW-8	860.07	56	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	26.79	835.23	25.82	836.20	26.69	835.33
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	65.96	783.66	65.79	783.83	66.10	783.52
RFW-12B	844.87	264	51.06	793.81	50.61	794.26	50.83	794.04
RFW-13	849.11	150	66.14	782.97	65.02	784.09	65.89	783.22
RFW-14B	812.39	281	48.06	764.33	49.71	762.68	47.86	764.53
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	27.48	807.18	26.46	808.20	27.43	807.23
RFW-20	842.49	142	35.11	807.38	35.01	807.48	34.96	807.53
RFW-21	832.65	102	22.81	809.84	22.21	810.44	23.00	809.65
PH-7	805.94	89	27.43	778.51	27.50	778.44	27.61	778.33
PH-9	814.94	98	56.19	758.75	56.23	758.71	56.86	758.08
PH-11	820.68	78	50.92	769.76	50.94	769.74	50.88	769.80
PH-12	828.35	87	53.29	775.06	53.33	775.02	52.84	775.51
B-3	803.02	83	9.81	793.21	10.06	792.96	9.93	793.09
Amoco	842.29	INA	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	INA	29.86	775.10	19.33	785.63	27.11	777.85
Pembroke #1	INA	INA	11.77	NC	12.40	NC	12.53	NC
Pembroke #2	INA	INA	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	INA	INA	9.90	NC	11.79	NC	10.89	NC
E. Century St.	INA	INA	19.21	NC	23.64	NC	19.96	NC
Lwr. Beckleys. Rd.	INA	INA	55.08	NC	54.87	NC	55.21	NC

NA - Not Available/Not Accessible

NC - Not Calculable

INA - Information not available

PC - Pump Cycles

Table 2-3
Effluent Characteristics Summary - 4th Quarter 2009
Black & Decker
Hampstead, Maryland

Discharge Number	Parameter	Units	Permit Limits	DMR DATE			
				October 2009	November 2009	December 2009	
001	FLOW	average	MGD	NA	0.220	0.166	0.223
		maximum	MGD	NA	0.770	0.468	0.837
	1,1,1-Trichloroethane		ug/l	5	< 1	< 1	< 1
	Tetrachloroethylene		ug/l	5	< 1	< 1	< 1
	Trichloroethylene		ug/l	5	< 1	< 1	< 1
	Total Residual Chlorine		mg/l	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease	maximum	mg/l	15	< 5	349	< 5
		quarterly average	mg/l	10	< 5	349	< 5
	pH	minimum	STD	6.0	6.20	6.30	6.10
		maximum	STD	8.5	6.90	6.80	6.30
	BOD		mg/l	15	2.0	0.0	0.0
TSS	maximum	mg/l	30	0.0	0.0	0.0	
	quarterly average	mg/l	20	0.0	0.0	0.0	
101 (Monitoring Point)	FLOW	average	MGD	NA	0.199	0.206	0.259
		maximum	MGD	NA	0.261	0.298	0.314
	Fecal Coliform		MPN/100ml	200	1.0	1.0	1.0
201 (Monitoring Point)	FLOW	average	MGD	NA	NR	NR	0.199
		maximum	MGD	NA	NR	NR	0.245
	1,1,1-Trichloroethane		ug/l	NA	NR	NR	< 1
	Tetrachloroethylene		ug/l	NA	NR	NR	< 1
	Trichloroethylene		ug/l	NA	NR	NR	< 1

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

Note: The Non-Compliance Report Form filed to MDE for the November oil & grease result is included in Appendix B.

Table 2-4
 Summary of Groundwater Analytical Results - November 2009
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.9	2.8	1 U	1 U	1 U	4.8	25	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	430	130	990	130	10	4.2	11	1.1	0.9 J	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	64	3.8	21	6.9	15	9.8	67	120	110	1.2
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

Table 2-4
Summary of Groundwater Analytical Results - November 2009
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.2	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	3.5	1 U	1 U	3.3	NS	1 U	1 U	NS	15	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1.1	1	1.7	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.4	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1.2	1.5	1.3	24	24	50	NS	2.4	2.7	NS	16	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	14	15	78	NS	2.8	1 U	NS	7	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.

Table 2-4

Summary of Groundwater Analytical Results - November 2009

Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	2.6 J
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	2.7	1.1	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	11	360	4.3	NS	1 U	ABD	ABD	ABD	1 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	2.7	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	32	22	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

analytical data package is included in Appendix D.

As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells RFW-12B, EW-2 and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from wells RFW-4B and EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (October through December 2009) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

**Table 3-1
Treatment System Maintenance Activities - 4th Quarter 2009
Black & Decker
Hampstead, Maryland**

Date	Event/Corrective Action
Oct-09	Alarm at air stripper. High wet well, reset the system. System back online.
Oct-09	Alarm at stripper. EW-9 tripped off, replaced the control relay. System back online.
Nov-09	Alarm at air stripper. High wet well, reset the system. System back online.
Nov-09	The heater in EW-10 was replaced.
Nov-09	Alarm at air stripper. Power outage caused a temporary shut down, reset the system. System back online.
Nov-09	Alarm at stripper. EW-5 tripped off, replaced the contactor. System back online.
Nov-09	The alarm at the air stripper due to a high column blower failure . The stripper was reset all systems are okay.
Dec-09	Alarm at air stripper. High wet well, reset the system. System back online.
Dec-09	Alarm at air stripper. Power outage caused a temporary shut down, reset the system. System back online.
Dec-09	Alarm at air stripper. EW-6 tripped off due to faulty control relay, control relay was replaced. System back online.
Dec-09	Alarm at air stripper. EW-8 tripped off due to broken heater, temporary heater was placed in the well house. System back online.
Dec-09	Alarm at air stripper. EW-10 tripped off due to water in well house due to flooding from excessive snow melt and rain. The well house was swept out and water was diverted away from well house. System back online.

4. RECOMMENDATIONS

For the reporting period of October through December 2009, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS
(OCTOBER – DECEMBER 2009)

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility BTR Capital Group
Address 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, Scott Steedman 0764, Gary Dickerson 0782, Martin Whitt 0666, Gary Kesslerling 01962, David Smith 9153

Permit Number 02-DP-0022
Superintendent Earle Villarreal

Certification # 1017

Month October
Year 2009

Date	Appearance	Final Effluent outfall 001									Outfall 101						Outfall 201			Operator	
		Discharge MGD	pH	Cl2 mg/l	1-cobaltous chloride ug/l	1-1-1 Trichloroethane ug/l	Inhibitors ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	1-cobaltous chloride ug/l	1-1-1-Trichloroethane ug/l	Inhibitors ug/l		Discharge mgd
1	clear	0 16600	6 65	0 00						0 248000		0 0	10 0	10 0	5 0				0 204548	djones	
2	clear	0 16300								0 261000		0 0	10 0	10 0	5 0				0 199096	djones	
3	clear	0 15300								0 246000		0 0	10 0	10 0	5 0				0 193876	ssteedman	
4	clear	0 16300								0 239000		0 0	10 0	10 0	5 0				0 210286	ssteedman	
5	clear	0 15600								0 201000		0 0	10 0	10 0	5 0				0 199151	djones	
6	clear	0 14200	6 35	0 00						0 179000		0 0	10 0	10 0	5 0				0 181955	djones	
7	clear	0 16300			< 1 00	< 1 00	< 1 00	2 0	< 4 0	< 5 0	0 199000	< 1 8	0 0	10 0	10 0	5 0	< 1 0	< 1 0	< 1 0	0 113976	djones
8	clear	0 16200	6 40	0 00						0 197000		0 0	10 0	10 0	5 0				0 201142	djones	
9	clear	0 13500								0 172000		0 0	10 0	10 0	5 0				0 155662	djones	
10	clear	0 15500								0 194000		0 0	10 0	10 0	5 0				0 201273	djones	
11	clear	0 17200								0 209000		0 0	5 0	10 0	5 0				0 236185	djones	
12	clear	0 14900								0 183000		0 0	5 0	10 0	5 0				0 193622	ssteedman	
13	clear	0 16600	6 58	0 00						0 210000		0 0	10 0	10 0	5 0				0 215170	mwhitt	
14	clear	0 13200								0 179000	< 1 8	0 0	10 0	10 0	5 0				0 191050	ssteedman	
15	clear	0 17000	6 87	0 00						0 189000		0 0	10 0	10 0	5 0				0 200070	djones	
16	clear	0 12500								0 157000		0 0	10 0	10 0	5 0				0 150084	djones	
17	clear	0 36200								0 188000		0 0	10 0	10 0	5 0				0 197025	dsmith	
18	clear	0 56700								0 208000		0 0	5 0	10 0	5 0				0 242522	dsmith	
19	clear	0 14600								0 209000		0 0	10 0	10 0	5 0				0 197130	djones	
20	clear	0 17100	6 20	0 00						0 165000		0 0	10 0	10 0	5 0				0 190308	djones	
21	clear	0 16400								0 184000	< 1 8	0 0	15 0	10 0	5 0				0 183205	gkesslerling	
22	clear	0 15600	6 53	0 00						0 188000		0 0	15 0	10 0	5 0				0 224227	gdickerson	
23	clear	0 16200								0 240000		0 0	10 0	10 0	5 0				0 192738	djones	
24	clear	0 58100								0 226000		0 0	10 0	10 0	5 0				0 199882	mwhitt	
25	clear	0 18100								0 201000		0 0	5 0	10 0	5 0				0 200687	mwhitt	
26	clear	0 20100								0 191000		0 0	5 0	10 0	5 0				0 191963	djones	
27	clear	0 77000	6 51	0 00						0 154000		0 0	5 0	10 0	5 0				0 173335	djones	
28	clear	0 41800								0 195000	< 1 8	0 0	20 0	10 0	5 0				0 232750	djones	
29	clear	0 15800	6 45	0 00						0 190000		0 0	20 0	10 0	5 0				0 200265	djones	
30	clear	0 14000								0 163000		0 0	10 0	10 0	5 0				0 161400	djones	
31	clear	0 16500								0 192000		0 0	10 0	10 0	5 0				0 208818	djones	
Total		6 81400								6 157000									6 043401		
Average		0 21981	6 5	<0 10	0	0	0	2	0	0	0 198613	1	0 0	10 0	10 0	5 0	0	0	0	0 194948	
Minimum		0 12500	6 2	0 00	0	0	0	2	0	0	0 154000	1	0 0	5 0	10 0	5 0	0	0	0	0 113976	
Maximum		0 77000	6 9	<0 10	0	0	0	2	0	0	0 261000	1	0 0	20 0	10 0	5 0	0	0	0	0 242522	MOR 5-11-09

COMMENTS

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility BTR Capital Group
Address 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, Scott Steedman 0764, Gary Dickerson 0782, Martin Whitt, 0666, Gary Kesseling, 1962, David Smith, 9153

Permit Number 02-DP-0022

Superintendent Earle Villarreal

Certification # 1017

Month November
Year 2009

Final Effluent outfall 001											Outfall 101					Outfall 201			Operator		
Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l		Trichloroethene ug/l	Discharge mgd
1	clear	0 22400									0 217000		0 0	10 0	10 0	50				0 245419	djones
2	clear	0 13800									0 169000		0 0	10 0	10 0	50				0 197563	ssteedman
3	clear	0 14100	6 84	0 00							0 164000		0 0	10 0	10 0	50				0 171384	ssteedman
4	clear	0 15600			< 1 00	< 1 00	< 1 00	< 2 0	< 4 0	349 0	0 195000	< 1 8	0 0	10 0	10 0	50				0 230328	djones
5	clear	0 14100	6 57	0 00							0 223000		0 0	10 0	0 5	50				0 204569	djones
6	clear	0 11500									0 147000		0 0	10 0	10 0	50				0 154695	djones
7	clear	0 15700									0 183000		0 0	10 0	10 0	50				0 236525	dsmith
8	clear	0 12700									0 147000		0 0	10 0	10 0	50				0 209452	dsmith
9	clear	0 12800									0 169000		0 0	10 0	10 0	50				0 199896	djones
10	clear	0 19000	6 42	0 00							0 196000	< 1 8	0 0	10 0	10 0	4 8				0 203599	djones
11	clear	0 17500									0 169000		0 0	10 0	10 0	50				0 207152	djones
12	clear	0 18300	6 34	0 00							0 210000		0 0	10 0	10 0	50				0 195265	djones
13	clear	0 17500									0 219000		0 0	10 0	10 0	50				0 197973	djones
14	clear	0 15600									0 188000		0 0	10 0	10 0	50				0 199963	mwhitt
15	clear	0 17300									0 111000		0 0	10 0	10 0	50				0 214176	mwhitt
16	clear	0 13700									0 243000		0 0	10 0	10 0	50				0 192691	gkesseling
17	clear	0 14100	6 50	0 00							0 195000		0 0	5 0	10 0	50				0 217252	djones
18	clear	0 14600									0 183000	< 1 8	0 0	5 0	10 0	4 3				0 179048	gdickerson
19	clear	0 14600	6 35	0 00							0 226000		0 0	5 0	10 0	50				0 199065	djones
20	clear	0 13000									0 199000		0 0	5 0	10 0	50				0 160874	djones
21	clear	0 14700									0 234000		0 0	5 0	10 0	50				0 201686	djones
22	clear	0 16100									0 252000		0 0	5 0	10 0	50				0 235648	djones
23	clear	0 23800									0 225000		0 0	10 0	10 0	50				0 189501	gdickerson
24	clear	0 46800	6 38	0 00							0 254000		0 0	10 0	10 0	50				0 219741	gdickerson
25	clear	0 14900									0 247000		0 0	10 0	10 0	50				0 184229	djones
26	clear	0 16200									0 214000		0 0	5 0	10 0	50				0 175533	gdickerson
27	clear	0 19600									0 298000	< 1 8	0 0	5 0	10 0	50				0 237071	djones
28	clear	0 11700									0 227000		0 0	5 0	10 0	50				0 186477	gdickerson
29	clear	0 12800									0 237000		0 0	5 0	10 0	50				0 210944	gdickerson
30	clear	0 12600									0 245000		0 0	5 0	10 0	50				0 201859	djones
31																					
Total		4 97100									6 186000									6 059578	
Average		0 16570	6 5	<0 10	0	0	0	2	0	349	0 206200	1	0 0	8 2	10 0	50	#DIV/0!	#DIV/0!	#DIV/0!	0 201986	
Minimum		0 11500	6 3	0 00	0	0	0	2	0	349	0 111000	1	0 0	5 0	0 5	4 3	0	0	0	0 154695	
Maximum		0 46800	6 8	<0 10	0	0	0	0	0	349	0 298000	1	0 0	10 0	10 0	50	0	0	0	0 245419	MOR 5-11-09

COMMENTS:

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, Martin Whitt 0666.

Permit Number: 02-DP-0022
Superintendent: Earle Villarreal

Certification # 1017

Month: December
Year: 2009

Final Effluent outfall 001											Outfall 101						Outfall 201			Operator	
Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethane ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochloritic Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethane ug/l		Discharge mgd
1	clear	0.12000	6.20	0.00							0.241000		0.0	5.0	1.0	5.0				0.197227	djones
2	clear	0.54300			< 1.00	< 1.00	< 1.00	< 2.0	< 4.0	< 5.0	0.280000	< 1.8	0.0	10.0	1.0	5.0				0.195875	djones
3	clear	0.24000	6.17	0.00							0.278000		0.0	10.0	1.0	5.0				0.202129	djones
4	clear	0.12500									0.226000		0.0	10.0	1.0	5.0				0.152125	djones
5	clear	0.21000									0.275000		0.0	5.0	1.0	5.0				0.206634	djones
6	clear	0.14800									0.284000		0.0	5.0	1.0	5.0				0.176160	djones
7	clear	0.11300									0.258000		0.0	10.0	1.0	5.0				0.191568	gd
8	clear	0.48200	6.10	0.00							0.242000		0.0	10.0	1.0	5.0				0.186653	gd
9	clear	0.83700									0.269000	< 1.8	0.0	10.0	1.0	5.0				0.210344	djones
10	clear	0.17100	6.15	0.00							0.276000		0.0	10.0	1.0	5.0				0.221728	djones
11	clear	0.10900									0.283000		0.0	10.0	1.0	5.0				0.199664	djones
12	clear	0.10200									0.247000		0.0	5.0	1.0	5.0				0.191457	gd
13	clear	0.47200									0.261000		0.0	5.0	1.0	5.0				0.215495	gd
14	clear	0.14100									0.223000		0.0	10.0	1.0	5.0				0.196172	mwhitt
15	clear	0.13700	6.20	0.00							0.270000		0.0	5.0	1.0	5.0				0.205704	djones
16	clear	0.15500								5.8	0.243000	< 1.8	0.0	5.0	1.0	5.0				0.199189	djones
17	clear	0.17900	6.12	0.00							0.294000		0.0	10.0	1.0	5.0				0.207160	djones
18	clear	0.12600									0.223000		0.0	5.0	1.0	5.0				0.148574	djones
19	clear	0.28900									0.306000		0.0	10.0	1.0	5.0				0.222823	djones
20	clear	0.14700									0.264000		0.0	5.0	1.0	5.0				0.232744	djones
21	clear	0.11800									0.223000		0.0	10.0	1.0	5.0				0.193288	gd
22	clear	0.13200	6.14	0.00							0.263000	< 1.8	0.0	10.0	1.0	5.0				0.218920	gd
23	clear	0.10200	6.26	0.00							0.225000		0.0	5.0	1.0	5.0				0.170041	djones
24	clear	0.13100									0.256000		0.0	5.0	1.0	5.0				0.214540	gd
25	clear	0.11300									0.267000		0.0	10.0	1.0	5.0				0.229978	djones
26	clear	0.67300									0.194000		0.0	10.0	1.0	5.0				0.188326	gd
27	clear	0.20400									0.201000		0.0	5.0	1.0	5.0				0.218907	gd
28	clear	0.14200									0.270000		0.0	5.0	1.0	5.0				0.187432	djones
29	clear	0.11600	6.20	0.00							0.309000	< 1.8	0.0	5.0	1.0	5.0				0.220514	djones
30	clear	0.10300									0.279000		0.0	5.0	1.0	5.0				0.188064	djones
31	clear	0.24300	6.22	0.00							0.314000		0.0	5.0	1.0	5.0				0.207079	djones
Total		6.92300									8.044000									6.196514	
Average		0.22332	6.2	<0.10	0	0	0	2	0	3	0.259484	1	0.0	7.4	1.0	5.0	#DIV/0!	#DIV/0!	#DIV/0!	0.199888	
Minimum		0.10200	6.1	0.00	0	0	0	2	0	0	0.194000	1	0.0	5.0	1.0	5.0	0	0	0	0.148574	
Maximum		0.83700	6.3	<0.10	0	0	0	0	0	6	0.314000	1	0.0	10.0	1.0	5.0	0	0	0	0.232744	MOR 5-11-09

COMMENTS:

**APPENDIX B
DISCHARGE MONITORING REPORTS
(OCTOBER - DECEMBER 2009)**

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) (17-19)

State Discharge Permit

02-DP-0022

Form Approved. 12345

OMB No 2040-0004.

Approval expires 05-31-98

MD0001881

PERMIT NUMBER

001

DISCHARGE NUMBER

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	09	10	01		09	10	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING (34-61)			QUANTITY OR CONCENTRATION (34-61)			NO EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE (34-35)	MAXIMUM (36-37)	UNITS (38-45)	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)				UNITS (54-61)
BOD, 5-DAY (20 DEG C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	*****	****	*****	*****	2	(19)	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	*****	****	*****	*****	15			ONE/ MONTH	GRAB
pH	SAMPLE MEASUREMENT *****	*****	*****	****	6.2	*****	6.9	(12)	0	TWO/ WEEK	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT *****	*****	*****	****	6.0	*****	8.5			TWO/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	*****	****	*****	0	0	(19)	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	*****	****	*****	20	30			ONE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT 219806	770000	(07)	****	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT REPORT	REPORT	GPD	****	*****	*****	*****			MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	****	****	*****	<0.1	<0.1	(19)	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	****	****	*****	0.011	0.019			ONE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	****	****	*****	*****	0		0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	****	****	*****	*****	5			ONE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	****	****	*****	*****	0		0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	****	****	*****	*****	5			ONE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Jim Harkins, Director MES

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

410
AREA CODE

729-8350
NUMBER

09
YEAR

11
MO

18
DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here.)

ADDRESS **020 Hanover Pike**
Hampstead, MD 21074
 FACILITY **Black and Decker WWTP**
 LOCATION **626 Hanover Pike**
 ATTN

MD0001881
 PERMIT NUMBER


001
 DISCHARGE NUMBER

Form Approved. 12345
 OMB No. 2040-0004.
 Approval expires 05-31-98

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
09	10	01	09	10	31
(20-21)		(22-23)		(24-25)	
		(26-27)		(28-29)	
				(30-31)	

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT PERMIT REQUIREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			UNITS	NO EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	*****	0	ug/l	0	ONE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	0	0	(19)	0	ONE/MONTH	GRAB
						10	15	MG/L		ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT 	TELEPHONE		DATE		
			410	729-8350	09	11	18
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DAIR)

(2-16)

(17-19)

State Discharge Permit

02-DP-0022

Form Approved 12345

OMB No. 2040-0004

Approval expires 05-31-98

MD0001881

PERMIT NUMBER

101

DISCHARGE NUMBER

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	09	10	01		09	10	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***

NOTE. Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			UNITS	NO EX (62-63)	FREQUENCY OF ANALYSIS (64-65)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE		198613	261000	(.07)	*****	*****	*****		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	GPD	*****	*****	*****	****		ONE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	1	(30)	0	ONE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****		*****	*****	200	MPN		ONE/WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										


NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Jim Harkins, Director MES

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT



TELEPHONE

410 729-8350

AREA CODE

NUMBER

DATE

09 11 18

YEAR

MO

DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(2-16) (17-19)

State Discharge Permit
02-DP-0022

MD0001881

PERMIT NUMBER

001

DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98


MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	09	11	01		09	11	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only (46-53) (54-61))			QUANTITY OR CONCENTRATION (4 Card Only (38-45) (46-53) (54-61))			NO EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
BOD, 5-DAY (20 DEG C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15			ONE/MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	6.3	*****	6.8	(12)	0	TWO/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	8.5			TWO/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20	30			ONE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	165700	468000	(07)	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****		****	MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.01	0.09			ONE/MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5			ONE/MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5			ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
Jim Harkins, Director MES			410	729-8350	09	12	18
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here.)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

State Discharge Permit

02-DP-0022

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MD0001881
PERMIT NUMBER

001
DISCHARGE NUMBER

MONITORING PERIOD

FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
09	11	01	09	11	30
(20-21)		(22-23)	(24-25)	(26-27)	(28-29) (30-31)

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (46-53)			UNITS	NO EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)				
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****		*****	*****	0		0	ONE/MONTH	GRAB
79141 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE	SAMPLE MEASUREMENT	*****	*****		*****	349	349	(19)	2	ONE/MONTH	GRAB
70030 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	10	15	MG/L		ONE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
			410	729-8350	09	12	18
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(2-16) (17-19)

State Discharge Permit
02-DP-0022

MD0001881
PERMIT NUMBER


101
DISCHARGE NUMBER

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
09	11	01		09	11	30
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53) (54-61)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45) (46-53) (54-61)				NO EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE		206200	298000	(07)	*****	*****	*****	*****	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	*****	****	ONE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	1	(30)	0	ONE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200	MPN		ONE/WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
Jim Harkins, Director MES			410	729-8350	09	12	18
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Maryland Environmental Service
 259 Naples Road
 Millersville, Maryland 21108

Non-Compliance
 Report Form

Date: November 04, 2008

To: MDE- Compliance and Inspection Division
 From: (Name) Earle Villarreal
 (Title) ESS
 Subject Non-complying discharge
 Facility. Black and Decker WWTP
 Permit No (State) 02 -DP- 0022 (Federal) MD0001881
 Non-complying Month/ Year November-09

Parameter	Monthly	Daily		
Limit	10 mg/l	15 mg/l		
Unit	Oil&Grease	Oil&Grease		
Date				
1				
2				
3				
4	349	349		
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
Average	349	349		

- A non-complying discharge of Frequency Of Analysis at outfall 001 occurred on 11/04/2009
- The impact on the receiving stream was No visible impact
- The cause of the non-compliance was Due to excessive precipitation totaling 4 inches in the previous weeks Surface runoff from the parking lot and impervious areas flowed into the ponds affecting monitoring results
- The non-complying discharge continued for a period of See at right
- The following action (is being) (was) (will be) taken to correct the problem causing the non compliance We will continue to monitor the problem
- The following action is being taken to prevent recurrence of a non-complying discharge of this nature See above
- The following analysis were performed to determine the nature and impact on the receiving stream All other NPDES permit requirements were met daily and for the Month
- Comments: All other NPDES permit requirements were met daily and for the Month

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

State Discharge Permit
02-DP-0022

Form Approved. 12345
 OMB No. 2040-0004.
 Approval expires 05-31-98

MD0001881

PERMIT NUMBER

001

DISCHARGE NUMBER

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	09	12	01		09	12	31
	(20-21) (22-23) (24-25)				(26-27) (28-29) (30-31)		

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

ATTN:

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	*****	0	(19)	0	ONE/MONTH GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15	MG/L		ONE/MONTH GRAB
pH	*****	*****	*****	****	6.1	*****	6.3	(12)	0	TWO/WEEK GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	8.5	SU		TWO/WEEK GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	0	0	(19)	0	ONE/MONTH GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20	30	MG/L		ONE/MONTH GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	*****	837000	(07)	****	*****	*****	*****		0	MEASURED RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		MEASURED RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONE/MONTH GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011	0.019	MG/L		ONE/MONTH GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	*****	0		0	ONE/MONTH GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	*****	0		0	ONE/MONTH GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Jim Harkins, Director MES
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
410 729-8350
 AREA CODE NUMBER
 DATE
10 01 25
 YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

State Discharge Permit
02-DP-0022

MD0001881

PERMIT NUMBER

001

DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	09	12	01		09	12	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (54-61)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (3 Card Only (46-53))	MAXIMUM	UNITS	MINIMUM (4 Card Only (38-45))	AVERAGE (46-53)	MAXIMUM				
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	ug/l	0	ONE/MONTH	GRAB
79141 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE	SAMPLE MEASUREMENT	*****	*****	****	*****	3	6	(19)	0	ONE/MONTH	GRAB
70030 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	10	15	MG/L		ONE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Jim Harkins, Director MES

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

410
AREA CODE

729-8350
NUMBER

10
YEAR

01
MO

25
DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS(Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **AG/GFI Hampstead, Inc**
 ADDRESS **626 Hanover Pike**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

State Discharge Permit
02-DP-0022

MD0001881
 PERMIT NUMBER

101
 DISCHARGE NUMBER


Form Approved. 12345
 OMB No. 2040-0004.
 Approval expires 05-31-98

Hampstead, MD 21074
 FACILITY **Black and Decker WWTP**
 LOCATION **626 Hanover Pike**

MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
09	12	01		09	12	31	
(20-21)		(22-23)		(24-25)		(26-27)	
				(28-29)		(30-31)	

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	259484	314000	(07)	*****	*****	*****		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	REPORT *****	REPORT *****	GPD	*****	*****	*****	****		ONE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	*****	1	(30)	0	ONE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200	MPN		ONE/WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT 	TELEPHONE	DATE		
			410 729-8350 AREA CODE NUMBER	10	01	25 YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME **AG/GFI Hampstead, Inc**
 Facility Name/Location if different

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) **State Discharge Permit**
DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

02-DP-0022

MD0001881
 PERMIT NUMBER

201
 DISCHARGE NUMBER

Form Approved. 12345
 OMB No. 2040-0004.
 Approval expires 05-31-98

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
09	10	01	TO	09	12	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (46-53)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	REPORT	198908	245419	(07) GPD	*****	*****	*****	*****	0	MEASURED	RECORD
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	REPORT	*****	*****	****	*****	0	0	*****	0	ONE/ QUARTER	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	REPORT	*****	*****	****	*****	REPORT	REPORT	*****	0	ONE/ QUARTER	GRAB
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	REPORT	*****	*****	****	*****	REPORT	REPORT	*****	0	ONE/ QUARTER	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Jim Harkins, Director MES

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: **410 729-8350**
 DATE: **10 01 25**

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 Quarterly Report! Outfall 201 quarterly sample's collected on 10/07/09.

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS
(OCTOBER - DECEMBER 2009)



630 Churchmans Road
 Newark, Delaware 19702
 302-266-9121 • 454-8720 (FAX)
 WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
 259 Najoles Road
 Millersville, MD 21108

Order Number: A09100327
 Project Name: Black & Decker WWTP
 Receive Date: 10/7/2009
 Client Code: MES_A
 Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A09100327-01 **Sample Date: 10/7/2009 9:10**

Site: Black & Decker 001
 Client Sample ID:
 Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	2	mg/L	2	SM 5210 B	10/8/2009 12:00:00 PM	Ythomas
Total Suspended Solids	< 4	mg/L	4	SM 2540D	10/13/2009 2:16:00 PM	JMcGuire

Sample # A09100327-01A **Sample Date: 10/7/2009 9:12**

Site: Black & Decker 001
 Client Sample ID: A
 Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	< 5	mg/L	5	EPA 1664	10/12/2009 2:54:00 PM	HHerman

Sample # A09100327-01B **Sample Date: 10/7/2009 9:15**

Site: Black & Decker 001
 Client Sample ID: B
 Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	< 1	ug/L	1	EPA 8260B	10/10/2009 3:05:00 AM	JKozlowski
Tetrachloroethene	< 1	ug/L	1	EPA 8260B	10/10/2009 3:05:00 AM	JKozlowski
Trichloroethene	< 1	ug/L	1	EPA 8260B	10/10/2009 3:05:00 AM	JKozlowski

Approved: 
 Quality Assurance Manager

Reported: 10/21/2009 3:01:59 PM

RDL = Reporting Detection Limit N/A = Not Applicable
 Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568



ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Order Number: A09110252
Project Name: Black & Decker WWTP
Receive Date: 11/4/2009
Client Code: MES_A
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A09110252-01 **Sample Date: 11/4/2009 9:50**

Site: Black & Decker 001 Matrix: Waste Water
Client Sample ID:
Sample Comments: None

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	< 2	mg/L	2	SM 5210 B	11/5/2009 11:35:00 AM	Skent
Total Suspended Solids	< 4	mg/L	4	SM 2540D	11/9/2009 5:51:00 PM	JMcGuire

Sample # A09110252-01A **Sample Date: 11/4/2009 9:50**

Site: Black & Decker 001 Matrix: Waste Water
Client Sample ID: A
Sample Comments: None

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	349	mg/L	5	EPA 1664	11/10/2009 12:41:00 PM	HHerman

Sample # A09110252-01B **Sample Date: 11/4/2009 9:50**


Site: Black & Decker 001 Matrix: Waste Water
Client Sample ID: E
Sample Comments: None

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	< 1	ug/L	1	EPA 8260B	11/16/2009 7:30:00 AM	WWells
Tetrachloroethene	< 1	ug/L	1	EPA 8260B	11/16/2009 7:30:00 AM	WWells
Trichloroethene	< 1	ug/L	1	EPA 8260B	11/16/2009 7:30:00 AM	WWells

Approved: *Warren Chen*
Quality Assurance Manager

Reported: 11/17/2009 10:35:40 AM

RDL = Reporting Detection Limit N/A = Not Applicable
Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568



630 Churchmans Road
 Newark, Delaware 19702
 302-266-9121 • 454-8720 (FAX)
 WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
 259 Najoles Road
 Millersville, MD 21108

Order Number: A09120164
 Project Name: Black & Decker WWTP
 Receive Date: 12/2/2009
 Client Code: MES_A
 Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A09120164-01 **Sample Date: 12/2/2009 9:30**

Site: Black & Decker 001 Matrix: Waste Water
 Client Sample ID:
 Sample Comments: None

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	< 2	mg/L	2	SM 5210 B	12/3/2009 11:30:00 AM	Skent
Total Suspended Solids	< 4	mg/L	4	SM 2540D	12/7/2009 1:05:00 PM	JMcGuire

Sample # A09120164-01A **Sample Date: 12/2/2009 9:30**

Site: Black & Decker 001 Matrix: Waste Water
 Client Sample ID: A
 Sample Comments: None

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	< 5	mg/L	5	EPA 1664	12/2/2009 6:20:00 PM	SHess

Sample # A09120164-01B **Sample Date: 12/2/2009 9:30**

Site: Black & Decker 001 Matrix: Waste Water
 Client Sample ID: B
 Sample Comments: None

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	< 1	ug/L	1	EPA 8260B	12/8/2009 9:08:00 PM	JKozlowski
Tetrachloroethene	< 1	ug/L	1	EPA 8260B	12/8/2009 9:08:00 PM	JKozlowski
Trichloroethene	< 1	ug/L	1	EPA 8260B	12/8/2009 9:08:00 PM	JKozlowski

Approved: *Warren Van Arsdale*
 Quality Assurance Manager

Reported: 12/11/2009 12:47:39 PM

RDL = Reporting Detection Limit N/A = Not Applicable
 Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568



630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Order Number: A09121045
Project Name: Black & Decker WWTP
Receive Date: 12/16/2009
Client Code: MES_A
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A09121045-01

Sample Date: 12/16/2009 9:02

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Oil and Grease (HEM)	5.8	mg/L	5	EPA 1664	12/16/2009 4:55:00 PM	SHess

Approved: *Keith A. Handbrecht*
President

Reported: 12/24/2009 1:04:48 PM

RDL = Reporting Detection Limit N/A = Not Applicable
Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568

APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE
(NOVEMBER 2009)

ANALYTICAL REPORT

Job Number: 500-22332-1

Job Description: Black and Decker

For:

Weston Solutions, Inc.

1400 Weston Way

PO BOX 2653

West Chester, PA 19380

Attention: Mr. Tom Cornuet



Approved for release.
Richard C Wright
Project Manager II
11/17/2009 3:34 PM

Richard C Wright
Project Manager II
richard.wright@testamericainc.com
11/17/2009

cc: Greg Flasiniski

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Chicago 2417 Bond Street, University Park, IL 60484

Tel (708) 534-5200 Fax (708) 534-5211 www.testamericainc.com



Job Narrative
500-22332-1

Comments

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

GC/MS VOA

Method(s) 8260B: The following sample(s) was diluted due to the abundance of target analytes: EW-4 (500-22332-19). Elevated reporting limits (RLs) are provided.

Method(s) 8260B: The %RPD of the laboratory control sample (LCS) and laboratory control standard duplicate (LCSD) for preparation batch 75429 exceeded control limits for the following analytes: bromomethane and chloroethane.

Method(s) 8260B: The laboratory control sample (LCS) for batches 75599 and 75429 exceeded control limits for the following analytes: Hexachlorobutadiene. LCS for batch 75429 also had dichlorodifluoromethane outside the control limits.

Method(s) 8260B: The matrix spike / matrix spike duplicate (MS/MSD) for sample -21 had Dichlorodifluoromethane (RPD value) and Hexachlorobutadiene (high recovery) outside the control limits.

No other analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-22332-3 Trichloroethene	RFW-2A	1.2	1.0	ug/L	8260B
500-22332-4 Trichloroethene	RFW-2B	1.5	1.0	ug/L	8260B
500-22332-5 cis-1,2-Dichloroethene Tetrachloroethene	RFW-3B	3.5 1.3	1.0 1.0	ug/L ug/L	8260B 8260B
500-22332-6 Chloroform Trichloroethene Tetrachloroethene	RFW-4A	1.1 24 14	1.0 1.0 1.0	ug/L ug/L ug/L	8260B 8260B 8260B
500-22332-7FD Chloroform Trichloroethene Tetrachloroethene	RFW-4A DUP	1.0 24 15	1.0 1.0 1.0	ug/L ug/L ug/L	8260B 8260B 8260B
500-22332-8 cis-1,2-Dichloroethene Chloroform Trichloroethene Tetrachloroethene	RFW-4B	3.3 1.7 50 78	1.0 1.0 1.0 1.0	ug/L ug/L ug/L ug/L	8260B 8260B 8260B 8260B
500-22332-9 Trichloroethene Tetrachloroethene	RFW-6	2.4 2.8	1.0 1.0	ug/L ug/L	8260B 8260B
500-22332-10 Trichloroethene	RFW-7	2.7	1.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-22332-11	RFW-9				
1,1-Dichloroethene		1.2	1.0	ug/L	8260B
1,1-Dichloroethane		1.0	1.0	ug/L	8260B
cis-1,2-Dichloroethene		15	1.0	ug/L	8260B
1,1,1-Trichloroethane		1.4	1.0	ug/L	8260B
Trichloroethene		16	1.0	ug/L	8260B
Tetrachloroethene		7.0	1.0	ug/L	8260B
500-22332-12	RFW-11B				
Trichloroethene		11	1.0	ug/L	8260B
500-22332-13	RFW-12B				
cis-1,2-Dichloroethene		2.7	1.0	ug/L	8260B
Trichloroethene		360	10	ug/L	8260B
Tetrachloroethene		32	1.0	ug/L	8260B
500-22332-14	RFW-13				
cis-1,2-Dichloroethene		1.1	1.0	ug/L	8260B
Trichloroethene		4.3	1.0	ug/L	8260B
Tetrachloroethene		22	1.0	ug/L	8260B
500-22332-15	RFW-17				
Benzene		2.7	1.0	ug/L	8260B
500-22332-17	EW-2				
cis-1,2-Dichloroethene		3.9	1.0	ug/L	8260B
Trichloroethene		430	10	ug/L	8260B
Tetrachloroethene		64	1.0	ug/L	8260B
500-22332-18	EW-3				
cis-1,2-Dichloroethene		2.8	1.0	ug/L	8260B
Trichloroethene		130	5.0	ug/L	8260B
Tetrachloroethene		3.8	1.0	ug/L	8260B
500-22332-19	EW-4				
Trichloroethene		990	50	ug/L	8260B
Tetrachloroethene		21	5.0	ug/L	8260B

TestAmerica Chicago

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-22332-20	EW-5				
Trichloroethene		130	5.0	ug/L	8260B
Tetrachloroethene		6.9	1.0	ug/L	8260B
500-22332-21	EW-6				
Trichloroethene		10	1.0	ug/L	8260B
Tetrachloroethene		15	1.0	ug/L	8260B
500-22332-22	EW-7				
cis-1,2-Dichloroethene		4.8	1.0	ug/L	8260B
Trichloroethene		4.2	1.0	ug/L	8260B
Tetrachloroethene		9.8	1.0	ug/L	8260B
500-22332-23	EW-8				
cis-1,2-Dichloroethene		25	1.0	ug/L	8260B
Trichloroethene		11	1.0	ug/L	8260B
Tetrachloroethene		67	1.0	ug/L	8260B
500-22332-24	EW-9				
Trichloroethene		1.1	1.0	ug/L	8260B
Tetrachloroethene		120	5.0	ug/L	8260B
500-22332-25FD	EW-9 DUP				
Trichloroethene		0.92 J	1.0	ug/L	8260B
Tetrachloroethene		110	5.0	ug/L	8260B
500-22332-26	EW-10				
Tetrachloroethene		1.2	1.0	ug/L	8260B

METHOD SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
VOC	TAL CHI	SW846 8260B	
Purge and Trap	TAL CHI		SW846 5030B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

<u>Method</u>	<u>Analyst</u>	<u>Analyst ID</u>
SW846 8260B	Alikpala, Elaine	EA
SW846 8260B	Drabek, Dave J	DJD

SAMPLE SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-22332-1	RFW-1A	Water	11/04/2009 0900	11/06/2009 1030
500-22332-2	RFW-1B	Water	11/04/2009 1745	11/06/2009 1030
500-22332-3	RFW-2A	Water	11/04/2009 0758	11/06/2009 1030
500-22332-4	RFW-2B	Water	11/04/2009 0830	11/06/2009 1030
500-22332-5	RFW-3B	Water	11/05/2009 0715	11/06/2009 1030
500-22332-6	RFW-4A	Water	11/05/2009 0845	11/06/2009 1030
500-22332-7FD	RFW-4A DUP	Water	11/05/2009 0845	11/06/2009 1030
500-22332-8	RFW-4B	Water	11/05/2009 0915	11/06/2009 1030
500-22332-9	RFW-6	Water	11/05/2009 0700	11/06/2009 1030
500-22332-10	RFW-7	Water	11/04/2009 0950	11/06/2009 1030
500-22332-11	RFW-9	Water	11/05/2009 1230	11/06/2009 1030
500-22332-12	RFW-11B	Water	11/05/2009 1120	11/06/2009 1030
500-22332-13	RFW-12B	Water	11/05/2009 0730	11/06/2009 1030
500-22332-14	RFW-13	Water	11/04/2009 1530	11/06/2009 1030
500-22332-15	RFW-17	Water	11/04/2009 1045	11/06/2009 1030
500-22332-16TB	TRIP BLANK	Water	11/04/2009 0700	11/06/2009 1030
500-22332-17	EW-2	Water	11/04/2009 1715	11/06/2009 1030
500-22332-18	EW-3	Water	11/05/2009 1015	11/06/2009 1030
500-22332-19	EW-4	Water	11/05/2009 1045	11/06/2009 1030
500-22332-20	EW-5	Water	11/04/2009 0915	11/06/2009 1030
500-22332-21	EW-6	Water	11/04/2009 1430	11/06/2009 1030
500-22332-22	EW-7	Water	11/04/2009 1410	11/06/2009 1030
500-22332-23	EW-8	Water	11/04/2009 1345	11/06/2009 1030
500-22332-24	EW-9	Water	11/04/2009 1340	11/06/2009 1030
500-22332-25FD	EW-9 DUP	Water	11/04/2009 1340	11/06/2009 1030
500-22332-26	EW-10	Water	11/04/2009 1330	11/06/2009 1030



SAMPLE RESULTS

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-1A
 Lab Sample ID: 500-22332-1

Date Sampled: 11/04/2009 0900
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/10/2009 1430			
Prep Method: 5030B		Date Prepared: 11/10/2009 1430			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	<1.0	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-1A
 Lab Sample ID: 500-22332-1

Date Sampled: 11/04/2009 0900
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	96	%		72 - 135	
Toluene-d8 (Surr)	105	%		80 - 120	
4-Bromofluorobenzene (Surr)	98	%		77 - 120	
Dibromofluoromethane	101	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-1B
 Lab Sample ID: 500-22332-2

Date Sampled: 11/04/2009 1745
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/10/2009	1454	
Prep Method: 5030B		Date Prepared:	11/10/2009	1454	
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	<1.0	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-1B
 Lab Sample ID: 500-22332-2

Date Sampled: 11/04/2009 1745
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	99	%		72 - 135	
Toluene-d8 (Surr)	101	%		80 - 120	
4-Bromofluorobenzene (Surr)	96	%		77 - 120	
Dibromofluoromethane	102	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-2A
 Lab Sample ID: 500-22332-3

Date Sampled: 11/04/2009 0758
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/10/2009 1518			
Prep Method: 5030B		Date Prepared: 11/10/2009 1518			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	1.2	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-2A
 Lab Sample ID: 500-22332-3

Date Sampled: 11/04/2009 0758
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	101	%		72 - 135	
Toluene-d8 (Surr)	103	%		80 - 120	
4-Bromofluorobenzene (Surr)	96	%		77 - 120	
Dibromofluoromethane	103	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-2B
 Lab Sample ID: 500-22332-4

Date Sampled: 11/04/2009 0830
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/10/2009 1542			
Prep Method: 5030B		Date Prepared: 11/10/2009 1542			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	1.5	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-2B
 Lab Sample ID: 500-22332-4

Date Sampled: 11/04/2009 0830
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate			Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	92	%		72 - 135	
Toluene-d8 (Surr)	99	%		80 - 120	
4-Bromofluorobenzene (Surr)	95	%		77 - 120	
Dibromofluoromethane	104	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-3B
 Lab Sample ID: 500-22332-5

Date Sampled: 11/05/2009 0715
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/10/2009	1606	
Prep Method: 5030B		Date Prepared:	11/10/2009	1606	
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	3.5	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	<1.0	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	1.3	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-3B
 Lab Sample ID: 500-22332-5

Date Sampled: 11/05/2009 0715
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate			Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	99	%		72 - 135	
Toluene-d8 (Surr)	101	%		80 - 120	
4-Bromofluorobenzene (Surr)	97	%		77 - 120	
Dibromofluoromethane	105	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-4A
 Lab Sample ID: 500-22332-6

Date Sampled: 11/05/2009 0845
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/10/2009 1630			
Prep Method: 5030B		Date Prepared: 11/10/2009 1630			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	1.1	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	24	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	14	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-4A
 Lab Sample ID: 500-22332-6

Date Sampled: 11/05/2009 0845
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	98	%		72 - 135	
Toluene-d8 (Surr)	104	%		80 - 120	
4-Bromofluorobenzene (Surr)	96	%		77 - 120	
Dibromofluoromethane	101	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-4A DUP
 Lab Sample ID: 500-22332-7

Date Sampled: 11/05/2009 0845
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/10/2009 1653		
Prep Method: 5030B		Date Prepared:	11/10/2009 1653		
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	24	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	15	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-4A DUP
 Lab Sample ID: 500-22332-7

Date Sampled: 11/05/2009 0845
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	96	%		72 - 135	
Toluene-d8 (Surr)	102	%		80 - 120	
4-Bromofluorobenzene (Surr)	98	%		77 - 120	
Dibromofluoromethane	104	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-4B
 Lab Sample ID: 500-22332-8

Date Sampled: 11/05/2009 0915
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/10/2009 1717			
Prep Method: 5030B		Date Prepared: 11/10/2009 1717			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	3.3	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	1.7	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	50	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	78	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-4B
 Lab Sample ID: 500-22332-8

Date Sampled: 11/05/2009 0915
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	102	%		72 - 135	
Toluene-d8 (Surr)	103	%		80 - 120	
4-Bromofluorobenzene (Surr)	95	%		77 - 120	
Dibromofluoromethane	106	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-6
 Lab Sample ID: 500-22332-9

Date Sampled: 11/05/2009 0700
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B			Date Analyzed:	11/10/2009 1804	
Prep Method: 5030B			Date Prepared:	11/10/2009 1804	
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	2.4	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	2.8	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-6
 Lab Sample ID: 500-22332-9

Date Sampled: 11/05/2009 0700
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	99	%		72 - 135	
Toluene-d8 (Surr)	100	%		80 - 120	
4-Bromofluorobenzene (Surr)	94	%		77 - 120	
Dibromofluoromethane	104	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-7
 Lab Sample ID: 500-22332-10

Date Sampled: 11/04/2009 0950
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/10/2009 1828			
Prep Method: 5030B		Date Prepared: 11/10/2009 1828			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	2.7	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-7
 Lab Sample ID: 500-22332-10

Date Sampled: 11/04/2009 0950
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		72 - 135	
Toluene-d8 (Surr)	100	%		80 - 120	
4-Bromofluorobenzene (Surr)	99	%		77 - 120	
Dibromofluoromethane	105	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-9
 Lab Sample ID: 500-22332-11

Date Sampled: 11/05/2009 1230
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B			Date Analyzed:	11/10/2009 1852	
Prep Method: 5030B			Date Prepared:	11/10/2009 1852	
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	1.2	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	15	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	1.4	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	16	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	7.0	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-9
 Lab Sample ID: 500-22332-11

Date Sampled: 11/05/2009 1230
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	101	%		72 - 135	
Toluene-d8 (Surr)	100	%		80 - 120	
4-Bromofluorobenzene (Surr)	95	%		77 - 120	
Dibromofluoromethane	108	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-11B
 Lab Sample ID: 500-22332-12

Date Sampled: 11/05/2009 1120
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/10/2009 1915			
Prep Method: 5030B		Date Prepared: 11/10/2009 1915			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	11	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-11B
 Lab Sample ID: 500-22332-12

Date Sampled: 11/05/2009 1120
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	105	%		72 - 135	
Toluene-d8 (Surr)	108	%		80 - 120	
4-Bromofluorobenzene (Surr)	98	%		77 - 120	
Dibromofluoromethane	106	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-12B
 Lab Sample ID: 500-22332-13

Date Sampled: 11/05/2009 0730
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/10/2009 1939			
Prep Method: 5030B		Date Prepared: 11/10/2009 1939			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	2.7	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	32	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-12B
 Lab Sample ID: 500-22332-13

Date Sampled: 11/05/2009 0730
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	100	%	72 - 135
Toluene-d8 (Surr)	102	%	80 - 120
4-Bromofluorobenzene (Surr)	98	%	77 - 120
Dibromofluoromethane	104	%	79 - 133

Method: 8260B Run Type: DL

Date Analyzed: 11/10/2009 2003

Prep Method: 5030B

Date Prepared: 11/10/2009 2003

Trichloroethene	360	ug/L	1.6	10	10
-----------------	-----	------	-----	----	----

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	98	%	72 - 135
Toluene-d8 (Surr)	98	%	80 - 120
4-Bromofluorobenzene (Surr)	99	%	77 - 120
Dibromofluoromethane	106	%	79 - 133

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-13
 Lab Sample ID: 500-22332-14

Date Sampled: 11/04/2009 1530
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B			Date Analyzed: 11/10/2009 2027		
Prep Method: 5030B			Date Prepared: 11/10/2009 2027		
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	1.1	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	4.3	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	22	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-13
 Lab Sample ID: 500-22332-14

Date Sampled: 11/04/2009 1530
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	102	%		72 - 135	
Toluene-d8 (Surr)	103	%		80 - 120	
4-Bromofluorobenzene (Surr)	93	%		77 - 120	
Dibromofluoromethane	109	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-17
 Lab Sample ID: 500-22332-15

Date Sampled: 11/04/2009 1045
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/10/2009 2051			
Prep Method: 5030B		Date Prepared: 11/10/2009 2051			
Benzene	2.7	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0 *	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	<1.0	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: RFW-17
 Lab Sample ID: 500-22332-15

Date Sampled: 11/04/2009 1045
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	101	%		72 - 135	
Toluene-d8 (Surr)	101	%		80 - 120	
4-Bromofluorobenzene (Surr)	94	%		77 - 120	
Dibromofluoromethane	108	%		79 - 133.	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: TRIP BLANK
 Lab Sample ID: 500-22332-16

Date Sampled: 11/04/2009 0700
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/11/2009 1128			
Prep Method: 5030B		Date Prepared: 11/11/2009 1128			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	<1.0	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: TRIP BLANK
 Lab Sample ID: 500-22332-16

Date Sampled: 11/04/2009 0700
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	102	%		72 - 135	
Toluene-d8 (Surr)	102	%		80 - 120	
4-Bromofluorobenzene (Surr)	92	%		77 - 120	
Dibromofluoromethane	103	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-2
 Lab Sample ID: 500-22332-17

Date Sampled: 11/04/2009 1715
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/11/2009 1152			
Prep Method: 5030B		Date Prepared: 11/11/2009 1152			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	3.9	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	64	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-2
 Lab Sample ID: 500-22332-17

Date Sampled: 11/04/2009 1715
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	102	%	72 - 135
Toluene-d8 (Surr)	102	%	80 - 120
4-Bromofluorobenzene (Surr)	96	%	77 - 120
Dibromofluoromethane	104	%	79 - 133

Method: 8260B Run Type: DL

Date Analyzed: 11/11/2009 1216

Prep Method: 5030B

Date Prepared: 11/11/2009 1216

Trichloroethene	430	ug/L	1.6	10	10
-----------------	-----	------	-----	----	----

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	106	%	72 - 135
Toluene-d8 (Surr)	104	%	80 - 120
4-Bromofluorobenzene (Surr)	97	%	77 - 120
Dibromofluoromethane	104	%	79 - 133

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-3
 Lab Sample ID: 500-22332-18

Date Sampled: 11/05/2009 1015
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/11/2009 1240			
Prep Method: 5030B		Date Prepared: 11/11/2009 1240			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	2.8	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	3.8	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-3
 Lab Sample ID: 500-22332-18

Date Sampled: 11/05/2009 1015
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	108	%	72 - 135
Toluene-d8 (Surr)	106	%	80 - 120
4-Bromofluorobenzene (Surr)	95	%	77 - 120
Dibromofluoromethane	101	%	79 - 133

Method: 8260B Run Type: DL

Date Analyzed: 11/11/2009 1303

Prep Method: 5030B

Date Prepared: 11/11/2009 1303

Trichloroethene	130	ug/L	0.80	5.0	5.0
-----------------	-----	------	------	-----	-----

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	%	72 - 135
Toluene-d8 (Surr)	103	%	80 - 120
4-Bromofluorobenzene (Surr)	97	%	77 - 120
Dibromofluoromethane	105	%	79 - 133

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-4
 Lab Sample ID: 500-22332-19

Date Sampled: 11/05/2009 1045
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/12/2009 1508			
Prep Method: 5030B		Date Prepared: 11/12/2009 1508			
Benzene	<5.0	ug/L	0.75	5.0	5.0
Dichlorodifluoromethane	<5.0	ug/L	1.2	5.0	5.0
Chloromethane	<5.0	ug/L	0.70	5.0	5.0
Vinyl chloride	<5.0	ug/L	0.75	5.0	5.0
Bromomethane	<5.0	ug/L	2.2	5.0	5.0
Chloroethane	<5.0	ug/L	1.8	5.0	5.0
Trichlorofluoromethane	<5.0	ug/L	1.2	5.0	5.0
1,1-Dichloroethene	<5.0	ug/L	1.2	5.0	5.0
Carbon disulfide	<25	ug/L	3.3	25	5.0
Acetone	<25	ug/L	10	25	5.0
Methylene Chloride	<10	ug/L	2.6	10	5.0
trans-1,2-Dichloroethene	<5.0	ug/L	0.90	5.0	5.0
1,1-Dichloroethane	<5.0	ug/L	0.60	5.0	5.0
2,2-Dichloropropane	<5.0	ug/L	0.90	5.0	5.0
cis-1,2-Dichloroethene	<5.0	ug/L	0.75	5.0	5.0
Methyl Ethyl Ketone	<25	ug/L	14	25	5.0
Bromochloromethane	<5.0	ug/L	0.75	5.0	5.0
Chloroform	<5.0	ug/L	0.75	5.0	5.0
1,1,1-Trichloroethane	<5.0	ug/L	0.70	5.0	5.0
1,1-Dichloropropene	<5.0	ug/L	0.80	5.0	5.0
Carbon tetrachloride	<5.0	ug/L	1.6	5.0	5.0
1,2-Dichloroethane	<5.0	ug/L	0.70	5.0	5.0
1,2-Dichloropropane	<5.0	ug/L	0.95	5.0	5.0
Dibromomethane	<5.0	ug/L	1.2	5.0	5.0
Bromodichloromethane	<5.0	ug/L	0.65	5.0	5.0
cis-1,3-Dichloropropene	<5.0	ug/L	0.80	5.0	5.0
methyl isobutyl ketone	<25	ug/L	3.8	25	5.0
Toluene	<5.0	ug/L	0.85	5.0	5.0
trans-1,3-Dichloropropene	<5.0	ug/L	1.0	5.0	5.0
1,1,2-Trichloroethane	<5.0	ug/L	1.1	5.0	5.0
Tetrachloroethene	21	ug/L	1.0	5.0	5.0
1,3-Dichloropropane	<5.0	ug/L	1.2	5.0	5.0
2-Hexanone	<25	ug/L	3.8	25	5.0
Dibromochloromethane	<5.0	ug/L	0.85	5.0	5.0
1,2-Dibromoethane	<5.0	ug/L	0.95	5.0	5.0
Chlorobenzene	<5.0	ug/L	0.85	5.0	5.0
1,1,1,2-Tetrachloroethane	<5.0	ug/L	1.0	5.0	5.0
Ethylbenzene	<5.0	ug/L	1.1	5.0	5.0
m&p-Xylene	<10	ug/L	2.1	10	5.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-4
 Lab Sample ID: 500-22332-19

Date Sampled: 11/05/2009 1045
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<5.0	ug/L	0.95	5.0	5.0
Styrene	<5.0	ug/L	0.85	5.0	5.0
Bromoform	<5.0	ug/L	1.5	5.0	5.0
Isopropylbenzene	<5.0	ug/L	1.3	5.0	5.0
Bromobenzene	<5.0	ug/L	1.3	5.0	5.0
1,1,2,2-Tetrachloroethane	<5.0	ug/L	1.4	5.0	5.0
1,2,3-Trichloropropane	<5.0	ug/L	2.4	5.0	5.0
N-Propylbenzene	<5.0	ug/L	1.3	5.0	5.0
2-Chlorotoluene	<5.0	ug/L	1.2	5.0	5.0
1,3,5-Trimethylbenzene	<5.0	ug/L	1.1	5.0	5.0
4-Chlorotoluene	<5.0	ug/L	1.3	5.0	5.0
tert-Butylbenzene	<5.0	ug/L	1.3	5.0	5.0
1,2,4-Trimethylbenzene	<5.0	ug/L	1.3	5.0	5.0
sec-Butylbenzene	<5.0	ug/L	1.2	5.0	5.0
1,3-Dichlorobenzene	<5.0	ug/L	1.3	5.0	5.0
p-Isopropyltoluene	<5.0	ug/L	1.2	5.0	5.0
1,4-Dichlorobenzene	<5.0	ug/L	1.3	5.0	5.0
n-Butylbenzene	<5.0	ug/L	1.2	5.0	5.0
1,2-Dichlorobenzene	<5.0	ug/L	1.6	5.0	5.0
1,2-Dibromo-3-Chloropropane	<10	ug/L	2.9	10	5.0
1,2,4-Trichlorobenzene	<5.0	ug/L	1.8	5.0	5.0
Hexachlorobutadiene	<5.0	ug/L	2.0	5.0	5.0
Naphthalene	<5.0	ug/L	2.2	5.0	5.0
1,2,3-Trichlorobenzene	<5.0	ug/L	2.8	5.0	5.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	106	%	72 - 135
Toluene-d8 (Surr)	106	%	80 - 120
4-Bromofluorobenzene (Surr)	98	%	77 - 120
Dibromofluoromethane	104	%	79 - 133

Method: 8260B Run Type: DL

Date Analyzed: 11/11/2009 1353

Prep Method: 5030B

Date Prepared: 11/11/2009 1353

Trichloroethene	990	ug/L	8.0	50	50
-----------------	-----	------	-----	----	----

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	101	%	72 - 135
Toluene-d8 (Surr)	104	%	80 - 120
4-Bromofluorobenzene (Surr)	93	%	77 - 120
Dibromofluoromethane	110	%	79 - 133

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-5
 Lab Sample ID: 500-22332-20

Date Sampled: 11/04/2009 0915
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/12/2009 1533			
Prep Method: 5030B		Date Prepared: 11/12/2009 1533			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	6.9	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-5
 Lab Sample ID: 500-22332-20

Date Sampled: 11/04/2009 0915
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	114	%	72 - 135
Toluene-d8 (Surr)	103	%	80 - 120
4-Bromofluorobenzene (Surr)	100	%	77 - 120
Dibromofluoromethane	106	%	79 - 133

Method: 8260B Run Type: DL

Date Analyzed: 11/11/2009 1441

Prep Method: 5030B

Date Prepared: 11/11/2009 1441

Trichloroethene	130	ug/L	0.80	5.0	5.0
-----------------	-----	------	------	-----	-----

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	99	%	72 - 135
Toluene-d8 (Surr)	100	%	80 - 120
4-Bromofluorobenzene (Surr)	97	%	77 - 120
Dibromofluoromethane	110	%	79 - 133

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-6
 Lab Sample ID: 500-22332-21

Date Sampled: 11/04/2009 1430
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/11/2009 1505			
Prep Method: 5030B		Date Prepared: 11/11/2009 1505			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	10	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	15	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-6
 Lab Sample ID: 500-22332-21

Date Sampled: 11/04/2009 1430
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	108	%		72 - 135	
Toluene-d8 (Surr)	103	%		80 - 120	
4-Bromofluorobenzene (Surr)	96	%		77 - 120	
Dibromofluoromethane	109	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-7
 Lab Sample ID: 500-22332-22

Date Sampled: 11/04/2009 1410
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/11/2009 1528			
Prep Method: 5030B		Date Prepared: 11/11/2009 1528			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	4.8	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	4.2	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	9.8	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-7
 Lab Sample ID: 500-22332-22

Date Sampled: 11/04/2009 1410
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	107	%		72 - 135	
Toluene-d8 (Surr)	101	%		80 - 120	
4-Bromofluorobenzene (Surr)	96	%		77 - 120	
Dibromofluoromethane	105	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-8
 Lab Sample ID: 500-22332-23

Date Sampled: 11/04/2009 1345
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/11/2009 1552			
Prep Method: 5030B		Date Prepared: 11/11/2009 1552			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	25	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	11	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	67	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-8
 Lab Sample ID: 500-22332-23

Date Sampled: 11/04/2009 1345
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	106	%		72 - 135	
Toluene-d8 (Surr)	104	%		80 - 120	
4-Bromofluorobenzene (Surr)	97	%		77 - 120	
Dibromofluoromethane	107	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-9
 Lab Sample ID: 500-22332-24

Date Sampled: 11/04/2009 1340
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/11/2009 1639			
Prep Method: 5030B		Date Prepared: 11/11/2009 1639			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	1.1	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-9
 Lab Sample ID: 500-22332-24

Date Sampled: 11/04/2009 1340
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	%	72 - 135
Toluene-d8 (Surr)	105	%	80 - 120
4-Bromofluorobenzene (Surr)	97	%	77 - 120
Dibromofluoromethane	108	%	79 - 133

Method: 8260B Run Type: DL
 Prep Method: 5030B

Date Analyzed: 11/11/2009 1701
 Date Prepared: 11/11/2009 1701

Tetrachloroethene	120	ug/L	1.0	5.0	5.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	108	%		72 - 135	
Toluene-d8 (Surr)	101	%		80 - 120	
4-Bromofluorobenzene (Surr)	96	%		77 - 120	
Dibromofluoromethane	107	%		79 - 133	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-9 DUP
 Lab Sample ID: 500-22332-25

Date Sampled: 11/04/2009 1340
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/11/2009 1725		
Prep Method: 5030B		Date Prepared:	11/11/2009 1725		
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	0.92 J	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-9 DUP
 Lab Sample ID: 500-22332-25

Date Sampled: 11/04/2009 1340
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	112	%	72 - 135
Toluene-d8 (Surr)	104	%	80 - 120
4-Bromofluorobenzene (Surr)	99	%	77 - 120
Dibromofluoromethane	107	%	79 - 133

Method: 8260B Run Type: DL

Date Analyzed: 11/11/2009 1748

Prep Method: 5030B

Date Prepared: 11/11/2009 1748

Tetrachloroethene	110	ug/L	1.0	5.0	5.0
-------------------	-----	------	-----	-----	-----

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	102	%	72 - 135
Toluene-d8 (Surr)	102	%	80 - 120
4-Bromofluorobenzene (Surr)	95	%	77 - 120
Dibromofluoromethane	103	%	79 - 133

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-10
 Lab Sample ID: 500-22332-26

Date Sampled: 11/04/2009 1330
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 11/12/2009 1556			
Prep Method: 5030B		Date Prepared: 11/12/2009 1556			
Benzene	<1.0	ug/L	0.15	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.14	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.15	1.0	1.0
Bromomethane	<1.0	ug/L	0.45	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.24	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.23	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.66	5.0	1.0
Acetone	<5.0	ug/L	2.1	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.52	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.12	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.18	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.15	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.8	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.15	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.32	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.14	1.0	1.0
Trichloroethene	<1.0	ug/L	0.16	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.25	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.77	5.0	1.0
Toluene	<1.0	ug/L	0.17	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.22	1.0	1.0
Tetrachloroethene	1.2	ug/L	0.20	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.19	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.20	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.22	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-22332-1

Client Sample ID: EW-10
 Lab Sample ID: 500-22332-26

Date Sampled: 11/04/2009 1330
 Date Received: 11/06/2009 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.42	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.17	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.26	1.0	1.0
Bromobenzene	<1.0	ug/L	0.26	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.27	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.26	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.25	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.22	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.26	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.26	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.23	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.26	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.31	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.58	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.37	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.39	1.0	1.0
Naphthalene	<1.0	ug/L	0.43	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.57	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		72 - 135	
Toluene-d8 (Surr)	102	%		80 - 120	
4-Bromofluorobenzene (Surr)	100	%		77 - 120	
Dibromofluoromethane	107	%		79 - 133	

DATA REPORTING QUALIFIERS

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

<u>Lab Section</u>	<u>Qualifier</u>	<u>Description</u>
GC/MS VOA	*	LCS or LCSD exceeds the control limits
	F	MS or MSD exceeds the control limits
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
	*	RPD of the LCS and LCSD exceeds the control limits
	F	RPD of the MS and MSD exceeds the control limits



QUALITY CONTROL RESULTS

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-75429					
LCS 500-75429/6	Lab Control Sample	T	Water	8260B	
LCSD 500-75429/30	Lab Control Sample Duplicate	T	Water	8260B	
MB 500-75429/5	Method Blank	T	Water	8260B	
500-22332-1	RFW-1A	T	Water	8260B	
500-22332-2	RFW-1B	T	Water	8260B	
500-22332-3	RFW-2A	T	Water	8260B	
500-22332-4	RFW-2B	T	Water	8260B	
500-22332-5	RFW-3B	T	Water	8260B	
500-22332-6	RFW-4A	T	Water	8260B	
500-22332-7FD	RFW-4A DUP	T	Water	8260B	
500-22332-8	RFW-4B	T	Water	8260B	
500-22332-9	RFW-6	T	Water	8260B	
500-22332-10	RFW-7	T	Water	8260B	
500-22332-11	RFW-9	T	Water	8260B	
500-22332-12	RFW-11B	T	Water	8260B	
500-22332-13	RFW-12B	T	Water	8260B	
500-22332-13DL	RFW-12B	T	Water	8260B	
500-22332-14	RFW-13	T	Water	8260B	
500-22332-15	RFW-17	T	Water	8260B	
Analysis Batch:500-75599					
LCS 500-75599/21	Lab Control Sample	T	Water	8260B	
MB 500-75599/20	Method Blank	T	Water	8260B	
500-22332-16TB	TRIP BLANK	T	Water	8260B	
500-22332-17	EW-2	T	Water	8260B	
500-22332-17DL	EW-2	T	Water	8260B	
500-22332-18	EW-3	T	Water	8260B	
500-22332-18DL	EW-3	T	Water	8260B	
500-22332-19DL	EW-4	T	Water	8260B	
500-22332-20DL	EW-5	T	Water	8260B	
500-22332-21	EW-6	T	Water	8260B	
500-22332-21MS	Matrix Spike	T	Water	8260B	
500-22332-21MSD	Matrix Spike Duplicate	T	Water	8260B	
500-22332-22	EW-7	T	Water	8260B	
500-22332-23	EW-8	T	Water	8260B	
500-22332-24	EW-9	T	Water	8260B	
500-22332-24DL	EW-9	T	Water	8260B	
500-22332-25FD	EW-9 DUP	T	Water	8260B	
500-22332-25FDDL	EW-9 DUP	T	Water	8260B	

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-75828					
LCS 500-75828/7	Lab Control Sample	T	Water	8260B	
MB 500-75828/6	Method Blank	T	Water	8260B	
500-22332-19	EW-4	T	Water	8260B	
500-22332-20	EW-5	T	Water	8260B	
500-22332-26	EW-10	T	Water	8260B	

Report Basis

T = Total

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Surrogate Recovery Report

8260B VOC

Client Matrix: Water

Lab Sample ID	Client Sample ID	DCA %Rec	TOL %Rec	BFB %Rec	DBFM %Rec
500-22332-1	RFW-1A	96	105	98	101
500-22332-2	RFW-1B	99	101	96	102
500-22332-3	RFW-2A	101	103	96	103
500-22332-4	RFW-2B	92	99	95	104
500-22332-5	RFW-3B	99	101	97	105
500-22332-6	RFW-4A	98	104	96	101
500-22332-7	RFW-4A DUP	96	102	98	104
500-22332-8	RFW-4B	102	103	95	106
500-22332-9	RFW-6	99	100	94	104
500-22332-10	RFW-7	103	100	99	105
500-22332-11	RFW-9	101	100	95	108
500-22332-12	RFW-11B	105	108	98	106
500-22332-13	RFW-12B	100	102	98	104
500-22332-13 DL	RFW-12B DL	98	98	99	106
500-22332-14	RFW-13	102	103	93	109
500-22332-15	RFW-17	101	101	94	108
500-22332-16	TRIP BLANK	102	102	92	103
500-22332-17	EW-2	102	102	96	104
500-22332-17 DL	EW-2 DL	106	104	97	104
500-22332-18	EW-3	108	106	95	101
500-22332-18 DL	EW-3 DL	104	103	97	105
500-22332-19 DL	EW-4 DL	101	104	93	110
500-22332-19	EW-4	106	106	98	104
500-22332-20 DL	EW-5 DL	99	100	97	110
500-22332-20	EW-5	114	103	100	106
500-22332-21	EW-6	108	103	96	109
500-22332-22	EW-7	107	101	96	105
500-22332-23	EW-8	106	104	97	107
500-22332-24	EW-9	104	105	97	108

Surrogate	Acceptance Limits
DCA = 1,2-Dichloroethane-d4 (Surr)	72-135
TOL = Toluene-d8 (Surr)	80-120
BFB = 4-Bromofluorobenzene (Surr)	77-120
DBFM = Dibromofluoromethane	79-133

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Surrogate Recovery Report

8260B VOC

Client Matrix: Water

Lab Sample ID	Client Sample ID	DCA %Rec	TOL %Rec	BFB %Rec	DBFM %Rec
500-22332-24 DL	EW-9 DL	108	101	96	107
500-22332-25	EW-9 DUP	112	104	99	107
500-22332-25 DL	EW-9 DUP DL	102	102	95	103
500-22332-26	EW-10	103	102	100	107
MB 500-75429/5		97	101	95	97
MB 500-75599/20		90	100	95	96
MB 500-75828/6		107	102	98	106
LCS 500-75429/6		100	103	101	104
LCS 500-75599/21		103	103	105	107
LCS 500-75828/7		107	98	107	100
LCSD 500-75429/30		101	101	109	110
500-22332-21 MS	EW-6 MS	105	100	109	115
500-22332-21 MSD	EW-6 MSD	104	99	107	109

Surrogate	Acceptance Limits
DCA = 1,2-Dichloroethane-d4 (Surr)	72-135
TOL = Toluene-d8 (Surr)	80-120
BFB = 4-Bromofluorobenzene (Surr)	77-120
DBFM = Dibromofluoromethane	79-133

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Method Blank - Batch: 500-75429

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-75429/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/10/2009 1054
Date Prepared: 11/10/2009 1054

Analysis Batch: 500-75429
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2M1110.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.15	1.0
Dichlorodifluoromethane	<1.0		0.23	1.0
Chloromethane	<1.0		0.14	1.0
Vinyl chloride	<1.0		0.15	1.0
Bromomethane	<1.0		0.45	1.0
Chloroethane	<1.0		0.36	1.0
Trichlorofluoromethane	<1.0		0.24	1.0
1,1-Dichloroethene	<1.0		0.23	1.0
Carbon disulfide	<5.0		0.66	5.0
Acetone	<5.0		2.1	5.0
Methylene Chloride	<2.0		0.52	2.0
trans-1,2-Dichloroethene	<1.0		0.18	1.0
1,1-Dichloroethane	<1.0		0.12	1.0
2,2-Dichloropropane	<1.0		0.18	1.0
cis-1,2-Dichloroethene	<1.0		0.15	1.0
Methyl Ethyl Ketone	<5.0		2.8	5.0
Bromochloromethane	<1.0		0.15	1.0
Chloroform	<1.0		0.15	1.0
1,1,1-Trichloroethane	<1.0		0.14	1.0
1,1-Dichloropropene	<1.0		0.16	1.0
Carbon tetrachloride	<1.0		0.32	1.0
1,2-Dichloroethane	<1.0		0.14	1.0
Trichloroethene	<1.0		0.16	1.0
1,2-Dichloropropane	<1.0		0.19	1.0
Dibromomethane	<1.0		0.25	1.0
Bromodichloromethane	<1.0		0.13	1.0
cis-1,3-Dichloropropene	<1.0		0.16	1.0
methyl isobutyl ketone	<5.0		0.77	5.0
Toluene	<1.0		0.17	1.0
trans-1,3-Dichloropropene	<1.0		0.21	1.0
1,1,2-Trichloroethane	<1.0		0.22	1.0
Tetrachloroethene	<1.0		0.20	1.0
1,3-Dichloropropane	<1.0		0.24	1.0
2-Hexanone	<5.0		0.77	5.0
Dibromochloromethane	<1.0		0.17	1.0
1,2-Dibromoethane	<1.0		0.19	1.0
Chlorobenzene	<1.0		0.17	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.20	1.0
Ethylbenzene	<1.0		0.22	1.0
m&p-Xylene	<2.0		0.42	2.0
o-Xylene	<1.0		0.19	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Method Blank - Batch: 500-75429

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-75429/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/10/2009 1054
Date Prepared: 11/10/2009 1054

Analysis Batch: 500-75429
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2M1110.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Styrene	<1.0		0.17	1.0
Bromoform	<1.0		0.30	1.0
Isopropylbenzene	<1.0		0.26	1.0
Bromobenzene	<1.0		0.26	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.27	1.0
1,2,3-Trichloropropane	<1.0		0.48	1.0
N-Propylbenzene	<1.0		0.26	1.0
2-Chlorotoluene	<1.0		0.25	1.0
1,3,5-Trimethylbenzene	<1.0		0.22	1.0
4-Chlorotoluene	<1.0		0.26	1.0
tert-Butylbenzene	<1.0		0.26	1.0
1,2,4-Trimethylbenzene	<1.0		0.26	1.0
sec-Butylbenzene	<1.0		0.24	1.0
1,3-Dichlorobenzene	<1.0		0.26	1.0
p-Isopropyltoluene	<1.0		0.23	1.0
1,4-Dichlorobenzene	<1.0		0.26	1.0
n-Butylbenzene	<1.0		0.25	1.0
1,2-Dichlorobenzene	<1.0		0.31	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.58	2.0
1,2,4-Trichlorobenzene	<1.0		0.37	1.0
Hexachlorobutadiene	<1.0		0.39	1.0
Naphthalene	<1.0		0.43	1.0
1,2,3-Trichlorobenzene	<1.0		0.57	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	97	72 - 135
Toluene-d8 (Surr)	101	80 - 120
4-Bromofluorobenzene (Surr)	95	77 - 120
Dibromofluoromethane	97	79 - 133

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 500-75429**

**Method: 8260B
Preparation: 5030B**

LCS Lab Sample ID: LCS 500-75429/6
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/10/2009 1118
Date Prepared: 11/10/2009 1118

Analysis Batch: 500-75429
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S1110.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-75429/30
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/10/2009 2115
Date Prepared: 11/10/2009 2115

Analysis Batch: 500-75429
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2T1110.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	88	92	70 - 120	5	20		
Dichlorodifluoromethane	54	56	58 - 186	3	20	*	*
Chloromethane	83	85	56 - 133	1	20		
Vinyl chloride	78	79	75 - 158	1	20		
Bromomethane	108	136	56 - 154	23	20		*
Chloroethane	93	106	60 - 144	13	20		
Trichlorofluoromethane	100	104	58 - 146	3	20		
1,1-Dichloroethene	71	74	55 - 129	4	20		
Carbon disulfide	58	61	31 - 146	5	20		
Acetone	125	100	29 - 152	22	20		*
Methylene Chloride	81	87	63 - 128	7	20		
trans-1,2-Dichloroethene	82	88	66 - 120	7	20		
1,1-Dichloroethane	86	94	65 - 120	8	20		
2,2-Dichloropropane	92	91	59 - 121	1	20		
cis-1,2-Dichloroethene	85	91	72 - 123	7	20		
Methyl Ethyl Ketone	117	103	47 - 138	12	20		
Bromochloromethane	93	98	63 - 122	5	20		
Chloroform	92	102	70 - 120	11	20		
1,1,1-Trichloroethane	92	98	64 - 122	6	20		
1,1-Dichloropropene	88	91	70 - 120	3	20		
Carbon tetrachloride	87	88	62 - 122	1	20		
1,2-Dichloroethane	90	96	62 - 120	6	20		
Trichloroethene	87	90	71 - 120	3	20		
1,2-Dichloropropane	95	99	75 - 120	4	20		
Dibromomethane	98	90	72 - 120	9	20		
Bromodichloromethane	99	104	74 - 120	5	20		
cis-1,3-Dichloropropene	95	91	65 - 120	4	20		
methyl isobutyl ketone	99	101	59 - 120	2	20		
Toluene	94	95	72 - 120	2	20		
trans-1,3-Dichloropropene	91	91	59 - 120	0	20		
1,1,2-Trichloroethane	103	103	68 - 126	0	20		
Tetrachloroethene	85	93	70 - 120	8	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 500-75429**

**Method: 8260B
Preparation: 5030B**

LCS Lab Sample ID: LCS 500-75429/6
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/10/2009 1118
Date Prepared: 11/10/2009 1118

Analysis Batch: 500-75429
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S1110.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-75429/30
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/10/2009 2115
Date Prepared: 11/10/2009 2115

Analysis Batch: 500-75429
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2T1110.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
1,3-Dichloropropane	95	97	77 - 120	2	20		
2-Hexanone	99	98	56 - 120	1	20		
Dibromochloromethane	93	105	64 - 120	13	20		
1,2-Dibromoethane	96	95	72 - 120	1	20		
Chlorobenzene	86	94	75 - 120	8	20		
1,1,1,2-Tetrachloroethane	94	99	70 - 121	6	20		
Ethylbenzene	91	96	76 - 120	5	20		
m&p-Xylene	95	100	74 - 120	5	20		
o-Xylene	94	100	74 - 120	6	20		
Styrene	95	101	76 - 120	7	20		
Bromoform	92	95	58 - 120	3	20		
Isopropylbenzene	88	91	64 - 120	3	20		
Bromobenzene	93	98	68 - 120	5	20		
1,1,2,2-Tetrachloroethane	96	95	69 - 120	1	20		
1,2,3-Trichloropropane	102	114	65 - 120	11	20		
N-Propylbenzene	98	101	66 - 120	2	20		
2-Chlorotoluene	100	104	68 - 120	4	20		
1,3,5-Trimethylbenzene	101	106	68 - 120	5	20		
4-Chlorotoluene	96	101	65 - 120	5	20		
tert-Butylbenzene	96	99	67 - 120	3	20		
1,2,4-Trimethylbenzene	99	104	70 - 120	5	20		
sec-Butylbenzene	100	102	71 - 120	1	20		
1,3-Dichlorobenzene	94	95	73 - 120	1	20		
p-Isopropyltoluene	97	99	70 - 120	1	20		
1,4-Dichlorobenzene	89	95	72 - 120	6	20		
n-Butylbenzene	99	97	72 - 120	2	20		
1,2-Dichlorobenzene	92	98	62 - 131	6	20		
1,2-Dibromo-3-Chloropropane	96	108	55 - 130	12	20		
1,2,4-Trichlorobenzene	90	85	54 - 120	6	20		
Hexachlorobutadiene	134	131	64 - 125	2	20	*	*
Naphthalene	82	79	51 - 120	3	20		
1,2,3-Trichlorobenzene	87	86	57 - 120	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 500-75429**

**Method: 8260B
Preparation: 5030B**

LCS Lab Sample ID: LCS 500-75429/6
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/10/2009 1118
Date Prepared: 11/10/2009 1118

Analysis Batch: 500-75429
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S1110.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-75429/30
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/10/2009 2115
Date Prepared: 11/10/2009 2115

Analysis Batch: 500-75429
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2T1110.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Surrogate	LCS % Rec		LCSD % Rec	Acceptance Limits			
1,2-Dichloroethane-d4 (Surr)	100		101				72 - 135
Toluene-d8 (Surr)	103		101				80 - 120
4-Bromofluorobenzene (Surr)	101		109				77 - 120
Dibromofluoromethane	104		110				79 - 133

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Method Blank - Batch: 500-75599

Method: 8260B

Preparation: 5030B

Lab Sample ID: MB 500-75599/20
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 11/11/2009 0925
 Date Prepared: 11/11/2009 0925

Analysis Batch: 500-75599
 Prep Batch: N/A
 Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
 Lab File ID: 2M1111.D
 Initial Weight/Volume: 10 mL
 Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.15	1.0
Dichlorodifluoromethane	<1.0		0.23	1.0
Chloromethane	<1.0		0.14	1.0
Vinyl chloride	<1.0		0.15	1.0
Bromomethane	<1.0		0.45	1.0
Chloroethane	<1.0		0.36	1.0
Trichlorofluoromethane	<1.0		0.24	1.0
1,1-Dichloroethene	<1.0		0.23	1.0
Carbon disulfide	<5.0		0.66	5.0
Acetone	<5.0		2.1	5.0
Methylene Chloride	<2.0		0.52	2.0
trans-1,2-Dichloroethene	<1.0		0.18	1.0
1,1-Dichloroethane	<1.0		0.12	1.0
2,2-Dichloropropane	<1.0		0.18	1.0
cis-1,2-Dichloroethene	<1.0		0.15	1.0
Methyl Ethyl Ketone	<5.0		2.8	5.0
Bromochloromethane	<1.0		0.15	1.0
Chloroform	<1.0		0.15	1.0
1,1,1-Trichloroethane	<1.0		0.14	1.0
1,1-Dichloropropene	<1.0		0.16	1.0
Carbon tetrachloride	<1.0		0.32	1.0
1,2-Dichloroethane	<1.0		0.14	1.0
Trichloroethene	<1.0		0.16	1.0
1,2-Dichloropropane	<1.0		0.19	1.0
Dibromomethane	<1.0		0.25	1.0
Bromodichloromethane	<1.0		0.13	1.0
cis-1,3-Dichloropropene	<1.0		0.16	1.0
methyl isobutyl ketone	<5.0		0.77	5.0
Toluene	<1.0		0.17	1.0
trans-1,3-Dichloropropene	<1.0		0.21	1.0
1,1,2-Trichloroethane	<1.0		0.22	1.0
Tetrachloroethene	<1.0		0.20	1.0
1,3-Dichloropropane	<1.0		0.24	1.0
2-Hexanone	<5.0		0.77	5.0
Dibromochloromethane	<1.0		0.17	1.0
1,2-Dibromoethane	<1.0		0.19	1.0
Chlorobenzene	<1.0		0.17	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.20	1.0
Ethylbenzene	<1.0		0.22	1.0
m&p-Xylene	<2.0		0.42	2.0
o-Xylene	<1.0		0.19	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Method Blank - Batch: 500-75599

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-75599/20
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/11/2009 0925
Date Prepared: 11/11/2009 0925

Analysis Batch: 500-75599
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2M1111.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Styrene	<1.0		0.17	1.0
Bromoform	<1.0		0.30	1.0
Isopropylbenzene	<1.0		0.26	1.0
Bromobenzene	<1.0		0.26	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.27	1.0
1,2,3-Trichloropropane	<1.0		0.48	1.0
N-Propylbenzene	<1.0		0.26	1.0
2-Chlorotoluene	<1.0		0.25	1.0
1,3,5-Trimethylbenzene	<1.0		0.22	1.0
4-Chlorotoluene	<1.0		0.26	1.0
tert-Butylbenzene	<1.0		0.26	1.0
1,2,4-Trimethylbenzene	<1.0		0.26	1.0
sec-Butylbenzene	<1.0		0.24	1.0
1,3-Dichlorobenzene	<1.0		0.26	1.0
p-Isopropyltoluene	<1.0		0.23	1.0
1,4-Dichlorobenzene	<1.0		0.26	1.0
n-Butylbenzene	<1.0		0.25	1.0
1,2-Dichlorobenzene	<1.0		0.31	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.58	2.0
1,2,4-Trichlorobenzene	<1.0		0.37	1.0
Hexachlorobutadiene	<1.0		0.39	1.0
Naphthalene	<1.0		0.43	1.0
1,2,3-Trichlorobenzene	<1.0		0.57	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	90	72 - 135
Toluene-d8 (Surr)	100	80 - 120
4-Bromofluorobenzene (Surr)	95	77 - 120
Dibromofluoromethane	96	79 - 133

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Lab Control Sample - Batch: 500-75599

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-75599/21
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/11/2009 0951
Date Prepared: 11/11/2009 0951

Analysis Batch: 500-75599
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S1111.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	22.2	89	70 - 120	
Dichlorodifluoromethane	25.0	22.2	89	58 - 186	
Chloromethane	25.0	25.1	100	56 - 133	
Vinyl chloride	25.0	23.1	93	75 - 158	
Bromomethane	25.0	34.1	136	56 - 154	
Chloroethane	25.0	27.5	110	60 - 144	
Trichlorofluoromethane	25.0	29.1	116	58 - 146	
1,1-Dichloroethene	25.0	17.3	69	55 - 129	
Carbon disulfide	25.0	14.5	58	31 - 146	
Acetone	25.0	24.5	98	29 - 152	
Methylene Chloride	25.0	20.2	81	63 - 128	
trans-1,2-Dichloroethene	25.0	21.0	84	66 - 120	
1,1-Dichloroethane	25.0	21.1	85	65 - 120	
2,2-Dichloropropane	25.0	23.8	95	59 - 121	
cis-1,2-Dichloroethene	25.0	20.2	81	72 - 123	
Methyl Ethyl Ketone	25.0	21.9	87	47 - 138	
Bromochloromethane	25.0	19.9	80	63 - 122	
Chloroform	25.0	23.1	93	70 - 120	
1,1,1-Trichloroethane	25.0	23.8	95	64 - 122	
1,1-Dichloropropene	25.0	21.5	86	70 - 120	
Carbon tetrachloride	25.0	22.4	90	62 - 122	
1,2-Dichloroethane	25.0	23.0	92	62 - 120	
Trichloroethene	25.0	22.4	89	71 - 120	
1,2-Dichloropropane	25.0	23.0	92	75 - 120	
Dibromomethane	25.0	22.0	88	72 - 120	
Bromodichloromethane	25.0	25.7	103	74 - 120	
cis-1,3-Dichloropropene	26.9	24.0	89	65 - 120	
methyl isobutyl ketone	25.0	23.9	95	59 - 120	
Toluene	25.0	23.0	92	72 - 120	
trans-1,3-Dichloropropene	24.3	22.1	91	59 - 120	
1,1,2-Trichloroethane	25.0	23.7	95	68 - 126	
Tetrachloroethene	25.0	21.7	87	70 - 120	
1,3-Dichloropropane	25.0	22.3	89	77 - 120	
2-Hexanone	25.0	24.8	99	56 - 120	
Dibromochloromethane	25.0	23.2	93	64 - 120	
1,2-Dibromoethane	25.0	24.4	98	72 - 120	
Chlorobenzene	25.0	21.8	87	75 - 120	
1,1,1,2-Tetrachloroethane	25.0	24.1	96	70 - 121	
Ethylbenzene	25.0	23.4	94	76 - 120	
m&p-Xylene	50.0	47.1	94	74 - 120	
o-Xylene	25.0	24.3	97	74 - 120	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Lab Control Sample - Batch: 500-75599

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-75599/21
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/11/2009 0951
Date Prepared: 11/11/2009 0951

Analysis Batch: 500-75599
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S1111.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Styrene	25.0	24.0	96	76 - 120	
Bromoform	25.0	22.5	90	58 - 120	
Isopropylbenzene	25.0	21.4	85	64 - 120	
Bromobenzene	25.0	22.6	90	68 - 120	
1,1,2,2-Tetrachloroethane	25.0	22.4	90	69 - 120	
1,2,3-Trichloropropane	25.0	25.2	101	65 - 120	
N-Propylbenzene	25.0	24.3	97	66 - 120	
2-Chlorotoluene	25.0	24.3	97	68 - 120	
1,3,5-Trimethylbenzene	25.0	25.1	100	68 - 120	
4-Chlorotoluene	25.0	24.3	97	65 - 120	
tert-Butylbenzene	25.0	23.5	94	67 - 120	
1,2,4-Trimethylbenzene	25.0	24.7	99	70 - 120	
sec-Butylbenzene	25.0	24.6	98	71 - 120	
1,3-Dichlorobenzene	25.0	22.9	92	73 - 120	
p-Isopropyltoluene	25.0	24.5	98	70 - 120	
1,4-Dichlorobenzene	25.0	22.4	89	72 - 120	
n-Butylbenzene	25.0	24.8	99	72 - 120	
1,2-Dichlorobenzene	25.0	23.7	95	62 - 131	
1,2-Dibromo-3-Chloropropane	25.0	25.3	101	55 - 130	
1,2,4-Trichlorobenzene	25.0	22.5	90	54 - 120	
Hexachlorobutadiene	25.0	33.6	134	64 - 125	
Naphthalene	25.0	18.8	75	51 - 120	
1,2,3-Trichlorobenzene	25.0	21.0	84	57 - 120	
Surrogate			% Rec	Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)			103	72 - 135	
Toluene-d8 (Surr)			103	80 - 120	
4-Bromofluorobenzene (Surr)			105	77 - 120	
Dibromofluoromethane			107	79 - 133	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 500-75599**

**Method: 8260B
Preparation: 5030B**

MS Lab Sample ID: 500-22332-21
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/11/2009 1836
Date Prepared: 11/11/2009 1836

Analysis Batch: 500-75599
Prep Batch: N/A

Instrument ID: Agilent 6890N GC - 5973I
Lab File ID: 2332-21S.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

MSD Lab Sample ID: 500-22332-21
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/11/2009 1900
Date Prepared: 11/11/2009 1900

Analysis Batch: 500-75599
Prep Batch: N/A

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2332-21T.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Benzene	94	88	70 - 120	7	20		
Dichlorodifluoromethane	82	109	58 - 186	29	20		F
Chloromethane	95	95	56 - 133	0	20		
Vinyl chloride	83	86	75 - 158	3	20		
Bromomethane	142	146	56 - 154	3	20		
Chloroethane	106	110	60 - 144	4	20		
Trichlorofluoromethane	108	113	58 - 146	5	20		
1,1-Dichloroethene	73	64	55 - 129	12	20		
Carbon disulfide	61	54	31 - 146	11	20		
Acetone	107	89	29 - 152	18	20		
Methylene Chloride	88	80	63 - 128	10	20		
trans-1,2-Dichloroethene	94	80	66 - 120	16	20		
1,1-Dichloroethane	97	87	65 - 120	11	20		
2,2-Dichloropropane	100	89	59 - 121	12	20		
cis-1,2-Dichloroethene	96	85	72 - 123	12	20		
Methyl Ethyl Ketone	95	103	47 - 138	8	20		
Bromochloromethane	71	79	63 - 122	10	20		
Chloroform	111	97	70 - 120	13	20		
1,1,1-Trichloroethane	108	95	64 - 122	12	20		
1,1-Dichloropropene	98	85	70 - 120	14	20		
Carbon tetrachloride	95	90	62 - 122	6	20		
1,2-Dichloroethane	103	96	62 - 120	7	20		
Trichloroethene	88	85	71 - 120	3	20		
1,2-Dichloropropane	98	92	75 - 120	7	20		
Dibromomethane	100	89	72 - 120	11	20		
Bromodichloromethane	115	107	74 - 120	7	20		
cis-1,3-Dichloropropene	95	87	65 - 120	9	20		
methyl isobutyl ketone	108	93	59 - 120	15	20		
Toluene	99	90	72 - 120	9	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 500-75599**

**Method: 8260B
Preparation: 5030B**

MS Lab Sample ID: 500-22332-21
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/11/2009 1836
Date Prepared: 11/11/2009 1836

Analysis Batch: 500-75599
Prep Batch: N/A

Instrument ID: Agilent 6890N GC - 5973I
Lab File ID: 2332-21S.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

MSD Lab Sample ID: 500-22332-21
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/11/2009 1900
Date Prepared: 11/11/2009 1900

Analysis Batch: 500-75599
Prep Batch: N/A

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2332-21T.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
trans-1,3-Dichloropropene	95	87	59 - 120	8	20		
1,1,2-Trichloroethane	98	97	68 - 126	1	20		
Tetrachloroethene	90	84	70 - 120	4	20		
1,3-Dichloropropane	101	95	77 - 120	6	20		
2-Hexanone	104	93	56 - 120	12	20		
Dibromochloromethane	109	97	64 - 120	12	20		
1,2-Dibromoethane	102	96	72 - 120	6	20		
Chlorobenzene	96	88	75 - 120	8	20		
1,1,1,2-Tetrachloroethane	110	104	70 - 121	5	20		
Ethylbenzene	98	94	76 - 120	4	20		
m&p-Xylene	103	97	74 - 120	6	20		
o-Xylene	106	98	74 - 120	8	20		
Styrene	105	97	76 - 120	7	20		
Bromoform	110	102	58 - 120	7	20		
Isopropylbenzene	94	86	64 - 120	10	20		
Bromobenzene	105	95	68 - 120	10	20		
1,1,2,2-Tetrachloroethane	100	92	69 - 120	9	20		
1,2,3-Trichloropropane	108	104	65 - 120	4	20		
N-Propylbenzene	105	95	66 - 120	10	20		
2-Chlorotoluene	110	100	68 - 120	9	20		
1,3,5-Trimethylbenzene	112	102	68 - 120	9	20		
4-Chlorotoluene	109	98	65 - 120	10	20		
tert-Butylbenzene	106	96	67 - 120	10	20		
1,2,4-Trimethylbenzene	111	102	70 - 120	9	20		
sec-Butylbenzene	107	97	71 - 120	10	20		
1,3-Dichlorobenzene	101	93	73 - 120	8	20		
p-Isopropyltoluene	106	94	70 - 120	12	20		
1,4-Dichlorobenzene	97	88	72 - 120	10	20		
n-Butylbenzene	105	95	72 - 120	10	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 500-75599**

**Method: 8260B
Preparation: 5030B**

MS Lab Sample ID: 500-22332-21
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/11/2009 1836
Date Prepared: 11/11/2009 1836

Analysis Batch: 500-75599
Prep Batch: N/A

Instrument ID: Agilent 6890N GC - 5973I
Lab File ID: 2332-21S.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

MSD Lab Sample ID: 500-22332-21
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/11/2009 1900
Date Prepared: 11/11/2009 1900

Analysis Batch: 500-75599
Prep Batch: N/A

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2332-21T.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
1,2-Dichlorobenzene	106	98	62 - 131	7	20		
1,2-Dibromo-3-Chloropropane	107	113	55 - 130	6	20		
1,2,4-Trichlorobenzene	97	91	54 - 120	7	20		
Hexachlorobutadiene	145	136	64 - 125	7	20	F	F
Naphthalene	86	83	51 - 120	3	20		
1,2,3-Trichlorobenzene	96	93	57 - 120	3	20		
Surrogate	MS % Rec		MSD % Rec	Acceptance Limits			
1,2-Dichloroethane-d4 (Surr)	105		104	72 - 135			
Toluene-d8 (Surr)	100		99	80 - 120			
4-Bromofluorobenzene (Surr)	109		107	77 - 120			
Dibromofluoromethane	115		109	79 - 133			

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Method Blank - Batch: 500-75828

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-75828/6
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/12/2009 1445
Date Prepared: 11/12/2009 1445

Analysis Batch: 500-75828
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2M1112.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.15	1.0
Dichlorodifluoromethane	<1.0		0.23	1.0
Chloromethane	<1.0		0.14	1.0
Vinyl chloride	<1.0		0.15	1.0
Bromomethane	<1.0		0.45	1.0
Chloroethane	<1.0		0.36	1.0
Trichlorofluoromethane	<1.0		0.24	1.0
1,1-Dichloroethene	<1.0		0.23	1.0
Carbon disulfide	<5.0		0.66	5.0
Acetone	<5.0		2.1	5.0
Methylene Chloride	<2.0		0.52	2.0
trans-1,2-Dichloroethene	<1.0		0.18	1.0
1,1-Dichloroethane	<1.0		0.12	1.0
2,2-Dichloropropane	<1.0		0.18	1.0
cis-1,2-Dichloroethene	<1.0		0.15	1.0
Methyl Ethyl Ketone	<5.0		2.8	5.0
Bromochloromethane	<1.0		0.15	1.0
Chloroform	<1.0		0.15	1.0
1,1,1-Trichloroethane	<1.0		0.14	1.0
1,1-Dichloropropene	<1.0		0.16	1.0
Carbon tetrachloride	<1.0		0.32	1.0
1,2-Dichloroethane	<1.0		0.14	1.0
Trichloroethene	<1.0		0.16	1.0
1,2-Dichloropropane	<1.0		0.19	1.0
Dibromomethane	<1.0		0.25	1.0
Bromodichloromethane	<1.0		0.13	1.0
cis-1,3-Dichloropropene	<1.0		0.16	1.0
methyl isobutyl ketone	<5.0		0.77	5.0
Toluene	<1.0		0.17	1.0
trans-1,3-Dichloropropene	<1.0		0.21	1.0
1,1,2-Trichloroethane	<1.0		0.22	1.0
Tetrachloroethene	<1.0		0.20	1.0
1,3-Dichloropropane	<1.0		0.24	1.0
2-Hexanone	<5.0		0.77	5.0
Dibromochloromethane	<1.0		0.17	1.0
1,2-Dibromoethane	<1.0		0.19	1.0
Chlorobenzene	<1.0		0.17	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.20	1.0
Ethylbenzene	<1.0		0.22	1.0
m&p-Xylene	<2.0		0.42	2.0
o-Xylene	<1.0		0.19	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Method Blank - Batch: 500-75828

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-75828/6
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/12/2009 1445
Date Prepared: 11/12/2009 1445

Analysis Batch: 500-75828
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2M1112.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Styrene	<1.0		0.17	1.0
Bromoform	<1.0		0.30	1.0
Isopropylbenzene	<1.0		0.26	1.0
Bromobenzene	<1.0		0.26	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.27	1.0
1,2,3-Trichloropropane	<1.0		0.48	1.0
N-Propylbenzene	<1.0		0.26	1.0
2-Chlorotoluene	<1.0		0.25	1.0
1,3,5-Trimethylbenzene	<1.0		0.22	1.0
4-Chlorotoluene	<1.0		0.26	1.0
tert-Butylbenzene	<1.0		0.26	1.0
1,2,4-Trimethylbenzene	<1.0		0.26	1.0
sec-Butylbenzene	<1.0		0.24	1.0
1,3-Dichlorobenzene	<1.0		0.26	1.0
p-Isopropyltoluene	<1.0		0.23	1.0
1,4-Dichlorobenzene	<1.0		0.26	1.0
n-Butylbenzene	<1.0		0.25	1.0
1,2-Dichlorobenzene	<1.0		0.31	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.58	2.0
1,2,4-Trichlorobenzene	<1.0		0.37	1.0
Hexachlorobutadiene	<1.0		0.39	1.0
Naphthalene	<1.0		0.43	1.0
1,2,3-Trichlorobenzene	<1.0		0.57	1.0
Surrogate	% Rec	Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	107	72 - 135		
Toluene-d8 (Surr)	102	80 - 120		
4-Bromofluorobenzene (Surr)	98	77 - 120		
Dibromofluoromethane	106	79 - 133		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Lab Control Sample - Batch: 500-75828

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-75828/7

Analysis Batch: 500-75828

Instrument ID: Agilent 6890N GC - 5973N

Client Matrix: Water

Prep Batch: N/A

Lab File ID: 2S1112A.D

Dilution: 1.0

Units: ug/L

Initial Weight/Volume: 10 mL

Date Analyzed: 11/12/2009 1357

Final Weight/Volume: 10 mL

Date Prepared: 11/12/2009 1357

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	25.7	103	70 - 120	
Dichlorodifluoromethane	25.0	17.3	69	58 - 186	
Chloromethane	25.0	19.5	78	56 - 133	
Vinyl chloride	25.0	19.6	78	75 - 158	
Bromomethane	25.0	25.0	100	56 - 154	
Chloroethane	25.0	25.6	102	60 - 144	
Trichlorofluoromethane	25.0	27.7	111	58 - 146	
1,1-Dichloroethene	25.0	22.7	91	55 - 129	
Carbon disulfide	25.0	20.1	80	31 - 146	
Acetone	25.0	25.9	104	29 - 152	
Methylene Chloride	25.0	23.3	93	63 - 128	
trans-1,2-Dichloroethene	25.0	24.4	98	66 - 120	
1,1-Dichloroethane	25.0	24.8	99	65 - 120	
2,2-Dichloropropane	25.0	28.0	112	59 - 121	
cis-1,2-Dichloroethene	25.0	22.8	91	72 - 123	
Methyl Ethyl Ketone	25.0	23.5	94	47 - 138	
Bromochloromethane	25.0	19.7	79	63 - 122	
Chloroform	25.0	26.1	104	70 - 120	
1,1,1-Trichloroethane	25.0	26.9	108	64 - 122	
1,1-Dichloropropene	25.0	25.2	101	70 - 120	
Carbon tetrachloride	25.0	27.8	111	62 - 122	
1,2-Dichloroethane	25.0	27.5	110	62 - 120	
Trichloroethene	25.0	24.8	99	71 - 120	
1,2-Dichloropropane	25.0	26.4	106	75 - 120	
Dibromomethane	25.0	25.9	104	72 - 120	
Bromodichloromethane	25.0	29.1	116	74 - 120	
cis-1,3-Dichloropropene	26.9	27.2	101	65 - 120	
methyl isobutyl ketone	25.0	27.5	110	59 - 120	
Toluene	25.0	25.6	102	72 - 120	
trans-1,3-Dichloropropene	24.3	24.5	101	59 - 120	
1,1,2-Trichloroethane	25.0	25.4	101	68 - 126	
Tetrachloroethene	25.0	25.6	102	70 - 120	
1,3-Dichloropropane	25.0	26.7	107	77 - 120	
2-Hexanone	25.0	29.7	119	56 - 120	
Dibromochloromethane	25.0	27.9	111	64 - 120	
1,2-Dibromoethane	25.0	27.4	109	72 - 120	
Chlorobenzene	25.0	25.0	100	75 - 120	
1,1,1,2-Tetrachloroethane	25.0	28.0	112	70 - 121	
Ethylbenzene	25.0	26.2	105	76 - 120	
m&p-Xylene	50.0	54.8	110	74 - 120	
o-Xylene	25.0	27.8	111	74 - 120	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Lab Control Sample - Batch: 500-75828

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-75828/7
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/12/2009 1357
Date Prepared: 11/12/2009 1357

Analysis Batch: 500-75828
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S1112A.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Styrene	25.0	26.8	107	76 - 120	
Bromoform	25.0	27.8	111	58 - 120	
Isopropylbenzene	25.0	23.9	96	64 - 120	
Bromobenzene	25.0	25.6	102	68 - 120	
1,1,2,2-Tetrachloroethane	25.0	26.3	105	69 - 120	
1,2,3-Trichloropropane	25.0	29.1	117	65 - 120	
N-Propylbenzene	25.0	27.2	109	66 - 120	
2-Chlorotoluene	25.0	27.3	109	68 - 120	
1,3,5-Trimethylbenzene	25.0	28.5	114	68 - 120	
4-Chlorotoluene	25.0	27.5	110	65 - 120	
tert-Butylbenzene	25.0	26.4	105	67 - 120	
1,2,4-Trimethylbenzene	25.0	28.2	113	70 - 120	
sec-Butylbenzene	25.0	27.4	110	71 - 120	
1,3-Dichlorobenzene	25.0	25.6	102	73 - 120	
p-Isopropyltoluene	25.0	27.5	110	70 - 120	
1,4-Dichlorobenzene	25.0	24.4	98	72 - 120	
n-Butylbenzene	25.0	28.2	113	72 - 120	
1,2-Dichlorobenzene	25.0	26.0	104	62 - 131	
1,2-Dibromo-3-Chloropropane	25.0	27.3	109	55 - 120	
1,2,4-Trichlorobenzene	25.0	24.3	97	54 - 120	
Hexachlorobutadiene	25.0	36.4	146	64 - 125	
Naphthalene	25.0	20.7	83	51 - 120	
1,2,3-Trichlorobenzene	25.0	23.3	93	57 - 120	
Surrogate			% Rec	Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)			107	72 - 135	
Toluene-d8 (Surr)			98	80 - 120	
4-Bromofluorobenzene (Surr)			107	77 - 120	
Dibromofluoromethane			100	79 - 133	

Calculations are performed before rounding to avoid round-off errors in calculated results.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60466
Phone: 708.534.5200 Fax: 708.534.5211

EFFECTIVE 7/1/09 OUR
NEW ZIP CODE IS 60484

Report To (optional)

Contact: Greg Flasiński
Company: Western
Address: _____
Address: _____
Phone: 610.721.0583
Fax: _____
E-Mail: _____

Bill To (optional)

Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-223328
Chain of Custody Number: _____
Page 1 of 3
Temperature °C of Cooler: 3.3

11/17/2009

Client		Client Project #		Preservative		Parameter		Preservative Key		
Western Solutions		02501.004.004		HCl				1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. Cool to 4° 7. None 8. Other		
Project Name		Project Location/State		Lab Project #		Sampler		Lab PM		
Black + Decker		Hampstead MD				Greg Flasiński		Dick Wright		
Lab ID	MS/MSW	Sample ID	Sampling		# of Containers	Matrix	VOC			Comments
			Date	Time						
1		RFW-1A	11/4/09	900	3	W	✓			
2		RFW-1B		1745			✓			
3		RFW-2A		758			✓			
4		RFW-2B		830			✓			
5		RFW-3B	11/5/09	715			✓			
6		RFW-4A	11/5/09	845			✓			
7		RFW-4A Dup	11/5/09	845			✓			
8		RFW-4B	11/5/09	915			✓			
9		RFW-6	11/5/09	700			✓			
10		RFW-7	11/4/09	950			✓			

Page 84 of 87

Turnaround Time Required (Business Days)

___ Day ___ 3 Days ___ 5 Days ___ 10 Days ___ 15 Days ___ Other

Sample Disposal

Return to Client Disposal by Lab Archive for ___ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By: <u>[Signature]</u>	Company:	Date:	Time:	Received By: <u>[Signature]</u>	Company:	Date:	Time:
		11/5/09	1600		TA	11/6/09	1030
Relinquished By:	Company:	Date:	Time:	Received By:	Company:	Date:	Time:
Relinquished By:	Company:	Date:	Time:	Received By:	Company:	Date:	Time:

Lab Courier: _____
Shipped: FX
Hand Delivered: _____

- Matrix Key
- WW - Wastewater
 - W - Water
 - S - Soil
 - SL - Sludge
 - MS - Miscellaneous
 - OL - Oil
 - A - Air
 - SE - Sediment
 - SO - Soil
 - L - Leachate
 - WI - Wipe
 - DW - Drinking Water
 - O - Other

Client Comments: _____

Lab Comments: _____

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60468
Phone: 708.534.5200 Fax: 708.534.5211

EFFECTIVE 7/1/09 OUR
NEW ZIP CODE IS 60484

Report To: _____ (optional)	B/I To: _____ (optional)
Contact: _____	Contact: _____
Company: _____	Company: _____
Address: _____	Address: _____
Address: _____	Address: _____
Phone: _____	Phone: _____
Fax: _____	Fax: _____
E-Mail: _____	PO# Reference# _____

Chain of Custody Record

Lab Job #: 500-22332

Chain of Custody Number: _____

Page 2 of 3

Temperature °C of Cooler: _____

11/17/2009

Client		Client Project #		Preservative		Parameter		Matrix		Comments	
Weston		02501.004.004		HCl		VOC				Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. Cool to 4° 7. None 8. Other	
Project Name		Lab Project #		Sampling		# of Containers		Matrix		Comments	
Black + Decker				Date Time							
Project Location/State		Lab PM		Date		Time		# of Containers		Matrix	
Hampstead MA				Date		Time		# of Containers		Matrix	
Sampler		Lab PM		Date		Time		# of Containers		Matrix	
Greg Fliswick				Date		Time		# of Containers		Matrix	
Lab ID	MS/MSD	Sample ID	Date	Time	# of Containers	Matrix					
11		RFW-9	11/5/09	1230	3	W	✓				
12		RFW-11B	11/5/09	1120	1		✓				
13		RFW-12B	11/5/09	730	1		✓				
14		RFW-13	11/4/09	1530	1		✓				
15		RFW-17	11/4/09	1045	1		✓				
16		Trip Blank	11/4/09	700	1		✓				
17		EW-2	11/4/09	1715	1		✓				
18		EW-3	11/5/09	1015	1		✓				
19		EW-4	11/5/09	1045	1		✓				
20		EW-5	11/4/09	915	1		✓				

Page 85 of 87

Turnaround Time Required (Business Days): 1 Day 2 Days 5 Days 10 Days 15 Days Other

Sample Disposal: Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished by:	Company: _____	Date: 11/5/09	Time: 1600	Received By:	Company: TA	Date: 11/6/09	Time: 1030
Relinquished by: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____
Relinquished by: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____

Lab Courier: _____

Shipped: FX

Hand Delivered: _____

- Matrix Key
- WW - Wastewater
 - W - Water
 - S - Soil
 - SL - Sludge
 - MS - Miscellaneous
 - OL - Oil
 - A - Air
 - SE - Sediment
 - SO - Soil
 - L - Leachate
 - WI - Wipe
 - DW - Drinking Water
 - O - Other

Client Comments: _____

Lab Comments: _____

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

247 Bond Street, University Park, IL 60486
 Phone: 708.534.5200 Fax: 708.534.5211

EFFECTIVE 7/1/09 OUR
 NEW ZIP CODE IS 60484

Report To: (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To: (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-22332
 Chain of Custody Number: _____
 Page 3 of 3
 Temperature °C of Cooler: _____

11/17/2009

Client		Client Project #		Preservative	Parameter		Matrix		Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. Cool to 4° 7. None 8. Other
Project Name <u>Black + Decker</u>		Lab Project #							
Project Location/State		Lab PM		Sampling		# of Containers	Matrix	Comments	
Lab ID	MS/MSD	Sample ID	Date	Time					
21		EW-6	11/4/09	1430	3	W	✓	Page 86 of 87	
22		EW-7		1410			✓		
23		EW-8		1345			✓		
24		EW-9		1340			✓		
25		EW-9 Dup		1340			✓		
26		EW-10		1330			✓		

Turnaround Time Required (Business Days)

1 Day 2 Days 5 Days 10 days 15 Days Other

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By: <u>[Signature]</u>	Company:	Date: <u>11/5/09</u>	Time: <u>1600</u>	Received By: <u>[Signature]</u>	Company: <u>TA</u>	Date: <u>11/6/09</u>	Time: <u>1030</u>
Relinquished By:	Company:	Date:	Time:	Received By:	Company:	Date:	Time:
Relinquished By:	Company:	Date:	Time:	Received By:	Company:	Date:	Time:

Lab Courier: _____
 Shipped: FL
 Hand Delivered: _____

Matrix Key
 WW - Wastewater SE - Sediment
 W - Water SO - Soil
 S - Soil L - Leachate
 SL - Sludge WL - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments:

Lab Comments:

Login Sample Receipt Check List

Client: Weston Solutions, Inc.

Job Number: 500-22332-1

Login Number: 22332

List Source: TestAmerica Chicago

Creator: Lunt, Jeff T

List Number: 1

Question	T / F / NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	3.3
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified	True	

ANALYTICAL REPORT

Job Number: 680-52368-1

Job Description: Black & Decker

For:


Weston Solutions, Inc.

1400 Weston Way

PO BOX 2653

West Chester, PA 19380

Attention: Mr. Tom Cornuet



Approved for release.
Abbie G Yant
Project Manager I
11/19/2009 6:35 PM

Abbie G Yant

Project Manager I

abbie.yant@testamericainc.com

11/19/2009

The test results in this report meet NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted. Results pertain only to samples listed in this report. This report may not be reproduced, except in full, without the written approval of the laboratory. Questions should be directed to the person who signed this report.

Savannah Certifications and ID #s: A2LA: 0399.01; AL: 41450; ARDEQ: 88-0692; ARDOH; CA: 03217CA; CO; CT: PH0161; DE; FL: E87052; GA: 803; Guam; HI; IL: 200022; IN; IA: 353; KS: E-10322; KY EPPC: 90084; KY UST; LA DEQ: 30690; LA DHH: LA080008; ME: 2008022; MD: 250; MA: M-GA006; MI: 9925; MS; NFESC: 249; NV: GA00006; NJ: GA769; NM; NY: 10842; NC DWQ: 269; NC DHHS: 13701; PA: 68-00474; PR: GA00006; RI: LAO00244; SC: 98001001; TN: TN0296; TX: T104704185; USEPA: GA00006; VT: VT-87052; VA: 00302; WA; WV DEP: 094; WV DHHR: 9950 C; WI DNR: 999819810; WY/EPAR8: 8TMS-Q

TestAmerica Laboratories, Inc.

TestAmerica Savannah 5102 LaRoche Avenue, Savannah, GA 31404

Tel (912) 354-7858 Fax (912) 352-0165 www.testamericainc.com



Job Narrative
680-52368-1

Comments

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

GC/MS VOA

Method(s) 524.2: The laboratory control sample duplicate (LCSD) for batch 153374 exceeded control limits for the following analytes: Tert amyl methyl ether (TAME) and Tert butyl ethyl ether (TBEE). These analytes were biased high in the LCSD and were not detected in the associated samples; therefore, the data has been reported.

No other analytical or quality issues were noted.

METHOD SUMMARY

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Description	Lab Location	Method	Preparation Method
Matrix Water			
Volatile Organic Compounds (GC/MS)	TAL SAV	EPA-DW 524.2	

Lab References:

TAL SAV = TestAmerica Savannah

Method References:

EPA-DW = "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

SAMPLE SUMMARY

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Client Matrix</u>	<u>Date/Time Sampled</u>	<u>Date/Time Received</u>
680-52368-1	RFW-20	Water	11/04/2009 1800	11/06/2009 0921
680-52368-2	RFW-21	Water	11/04/2009 1145	11/06/2009 0921
680-52368-3	HAMP-22	Water	11/04/2009 0940	11/06/2009 0921
680-52368-4	HAMP-23	Water	11/04/2009 0935	11/06/2009 0921
680-52368-5	Trip Blank	Water	11/04/2009 0900	11/06/2009 0921

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Client Sample ID: RFW-20

Lab Sample ID: 680-52368-1

Date Sampled: 11/04/2009 1800

Client Matrix: Water

Date Received: 11/06/2009 0921

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2 Analysis Batch: 680-153374 Instrument ID: MSU
 Preparation: N/A Lab File ID: u0239.d
 Dilution: 1.0 Initial Weight/Volume: 5 mL
 Date Analyzed: 11/12/2009 1707 Final Weight/Volume: 5 mL
 Date Prepared:

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		5.0	10
Benzene	<0.50		0.18	0.50
Bromobenzene	<0.50		0.42	0.50
Bromoform	<0.50		0.39	0.50
Bromomethane	<1.0		0.45	1.0
Carbon tetrachloride	<0.50		0.22	0.50
Chlorobenzene	<0.50		0.27	0.50
Chlorobromomethane	<0.50		0.30	0.50
Chlorodibromomethane	<0.50		0.43	0.50
Chloroethane	<1.0		0.33	1.0
Chloroform	<0.50		0.29	0.50
Chloromethane	<0.50		0.32	0.50
2-Chlorotoluene	<0.50		0.17	0.50
4-Chlorotoluene	<0.50		0.16	0.50
cis-1,2-Dichloroethene	<0.50		0.37	0.50
cis-1,3-Dichloropropene	<0.50		0.32	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.30	0.50
Dibromomethane	<0.50		0.38	0.50
1,2-Dichlorobenzene	<0.50		0.17	0.50
1,3-Dichlorobenzene	<0.50		0.14	0.50
1,4-Dichlorobenzene	<0.50		0.18	0.50
Dichlorobromomethane	<1.0		0.54	1.0
Dichlorodifluoromethane	<0.50		0.34	0.50
1,1-Dichloroethane	<0.50		0.39	0.50
1,2-Dichloroethane	<0.50		0.17	0.50
1,1-Dichloroethene	<0.50		0.32	0.50
1,2-Dichloropropane	<0.50		0.45	0.50
1,3-Dichloropropane	<0.50		0.43	0.50
2,2-Dichloropropane	<0.50		0.31	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.32	0.50
Diisopropyl ether	<0.50		0.28	0.50
Ethylbenzene	<0.50		0.12	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.15	0.50
Hexachlorobutadiene	<0.50		0.26	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.21	0.50
Methylene Chloride	<0.50		0.36	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.42	0.50
Naphthalene	<1.0		0.43	1.0
n-Butylbenzene	<0.50		0.17	0.50
N-Propylbenzene	<0.50		0.17	0.50

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Client Sample ID: RFW-20

Lab Sample ID: 680-52368-1

Date Sampled: 11/04/2009 1800

Client Matrix: Water

Date Received: 11/06/2009 0921

524.2 Volatile Organic Compounds (GC/MS)

Method:	524.2	Analysis Batch: 680-153374	Instrument ID: MSU
Preparation:	N/A		Lab File ID: u0239.d
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	11/12/2009 1707		Final Weight/Volume: 5 mL
Date Prepared:			

Analyte	Result (ug/L)	Qualifier	MDL	RL
o-Xylene	<0.50		0.27	0.50
sec-Butylbenzene	<0.50		0.14	0.50
Styrene	<0.50		0.28	0.50
Tert-amyl methyl ether	<0.50	*	0.20	0.50
tert-Butyl alcohol	<2.0		1.6	2.0
tert-Butylbenzene	<0.50		0.14	0.50
Tert-butyl ethyl ether	<0.50	*	0.26	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.16	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.18	0.50
Tetrachloroethene	<0.50		0.30	0.50
Toluene	<0.50		0.23	0.50
trans-1,2-Dichloroethene	<0.50		0.24	0.50
trans-1,3-Dichloropropene	<0.50		0.48	0.50
1,2,3-Trichlorobenzene	<0.50		0.14	0.50
1,2,4-Trichlorobenzene	<0.50		0.18	0.50
1,1,1-Trichloroethane	<0.50		0.27	0.50
1,1,2-Trichloroethane	<0.50		0.22	0.50
Trichloroethene	0.91		0.37	0.50
Trichlorofluoromethane	<0.50		0.23	0.50
1,2,3-Trichloropropane	<0.50		0.18	0.50
Trihalomethanes, Total	<0.50		0.29	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.16	0.50
Vinyl chloride	<0.50		0.33	0.50
Xylenes, Total	<0.50		0.27	0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	93		70 - 130
1,2-Dichlorobenzene-d4	91		70 - 130

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Client Sample ID: RFW-21

Lab Sample ID: 680-52368-2

Date Sampled: 11/04/2009 1145

Client Matrix: Water

Date Received: 11/06/2009 0921

524.2 Volatile Organic Compounds (GC/MS)

Method:	524.2	Analysis Batch: 680-153374	Instrument ID:	MSU
Preparation:	N/A		Lab File ID:	u0240.d
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	11/12/2009 1731		Final Weight/Volume:	5 mL
Date Prepared:				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		5.0	10
Benzene	<0.50		0.18	0.50
Bromobenzene	<0.50		0.42	0.50
Bromoform	<0.50		0.39	0.50
Bromomethane	<1.0		0.45	1.0
Carbon tetrachloride	<0.50		0.22	0.50
Chlorobenzene	<0.50		0.27	0.50
Chlorobromomethane	<0.50		0.30	0.50
Chlorodibromomethane	<0.50		0.43	0.50
Chloroethane	<1.0		0.33	1.0
Chloroform	<0.50		0.29	0.50
Chloromethane	<0.50		0.32	0.50
2-Chlorotoluene	<0.50		0.17	0.50
4-Chlorotoluene	<0.50		0.16	0.50
cis-1,2-Dichloroethene	<0.50		0.37	0.50
cis-1,3-Dichloropropene	<0.50		0.32	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.30	0.50
Dibromomethane	<0.50		0.38	0.50
1,2-Dichlorobenzene	<0.50		0.17	0.50
1,3-Dichlorobenzene	<0.50		0.14	0.50
1,4-Dichlorobenzene	<0.50		0.18	0.50
Dichlorobromomethane	<1.0		0.54	1.0
Dichlorodifluoromethane	<0.50		0.34	0.50
1,1-Dichloroethane	<0.50		0.39	0.50
1,2-Dichloroethane	<0.50		0.17	0.50
1,1-Dichloroethene	<0.50		0.32	0.50
1,2-Dichloropropane	<0.50		0.45	0.50
1,3-Dichloropropane	<0.50		0.43	0.50
2,2-Dichloropropane	<0.50		0.31	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.32	0.50
Diisopropyl ether	<0.50		0.28	0.50
Ethylbenzene	<0.50		0.12	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.15	0.50
Hexachlorobutadiene	<0.50		0.26	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.21	0.50
Methylene Chloride	<0.50		0.36	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.42	0.50
Naphthalene	<1.0		0.43	1.0
n-Butylbenzene	<0.50		0.17	0.50
N-Propylbenzene	<0.50		0.17	0.50

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Client Sample ID: RFW-21

Lab Sample ID: 680-52368-2

Date Sampled: 11/04/2009 1145

Client Matrix: Water

Date Received: 11/06/2009 0921

524.2 Volatile Organic Compounds (GC/MS)

Method:	524.2	Analysis Batch: 680-153374	Instrument ID: MSU
Preparation:	N/A		Lab File ID: u0240.d
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	11/12/2009 1731		Final Weight/Volume: 5 mL
Date Prepared:			

Analyte	Result (ug/L)	Qualifier	MDL	RL
o-Xylene	<0.50		0.27	0.50
sec-Butylbenzene	<0.50		0.14	0.50
Styrene	<0.50		0.28	0.50
Tert-amyl methyl ether	<0.50	*	0.20	0.50
tert-Butyl alcohol	<2.0		1.6	2.0
tert-Butylbenzene	<0.50		0.14	0.50
Tert-butyl ethyl ether	<0.50	*	0.26	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.16	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.18	0.50
Tetrachloroethene	<0.50		0.30	0.50
Toluene	<0.50		0.23	0.50
trans-1,2-Dichloroethene	<0.50		0.24	0.50
trans-1,3-Dichloropropene	<0.50		0.48	0.50
1,2,3-Trichlorobenzene	<0.50		0.14	0.50
1,2,4-Trichlorobenzene	<0.50		0.18	0.50
1,1,1-Trichloroethane	<0.50		0.27	0.50
1,1,2-Trichloroethane	<0.50		0.22	0.50
Trichloroethene	<0.50		0.37	0.50
Trichlorofluoromethane	<0.50		0.23	0.50
1,2,3-Trichloropropane	<0.50		0.18	0.50
Trihalomethanes, Total	<0.50		0.29	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.16	0.50
Vinyl chloride	<0.50		0.33	0.50
Xylenes, Total	<0.50		0.27	0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	92		70 - 130
1,2-Dichlorobenzene-d4	96		70 - 130

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Client Sample ID: HAMP-22

Lab Sample ID: 680-52368-3

Date Sampled: 11/04/2009 0940

Client Matrix: Water

Date Received: 11/06/2009 0921

524.2 Volatile Organic Compounds (GC/MS)

Method:	524.2	Analysis Batch: 680-153374	Instrument ID:	MSU
Preparation:	N/A		Lab File ID:	u0241.d
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	11/12/2009 1754		Final Weight/Volume:	5 mL
Date Prepared:				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		5.0	10
Benzene	<0.50		0.18	0.50
Bromobenzene	<0.50		0.42	0.50
Bromoform	<0.50		0.39	0.50
Bromomethane	<1.0		0.45	1.0
Carbon tetrachloride	<0.50		0.22	0.50
Chlorobenzene	<0.50		0.27	0.50
Chlorobromomethane	<0.50		0.30	0.50
Chlorodibromomethane	<0.50		0.43	0.50
Chloroethane	<1.0		0.33	1.0
Chloroform	<0.50		0.29	0.50
Chloromethane	<0.50		0.32	0.50
2-Chlorotoluene	<0.50		0.17	0.50
4-Chlorotoluene	<0.50		0.16	0.50
cis-1,2-Dichloroethene	<0.50		0.37	0.50
cis-1,3-Dichloropropene	<0.50		0.32	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.30	0.50
Dibromomethane	<0.50		0.38	0.50
1,2-Dichlorobenzene	<0.50		0.17	0.50
1,3-Dichlorobenzene	<0.50		0.14	0.50
1,4-Dichlorobenzene	<0.50		0.18	0.50
Dichlorobromomethane	<1.0		0.54	1.0
Dichlorodifluoromethane	<0.50		0.34	0.50
1,1-Dichloroethane	<0.50		0.39	0.50
1,2-Dichloroethane	<0.50		0.17	0.50
1,1-Dichloroethene	<0.50		0.32	0.50
1,2-Dichloropropane	<0.50		0.45	0.50
1,3-Dichloropropane	<0.50		0.43	0.50
2,2-Dichloropropane	<0.50		0.31	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.32	0.50
Diisopropyl ether	<0.50		0.28	0.50
Ethylbenzene	<0.50		0.12	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.15	0.50
Hexachlorobutadiene	<0.50		0.26	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.21	0.50
Methylene Chloride	<0.50		0.36	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.42	0.50
Naphthalene	<1.0		0.43	1.0
n-Butylbenzene	<0.50		0.17	0.50
N-Propylbenzene	<0.50		0.17	0.50

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Client Sample ID: HAMP-22

Lab Sample ID: 680-52368-3

Date Sampled: 11/04/2009 0940

Client Matrix: Water

Date Received: 11/06/2009 0921

524.2 Volatile Organic Compounds (GC/MS)

Method:	524.2	Analysis Batch:	680-153374	Instrument ID:	MSU
Preparation:	N/A			Lab File ID:	u0241.d
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	11/12/2009 1754			Final Weight/Volume:	5 mL
Date Prepared:					

Analyte	Result (ug/L)	Qualifier	MDL	RL
o-Xylene	<0.50		0.27	0.50
sec-Butylbenzene	<0.50		0.14	0.50
Styrene	<0.50		0.28	0.50
Tert-amyl methyl ether	<0.50	*	0.20	0.50
tert-Butyl alcohol	<2.0		1.6	2.0
tert-Butylbenzene	<0.50		0.14	0.50
Tert-butyl ethyl ether	<0.50	*	0.26	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.16	0.50
1,1,1,2,2-Tetrachloroethane	<0.50		0.18	0.50
Tetrachloroethene	<0.50		0.30	0.50
Toluene	<0.50		0.23	0.50
trans-1,2-Dichloroethene	<0.50		0.24	0.50
trans-1,3-Dichloropropene	<0.50		0.48	0.50
1,2,3-Trichlorobenzene	<0.50		0.14	0.50
1,2,4-Trichlorobenzene	<0.50		0.18	0.50
1,1,1-Trichloroethane	<0.50		0.27	0.50
1,1,2-Trichloroethane	<0.50		0.22	0.50
Trichloroethene	<0.50		0.37	0.50
Trichlorofluoromethane	<0.50		0.23	0.50
1,2,3-Trichloropropane	<0.50		0.18	0.50
Trihalomethanes, Total	<0.50		0.29	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.16	0.50
Vinyl chloride	<0.50		0.33	0.50
Xylenes, Total	<0.50		0.27	0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	91		70 - 130
1,2-Dichlorobenzene-d4	91		70 - 130

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-52368-4

Date Sampled: 11/04/2009 0935

Client Matrix: Water

Date Received: 11/06/2009 0921

524.2 Volatile Organic Compounds (GC/MS)

Method:	524.2	Analysis Batch: 680-153374	Instrument ID: MSU
Preparation:	N/A		Lab File ID: u0242.d
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	11/12/2009 1819		Final Weight/Volume: 5 mL
Date Prepared:			

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		5.0	10
Benzene	<0.50		0.18	0.50
Bromobenzene	<0.50		0.42	0.50
Bromoform	<0.50		0.39	0.50
Bromomethane	<1.0		0.45	1.0
Carbon tetrachloride	<0.50		0.22	0.50
Chlorobenzene	<0.50		0.27	0.50
Chlorobromomethane	<0.50		0.30	0.50
Chlorodibromomethane	<0.50		0.43	0.50
Chloroethane	<1.0		0.33	1.0
Chloroform	<0.50		0.29	0.50
Chloromethane	<0.50		0.32	0.50
2-Chlorotoluene	<0.50		0.17	0.50
4-Chlorotoluene	<0.50		0.16	0.50
cis-1,2-Dichloroethene	<0.50		0.37	0.50
cis-1,3-Dichloropropene	<0.50		0.32	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.30	0.50
Dibromomethane	<0.50		0.38	0.50
1,2-Dichlorobenzene	<0.50		0.17	0.50
1,3-Dichlorobenzene	<0.50		0.14	0.50
1,4-Dichlorobenzene	<0.50		0.18	0.50
Dichlorobromomethane	<1.0		0.54	1.0
Dichlorodifluoromethane	<0.50		0.34	0.50
1,1-Dichloroethane	<0.50		0.39	0.50
1,2-Dichloroethane	<0.50		0.17	0.50
1,1-Dichloroethene	<0.50		0.32	0.50
1,2-Dichloropropane	<0.50		0.45	0.50
1,3-Dichloropropane	<0.50		0.43	0.50
2,2-Dichloropropane	<0.50		0.31	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.32	0.50
Diisopropyl ether	<0.50		0.28	0.50
Ethylbenzene	<0.50		0.12	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.15	0.50
Hexachlorobutadiene	<0.50		0.26	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.21	0.50
Methylene Chloride	<0.50		0.36	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.42	0.50
Naphthalene	<1.0		0.43	1.0
n-Butylbenzene	<0.50		0.17	0.50
N-Propylbenzene	<0.50		0.17	0.50

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-52368-4

Date Sampled: 11/04/2009 0935

Client Matrix: Water

Date Received: 11/06/2009 0921

524.2 Volatile Organic Compounds (GC/MS)

Method:	524.2	Analysis Batch: 680-153374	Instrument ID:	MSU
Preparation:	N/A		Lab File ID:	u0242.d
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	11/12/2009 1819		Final Weight/Volume:	5 mL
Date Prepared:				

Analyte	Result (ug/L)	Qualifier	MDL	RL
o-Xylene	<0.50		0.27	0.50
sec-Butylbenzene	<0.50		0.14	0.50
Styrene	<0.50		0.28	0.50
Tert-amyl methyl ether	<0.50	*	0.20	0.50
tert-Butyl alcohol	<2.0		1.6	2.0
tert-Butylbenzene	<0.50		0.14	0.50
Tert-butyl ethyl ether	<0.50	*	0.26	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.16	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.18	0.50
Tetrachloroethene	<0.50		0.30	0.50
Toluene	<0.50		0.23	0.50
trans-1,2-Dichloroethene	<0.50		0.24	0.50
trans-1,3-Dichloropropene	<0.50		0.48	0.50
1,2,3-Trichlorobenzene	<0.50		0.14	0.50
1,2,4-Trichlorobenzene	<0.50		0.18	0.50
1,1,1-Trichloroethane	<0.50		0.27	0.50
1,1,2-Trichloroethane	<0.50		0.22	0.50
Trichloroethene	<0.50		0.37	0.50
Trichlorofluoromethane	<0.50		0.23	0.50
1,2,3-Trichloropropane	<0.50		0.18	0.50
Trihalomethanes, Total	<0.50		0.29	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.16	0.50
Vinyl chloride	<0.50		0.33	0.50
Xylenes, Total	<0.50		0.27	0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	90		70 - 130
1,2-Dichlorobenzene-d4	93		70 - 130

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-52368-5

Date Sampled: 11/04/2009 0900

Client Matrix: Water

Date Received: 11/06/2009 0921

524.2 Volatile Organic Compounds (GC/MS)

Method:	524.2	Analysis Batch: 680-153374	Instrument ID:	MSU
Preparation:	N/A		Lab File ID:	u0238.d
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	11/12/2009 1643		Final Weight/Volume:	5 mL
Date Prepared:				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		5.0	10
Benzene	<0.50		0.18	0.50
Bromobenzene	<0.50		0.42	0.50
Bromoform	<0.50		0.39	0.50
Bromomethane	<1.0		0.45	1.0
Carbon tetrachloride	<0.50		0.22	0.50
Chlorobenzene	<0.50		0.27	0.50
Chlorobromomethane	<0.50		0.30	0.50
Chlorodibromomethane	<0.50		0.43	0.50
Chloroethane	<1.0		0.33	1.0
Chloroform	<0.50		0.29	0.50
Chloromethane	<0.50		0.32	0.50
2-Chlorotoluene	<0.50		0.17	0.50
4-Chlorotoluene	<0.50		0.16	0.50
cis-1,2-Dichloroethene	<0.50		0.37	0.50
cis-1,3-Dichloropropene	<0.50		0.32	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.30	0.50
Dibromomethane	<0.50		0.38	0.50
1,2-Dichlorobenzene	<0.50		0.17	0.50
1,3-Dichlorobenzene	<0.50		0.14	0.50
1,4-Dichlorobenzene	<0.50		0.18	0.50
Dichlorobromomethane	<1.0		0.54	1.0
Dichlorodifluoromethane	<0.50		0.34	0.50
1,1-Dichloroethane	<0.50		0.39	0.50
1,2-Dichloroethane	<0.50		0.17	0.50
1,1-Dichloroethene	<0.50		0.32	0.50
1,2-Dichloropropane	<0.50		0.45	0.50
1,3-Dichloropropane	<0.50		0.43	0.50
2,2-Dichloropropane	<0.50		0.31	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.32	0.50
Diisopropyl ether	<0.50		0.28	0.50
Ethylbenzene	<0.50		0.12	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.15	0.50
Hexachlorobutadiene	<0.50		0.26	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.21	0.50
Methylene Chloride	<0.50		0.36	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.42	0.50
Naphthalene	<1.0		0.43	1.0
n-Butylbenzene	<0.50		0.17	0.50
N-Propylbenzene	<0.50		0.17	0.50

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-52368-5

Date Sampled: 11/04/2009 0900

Client Matrix: Water

Date Received: 11/06/2009 0921

524.2 Volatile Organic Compounds (GC/MS)

Method:	524.2	Analysis Batch: 680-153374	Instrument ID: MSU
Preparation:	N/A		Lab File ID: u0238.d
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	11/12/2009 1643		Final Weight/Volume: 5 mL
Date Prepared:			

Analyte	Result (ug/L)	Qualifier	MDL	RL
o-Xylene	<0.50		0.27	0.50
sec-Butylbenzene	<0.50		0.14	0.50
Styrene	<0.50		0.28	0.50
Tert-amyl methyl ether	<0.50	*	0.20	0.50
tert-Butyl alcohol	<2.0		1.6	2.0
tert-Butylbenzene	<0.50		0.14	0.50
Tert-butyl ethyl ether	<0.50	*	0.26	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.16	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.18	0.50
Tetrachloroethene	<0.50		0.30	0.50
Toluene	<0.50		0.23	0.50
trans-1,2-Dichloroethene	<0.50		0.24	0.50
trans-1,3-Dichloropropene	<0.50		0.48	0.50
1,2,3-Trichlorobenzene	<0.50		0.14	0.50
1,2,4-Trichlorobenzene	<0.50		0.18	0.50
1,1,1-Trichloroethane	<0.50		0.27	0.50
1,1,2-Trichloroethane	<0.50		0.22	0.50
Trichloroethene	<0.50		0.37	0.50
Trichlorofluoromethane	<0.50		0.23	0.50
1,2,3-Trichloropropane	<0.50		0.18	0.50
Trihalomethanes, Total	<0.50		0.29	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.16	0.50
Vinyl chloride	<0.50		0.33	0.50
Xylenes, Total	<0.50		0.27	0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	91		70 - 130
1,2-Dichlorobenzene-d4	91		70 - 130

DATA REPORTING QUALIFIERS

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Lab Section	Qualifier	Description
GC/MS VOA	*	LCS or LCSD exceeds the control limits

Quality Control Results

Job Number: 680-52368-1

Client: Weston Solutions, Inc.

Surrogate Recovery Report

524.2 Volatile Organic Compounds (GC/MS)

Client Matrix: Water

Lab Sample ID	Client Sample ID	BFB %Rec	DCZ %Rec
680-52368-1	RFW-20	93	91
680-52368-2	RFW-21	92	96
680-52368-3	HAMP-22	91	91
680-52368-4	HAMP-23	90	93
680-52368-5	Trip Blank	91	91
MB 680-153374/20		93	94
LCS 680-153374/18		101	104
LCSD 680-153374/19		100	102

Surrogate	Acceptance Limits
BFB = 4-Bromofluorobenzene	70-130
DCZ = 1,2-Dichlorobenzene-d4	70-130

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Method Blank - Batch: 680-153374

Method: 524.2
Preparation: N/A

Lab Sample ID: MB 680-153374/20
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/12/2009 1254
Date Prepared: N/A

Analysis Batch: 680-153374
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq138.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Acetone	<10		5.0	10
Benzene	<0.50		0.18	0.50
Bromobenzene	<0.50		0.42	0.50
Bromoform	<0.50		0.39	0.50
Bromomethane	<1.0		0.45	1.0
Carbon tetrachloride	<0.50		0.22	0.50
Chlorobenzene	<0.50		0.27	0.50
Chlorobromomethane	<0.50		0.30	0.50
Chlorodibromomethane	<0.50		0.43	0.50
Chloroethane	<1.0		0.33	1.0
Chloroform	<0.50		0.29	0.50
Chloromethane	<0.50		0.32	0.50
2-Chlorotoluene	<0.50		0.17	0.50
4-Chlorotoluene	<0.50		0.16	0.50
cis-1,2-Dichloroethene	<0.50		0.37	0.50
cis-1,3-Dichloropropene	<0.50		0.32	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.30	0.50
Dibromomethane	<0.50		0.38	0.50
1,2-Dichlorobenzene	<0.50		0.17	0.50
1,3-Dichlorobenzene	<0.50		0.14	0.50
1,4-Dichlorobenzene	<0.50		0.18	0.50
Dichlorobromomethane	<1.0		0.54	1.0
Dichlorodifluoromethane	<0.50		0.34	0.50
1,1-Dichloroethane	<0.50		0.39	0.50
1,2-Dichloroethane	<0.50		0.17	0.50
1,1-Dichloroethene	<0.50		0.32	0.50
1,2-Dichloropropane	<0.50		0.45	0.50
1,3-Dichloropropane	<0.50		0.43	0.50
2,2-Dichloropropane	<0.50		0.31	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.32	0.50
Diisopropyl ether	<0.50		0.28	0.50
Ethylbenzene	<0.50		0.12	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.15	0.50
Hexachlorobutadiene	<0.50		0.26	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.21	0.50
Methylene Chloride	<0.50		0.36	0.50
2-Butanone (MEK)	<10		5.0	10

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Method Blank - Batch: 680-153374

Method: 524.2
Preparation: N/A

Lab Sample ID: MB 680-153374/20
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/12/2009 1254
Date Prepared: N/A

Analysis Batch: 680-153374
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq138.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.42	0.50
Naphthalene	<1.0		0.43	1.0
n-Butylbenzene	<0.50		0.17	0.50
N-Propylbenzene	<0.50		0.17	0.50
o-Xylene	<0.50		0.27	0.50
sec-Butylbenzene	<0.50		0.14	0.50
Styrene	<0.50		0.28	0.50
Tert-amyl methyl ether	<0.50		0.20	0.50
tert-Butyl alcohol	<2.0		1.6	2.0
tert-Butylbenzene	<0.50		0.14	0.50
Tert-butyl ethyl ether	<0.50		0.26	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.16	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.18	0.50
Tetrachloroethene	<0.50		0.30	0.50
Toluene	<0.50		0.23	0.50
trans-1,2-Dichloroethene	<0.50		0.24	0.50
trans-1,3-Dichloropropene	<0.50		0.48	0.50
1,2,3-Trichlorobenzene	<0.50		0.14	0.50
1,2,4-Trichlorobenzene	<0.50		0.18	0.50
1,1,1-Trichloroethane	<0.50		0.27	0.50
1,1,2-Trichloroethane	<0.50		0.22	0.50
Trichloroethene	<0.50		0.37	0.50
Trichlorofluoromethane	<0.50		0.23	0.50
1,2,3-Trichloropropane	<0.50		0.18	0.50
Trihalomethanes, Total	<0.50		0.29	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.16	0.50
Vinyl chloride	<0.50		0.33	0.50
Xylenes, Total	<0.50		0.27	0.50

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	93	70 - 130
1,2-Dichlorobenzene-d4	94	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

Lab Control Sample/

Lab Control Sample Duplicate Recovery Report - Batch: 680-153374

Method: 524.2

Preparation: N/A

LCS Lab Sample ID: LCS 680-153374/18
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 11/12/2009 1119
 Date Prepared: N/A

Analysis Batch: 680-153374
 Prep Batch: N/A
 Units: ug/L

Instrument ID: GC/MS Volatiles - U
 Lab File ID: uq136.d
 Initial Weight/Volume: 5 mL
 Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 680-153374/19
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 11/12/2009 1142
 Date Prepared: N/A

Analysis Batch: 680-153374
 Prep Batch: N/A
 Units: ug/L

Instrument ID: GC/MS Volatiles - U
 Lab File ID: uq137.d
 Initial Weight/Volume: 5 mL
 Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Acetone	78	82	70 - 130	5	30		
Benzene	97	91	70 - 130	6	30		
Bromobenzene	104	100	70 - 130	4	30		
Bromoform	113	108	70 - 130	5	30		
Bromomethane	94	91	70 - 130	3	30		
Carbon tetrachloride	116	110	70 - 130	5	30		
Chlorobenzene	100	97	70 - 130	3	30		
Chlorobromomethane	90	100	70 - 130	10	30		
Chlorodibromomethane	110	105	70 - 130	4	30		
Chloroethane	86	79	70 - 130	8	30		
Chloroform	102	97	70 - 130	5	30		
Chloromethane	86	80	70 - 130	7	30		
2-Chlorotoluene	98	94	70 - 130	4	30		
4-Chlorotoluene	98	95	70 - 130	4	30		
cis-1,2-Dichloroethene	98	94	70 - 130	4	30		
cis-1,3-Dichloropropene	105	102	70 - 130	3	30		
1,2-Dibromo-3-Chloropropane	104	103	70 - 130	1	30		
Dibromomethane	101	97	70 - 130	4	30		
1,2-Dichlorobenzene	99	95	70 - 130	5	30		
1,3-Dichlorobenzene	99	97	70 - 130	2	30		
1,4-Dichlorobenzene	102	98	70 - 130	5	30		
Dichlorobromomethane	102	96	70 - 130	6	30		
Dichlorodifluoromethane	111	105	70 - 130	5	30		
1,1-Dichloroethane	97	91	70 - 130	6	30		
1,2-Dichloroethane	95	89	70 - 130	6	30		
1,1-Dichloroethene	79	72	70 - 130	9	30		
1,2-Dichloropropane	100	95	70 - 130	6	30		
1,3-Dichloropropane	101	95	70 - 130	6	30		
2,2-Dichloropropane	101	100	70 - 130	1	30		
1,1-Dichloropropene	99	92	70 - 130	7	30		
1,3-Dichloropropene, Total	105	102	70 - 130	3	30		
Diisopropyl ether	96	94	70 - 130	3	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 680-153374**

**Method: 524.2
Preparation: N/A**

LCS Lab Sample ID: LCS 680-153374/18
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/12/2009 1119
Date Prepared: N/A

Analysis Batch: 680-153374
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq136.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 680-153374/19
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/12/2009 1142
Date Prepared: N/A

Analysis Batch: 680-153374
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq137.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Ethylbenzene	99	94	70 - 130	5	30		
Ethylene Dibromide	103	100	70 - 130	3	30		
Freon 113	85	80	70 - 130	6	30		
Hexachlorobutadiene	109	102	70 - 130	7	30		
2-Hexanone	95	93	70 - 130	2	30		
Isopropylbenzene	99	94	70 - 130	5	30		
4-Isopropyltoluene	104	99	70 - 130	4	30		
Methylene Chloride	104	102	70 - 130	3	30		
2-Butanone (MEK)	111	107	70 - 130	4	30		
4-Methyl-2-pentanone (MIBK)	119	119	70 - 130	1	30		
m-Xylene & p-Xylene	100	96	70 - 130	5	30		
Naphthalene	110	107	70 - 130	3	30		
n-Butylbenzene	106	100	70 - 130	7	30		
N-Propylbenzene	97	93	70 - 130	5	30		
o-Xylene	105	100	70 - 130	5	30		
sec-Butylbenzene	100	96	70 - 130	4	30		
Styrene	107	103	70 - 130	4	30		
Tert-amyl methyl ether	136	137	70 - 130	1	30	*	*
tert-Butyl alcohol	88	92	70 - 130	4	30		
tert-Butylbenzene	102	98	70 - 130	4	30		
Tert-butyl ethyl ether	126	135	70 - 130	7	30		*
1,1,1,2-Tetrachloroethane	108	103	70 - 130	5	30		
1,1,2,2-Tetrachloroethane	96	95	70 - 130	1	30		
Tetrachloroethene	102	98	70 - 130	4	30		
Toluene	100	96	70 - 130	5	30		
trans-1,2-Dichloroethene	99	94	70 - 130	5	30		
trans-1,3-Dichloropropene	105	102	70 - 130	3	30		
1,2,3-Trichlorobenzene	109	107	70 - 130	2	30		
1,2,4-Trichlorobenzene	110	105	70 - 130	4	30		
1,1,1-Trichloroethane	99	93	70 - 130	7	30		
1,1,2-Trichloroethane	100	95	70 - 130	6	30		
Trichloroethene	101	97	70 - 130	4	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-52368-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 680-153374**

**Method: 524.2
Preparation: N/A**

LCS Lab Sample ID: LCS 680-153374/18
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/12/2009 1119
Date Prepared: N/A

Analysis Batch: 680-153374
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq136.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 680-153374/19
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/12/2009 1142
Date Prepared: N/A

Analysis Batch: 680-153374
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq137.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Trichlorofluoromethane	91	86	70 - 130	6	30		
1,2,3-Trichloropropane	96	92	70 - 130	5	30		
1,2,4-Trimethylbenzene	100	96	70 - 130	4	30		
1,3,5-Trimethylbenzene	101	97	70 - 130	4	30		
Vinyl chloride	89	84	70 - 130	5	30		
Xylenes, Total	102	97	70 - 130	5	30		
Surrogate	% Rec		LCSD % Rec	Acceptance Limits			
4-Bromofluorobenzene	101		100	70 - 130			
1,2-Dichlorobenzene-d4	104		102	70 - 130			

Calculations are performed before rounding to avoid round-off errors in calculated results.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60466
 Phone: 708.534.5200 Fax: 708.534.5211

EFFECTIVE 7/1/09 OUR
 NEW ZIP CODE IS 60484

Report To (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference# _____

Chain of Custody Record

Lab Job #: _____

Chain of Custody Number: _____

Page _____ of _____

Temperature °C of Cooler: _____

Client		Client Project #		Preservative		Parameter		Matrix		Preservative Key	
Wastewater				HCl		524.2		V O A		1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. Cool to 4° 7. None 8. Other	
Project Name		Lab Project #		Sampling		# of Containers		Matrix		Comments	
Black & Decker		02501-004-004		Date	Time						
Project Location/State		Lab PM									
Hampstead MD		ABBIE PACE									
Sampler											
Greg Flasiwski											
Lab ID	MS/MSD	Sample ID	Date	Time	# of Containers	Matrix					
		RFW-20	11/4/09	1800	3	W					
		RFW-21	11/4/09	1145							
		HAMP-22	11/5/09	940			✓				
		HAMP-23	11/5/09	935			✓				
		Trip Blank	11/4/09	900			✓				

Turnaround Time Required (Business Days)

1 Day 2 Days 5 Days 10 days 15 Days Other _____

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By:	Company: _____	Date: 11/5/09	Time: 1600	Received By: Beth A. Daugherty	Company: TASHV	Date: 11-6-09	Time: 0921
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____

Lab Courier: _____
 Shipped: _____
 Hand Delivered: _____

11
 Matrix Key
 WW - Wastewater SE - Sediment
 W - Water SO - Soil
 S - Soil L - Leachate
 SL - Sludge WI - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments

Lab Comments:
 TEMP 2.6
 680-52368



Weston Solutions, Inc.
1400 Weston Way
P.O. Box 2653
West Chester, Pennsylvania 19380
610-701-3000 • Fax 610-701-3186
www.westonsolutions.com

28 January 2010

Mr. Matthew G. Pajerowski
Water Rights Administration
Maryland Department of the Environment
1800 Washington Blvd.
Baltimore, MD 21230

RE: Permit No. CL66G029(06)
Black & Decker Hampstead Facility
Water Level Monitoring Report

Dear Mr. Pajerowski:

In accordance with the Water Appropriation Permit issued to the Black and Decker (U.S.), Inc. Hampstead, Maryland, facility, enclosed is the Water Level Monitoring Report for the period of July through December 2009. Please note that, in accordance with the referenced permit, Black & Decker also has submitted pumping records under separate cover.

Please call Thomas Cornuet at (610) 701-3776 if you have any questions regarding the enclosed.

Very truly yours,

WESTON SOLUTIONS, INC.

Thomas Cornuet

Thomas Cornuet, P.G.
Project Manager

Enclosure

cc: L. Biagioni, B&D (w/o encl.)
J. Freed, B&D (w/o encl.)
T. Lynch, M&S (w/o encl.)
L. Bove, WESTON (w/o encl.)





Weston Solutions, Inc.
1400 Weston Way
P.O. Box 2653
West Chester, Pennsylvania 19380
610-701-3000 • Fax 610-701-3186
www.westonsolutions.com

28 January 2010

Mr. Arthur O'Connell
Waste Management Administration
Maryland Department of the Environment
1800 Washington Blvd
Baltimore, MD 21230

Re: Black & Decker Hampstead Facility

Dear Mr. O'Connell

On behalf of our client, Black & Decker (U.S.) Inc. (Black & Decker), Weston Solutions, Inc. (WESTON®) provides enclosed with this letter two copies of the Quarterly Groundwater Monitoring Report for the period of October through December 2009. This report has been drafted for your review pursuant to the Administrative Consent Order of 13 April 1995.

If you have any questions regarding the enclosure, please contact me at (610) 701-3776.

Very truly yours,

WESTON SOLUTIONS, INC.

Thomas Cornuet

Thomas Cornuet, P.G.
Project Manager

Enclosure

cc: L. Biagioni, B&D
J. Freed, B&D
T. Lynch III, M&S
K. Decker, Town of Hampstead
L. Bove, WESTON (w/o encl.)
B. Dietz, MDE (w/o encl.)





Weston Solutions, Inc.
1400 Weston Way
P.O. Box 2653
West Chester, Pennsylvania 19380
610-701-3000 • Fax 610-701-3186
www.westonsolutions.com

28 January 2010

Mr. Charlie Zeleski
Carroll County Health Department
Bureau of Environmental Health
P.O. Box 845
290 S. Center St.
Westminster, MD 21158

Re: Black & Decker Hampstead Facility

Dear Mr. Zeleski:

On behalf of our client, Black & Decker (U.S.) Inc. (Black & Decker), Weston Solutions, Inc. (WESTON®) provides enclosed with this letter a copy of the Quarterly Groundwater Monitoring Report for the period of October through December 2009.

If you have any questions regarding the enclosure, please contact me at (610) 701-3776.

Very truly yours,

WESTON SOLUTIONS, INC.

Thomas Cornuet

Thomas Cornuet, P.G.
Project Manager

Enclosure

cc: L. Biagioni, B&D
J. Freed, B&D
T. Lynch III, M&S
L. Bove, WESTON (w/o encl.)





Weston Solutions, Inc.
1400 Weston Way
P.O. Box 2653
West Chester, Pennsylvania 19380
610-701-3000 • Fax 610-701-3186
www.westonsolutions.com

28 January 2010

Mr. Charlie Zeleski
Carroll County Health Department
Bureau of Environmental Health
P.O. Box 845
290 S. Center St.
Westminster, MD 21158

Re: Black & Decker Hampstead Facility

Dear Mr. Zeleski:

On behalf of our client, Black & Decker (U.S.) Inc. (Black & Decker), Weston Solutions, Inc. (WESTON®) provides enclosed with this letter a copy of the Quarterly Groundwater Monitoring Report for the period of October through December 2009.

If you have any questions regarding the enclosure, please contact me at (610) 701-3776.

Very truly yours,

WESTON SOLUTIONS, INC.

Thomas Cornuet

Thomas Cornuet, P.G.
Project Manager

Enclosure

cc: L. Biagioni, B&D
J. Freed, B&D
T. Lynch III, M&S
L. Bove, WESTON (w/o encl.)

