

Quarterly Groundwater Monitoring Report

Prepared for
Black & Decker (U.S.) Inc.

Hampstead, Maryland

April 2007

Prepared by

WESTON SOLUTIONS, INC.

West Chester, Pennsylvania 19380-1499

LIST OF TABLES

Table	Page
Table 2-1 Treatment System Pumping Records – 1st Quarter 2007	2-2
Table 2-2 Groundwater Elevation Data – 1st Quarter 2007	2-3
Table 2-3 Effluent Characteristics Summary – 1st Quarter 2007	2-4
Table 2-4 Summary of Groundwater Analytical Results - February 2007	2-5
Table 3-1 Treatment System Maintenance Activities – 1st Quarter 2007	3-2

1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of January through March 2007.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of January through March 2007, the extraction wells were pumping at an average combined rate of approximately 163 gallons per minute (gpm).

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of January through March 2007 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of January through March 2007, approximately 20 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (63 %) and tetrachloroethene (PCE) (37 %). Analytical results of the groundwater collected from the air stripper for the period of January through March 2007 are included in Appendix C.

A summary of the analytical results from the first quarter (February 2007) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

Table 2-1
Treatment System Pumping Records - 1st Quarter 2007
Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
January 2007	6,483,875
February 2007	6,216,560
March 2007	6,855,271

Table 2-2
Groundwater Elevation Data - 4th Quarter 2006
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV.	TOTAL DEPTH	1/18/2007		2/20/2007		3/10/2007	
			DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NA	DRY	NA	DRY	NA
EW-2	849.21	110	76.12	773.09	67.92	781.29	69.01	780.20
EW-3	846.64	118	84.47	762.17	81.29	765.35	87.43	759.21
EW-4	858.01	97.5	NA	NA	NA	NA	NA	NA
EW-5	864.17	98	68.18	795.99	69.48	794.69	69.38	794.79
EW-6	831.98	115	103.16	728.82	95.29	736.69	92.41	739.57
EW-7	818.38	78	45.11	773.27	49.49	768.89	56.31	762.07
EW-8	811.13	98	64.36	746.77	71.69	739.44	77.80	733.33
EW-9	811.35	141	99.41	711.94	91.28	720.07	103.50	707.85
EW-10	807.74	NA	59.73	748.01	54.21	753.53	53.58	754.16
RFW-1A	864.37	78	50.47	813.90	48.60	815.77	51.11	813.26
RFW-1B	864.23	200	50.49	813.74	48.64	815.59	51.15	813.08
RFW-2A	857.41	35	15.17	842.24	14.57	842.84	15.71	841.70
RFW-2B	857.73	75	15.59	842.14	15.32	842.41	16.15	841.58
RFW-3B	839.21	153	35.83	803.38	33.90	805.31	34.61	804.60
RFW-4A	830.37	62	37.98	792.39	37.94	792.43	37.14	793.23
RFW-4B	830.37	120	38.74	791.63	37.80	792.57	37.02	793.35
RFW-5A	817.50	30	DRY	NA	DRY	NA	DRY	NA
RFW-6	785.04	120	3.96	781.08	4.55	780.49	2.94	782.10
RFW-7	805.14	29	8.09	797.05	6.08	799.06	7.12	798.02
RFW-8	860.07	56	DRY	NA	DRY	NA	DRY	NA
RFW-9	862.02	49	25.61	836.41	26.11	835.91	25.57	836.45
RFW-10	852.06	58	DRY	NA	DRY	NA	DRY	NA
RFW-11A	849.32	72	NA	NA	NA	NA	NA	NA
RFW-11B	849.62	116	72.81	776.81	6.84	842.78	68.37	781.25
RFW-12B	844.87	264	61.92	782.95	50.88	793.99	51.34	793.53
RFW-13	849.11	150	61.57	787.54	64.23	784.88	64.81	784.30
RFW-14B	812.39	281	50.60	761.79	51.79	760.60	53.21	759.18
RFW-16	856.14	41	DRY	NA	DRY	NA	DRY	NA
RFW-17	834.66	60.5	30.08	804.58	27.31	807.35	27.88	806.78
RFW-20	842.49	142	37.55	804.94	35.02	807.47	35.41	807.08
RFW-21	832.65	102	23.49	809.16	22.74	809.91	23.21	809.44
PH-7	805.94	89	32.66	773.28	31.62	774.32	31.62	774.32
PH-9	814.94	98	40.30	774.64	38.89	776.05	38.77	776.17
PH-11	820.68	78	44.73	775.95	45.11	775.57	45.26	775.42
PH-12	828.35	87	46.36	781.99	48.71	779.64	48.17	780.18
B-3	803.02	83	NA	NA	NA	NA	NA	NA
Amoco	842.29	NA	NA	NA	NA	NA	NA	NA
Hamp. Town #22	804.96	NA	31.12	773.84	26.53	778.43	28.79	776.17
Pembroke #1	NA	NA	NA	NA	NA	NA	NA	NA
Pembroke #2	NA	NA	NA	NA	NA	NA	NA	NA
N. Houcks. Rd.	NA	NA	9.08	NA	8.98	NA	9.13	NA
E. Century St.	NA	NA	14.95	NA	19.56	NA	20.25	NA
Lwr. Beckleys. Rd.	NA	NA	55.89	NA	53.86	NA	56.17	NA

NA - Not Available/Not Accessible

Table 2-3
Effluent Characteristics Summary - 1st Quarter 2007
Black & Decker
Hampstead, Maryland

Discharge Number	Parameter	Units	Permit Limits	DMR DATE			
				January 2007	February 2007	March 2007	
001	FLOW	average	MGD	NA	0.113	0.132	0.317
		maximum	MGD	NA	0.132	0.302	0.693
	1,1,1-Trichloroethane		ug/l	5	< 1	< 1	< 1
	Tetrachloroethylene		ug/l	5	< 1	< 1	< 1
	Trichloroethylene		ug/l	5	< 1	< 1	< 1
	Total Residual Chlorine		mg/l	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease	maximum	mg/l	15	< 5	< 5	< 5
		quarterly average	mg/l	10	NR	NR	< 5
	pH	minimum	STD	6.0	6.00	6.00	6.40
		maximum	STD	8.5	6.90	6.90	7.10
	BOD		mg/l	15	< 2	3.0	4.0
TSS	maximum	mg/l	30	< 4	< 4	17.0	
	quarterly average	mg/l	20	NR	NR	17.0	
101 (Monitoring Point)	FLOW	average	MGD	NA	ND	ND	0.037
		maximum	MGD	NA	ND	ND	0.333
	Fecal Coliform		MPN/100ml	200	ND	ND	1.0
201 (Monitoring Point)	FLOW	average	MGD	NA	0.209	NR	0.250
		maximum	MGD	NA	0.368	NR	0.693
	1,1,1-Trichloroethane		ug/l	NA	< 1	NR	< 1
	Tetrachloroethylene		ug/l	NA	< 1	NR	< 1
	Trichloroethylene		ug/l	NA	< 1	NR	< 1

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

Summary of Groundwater Analytical Results - February 2007

Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	2.7	2	1 U	1 U	1 U	7.2	23	1	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1.6	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	400	140	1100	190	9	5.6	12	1.5	1.3	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	59	4	20	9	17	11	83	180	150	3.7
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.

Summary of Groundwater Analytical Results - February 2007
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4B	RFW-4B (DUP)	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.4	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	6.5	1 U	4	3.8	NS	1 U	1 U	NS	13	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1	1.8	1.7	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.7	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1.3	1.4	1.2	32	48	48	NS	2.8	6.4	NS	19	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	2.4	30	80	84	NS	2.7	1 U	NS	6.7	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Summary of Groundwater Analytical Results - February 2007

Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
				(5)								USEPA drinking water method 524.2				
Chloromethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	25 U	5 U	NS	5 U	5 U	5 U	NS	5 U	20	19	19	21	10 U
Carbon Disulfide	ug/L	NS	5 U	25 U	5 U	NS	5 U	5 U	5 U	NS	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	25 U	5 U	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	19	520	4.6	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	25 U	5 U	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	25 U	5 U	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1.5	44	22	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1,2-Tetrachloroethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all of the other wells are analyzed with USEPA Method 8260.

analytical data package is included in Appendix D.

As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells RFW-12B and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from well EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (January through March 2007) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

Table 3-1
Treatment System Maintenance Activities - 1st Quarter 2007
Black & Decker
Hampstead, Maryland

Date	Event/Corrective Action
Jan-07	Alarm at stripper, due to power outage. Power was restored, the system is back online.
Mar-07	Electricity turned off to wells EW-1 through EW-5 to repair electrical connections. Wells were off for a few hours. The wells are back online.

4. RECOMMENDATIONS

For the reporting period of January through March 2007, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS
(JANUARY – MARCH 2007)

Justin Myers, ESS
Maryland Environmental Service

BTR CAPITAL GROUP
HAMPSTEAD, MARYLAND 21074
PROCESS LAKE OPERATING RECORD

January 2007

Date	Day	Weather	Rainfall	Lake (inches down)	Lake sample Water Color	pH	Cl ₂ (mg/l)	D.O. (mg/l)	TSS (mg/l)	H ₂ SO ₄ (lbs./day)	Cl ₂ (lbs./day) HTH	Cl ₂ (lbs./day) Sod. Hypo	Floating Scum	Shallow Spots	% Ice Coverage	Erosion	Rodent Holes	Discharge (MGD)	Appearance	pH	Cl ₂ (mg/l) total	Oil & Grease (mg/l)	VOC's (ppb)	BOD ₅ (mg/l)	TSS (mg/l)	Fecal Coli. (MPN/100mi)	VOC's (ppb)	Discharge (MGD)	
XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXX	OUTFALL #001	#001	#001	#001	#001	#001	#001	#001	#001	#101	#201	OUTFALL #201
1	mon	cloudy	0 00		clear					0			none	none	0%	none	none		clear									0 204048	
2	tue	clear	0 00		clear					0			none	none	0%	none	none	0 1150	clear	6 7	0 00							0 194667	
3	wed	clear	0 00	16.0	clear	5 7	0 00	10 7		0			none	none	0%	none	none	0 0960	clear	6 9	0 00							0 172624	
4	thur	clear	0 20	15.0	clear	5 8	0 00	11.0		0			none	none	0%	none	none	0 0950	clear	6 7	0 00							0 166792	
5	fri	rain	0 00	15 0	clear	6 1	0 00	10 6		0			none	none	0%	none	none	0 1080	clear	6 9	0 00							0.166793	
6	sat	clear	0 00	15 0	clear		0 00			0			none	none	0%	none	none	0 1290	clear		0 00					Δ2		0 216870	
7	sun	clear	1 00		clear		0 00			0			none	none	0%	none	none	0 1120			0 00							0 189858	
8	mon	rain	0 10	11 0	clear	6 0	0 00	10 3		0			none	none	0%	none	none	0 1040	clear	6 9	0 00							0 178896	
9	tue	clear	0 00	10 0	clear	5 8	0 00	10 7		0			none	none	0%	none	none	0 1210	clear	6 7	0 00							0 198633	
10	wed	clear	0 00	10 0	clear	6.0	0 00	10 4		0			none	none	0%	none	none	0 1130	clear	6 7	0 00					Δ2		0 175301	
11	thur	clear	0 00	10 0	clear	5 9	0 00	11 0		0			none	none	1%	none	none	0 1100	clear	6 8	0 00							0 368185	
12	fri	cloudy	0 00	10 0	clear	5 8	0 00	8 6		0			none	none	0%	none	none	0 1180	clear	6.7	0 00							0.195158	
13	sat	cloudy	0 20		clear		0 00			0			none	none	0%	none	none	0 1080			0 00							0 180212	
14	sun	rain	0 00		clear		0 00			0			none	none	0%	none	none	0 1200			0 00							0 189875	
15	mon	cloudy	0 00		clear		0 00			0			none	none	0%	none	none	0 1120			0 00							0 188303	
16	tue	cloudy	0 00	11 0	clear	5 6	0 00	6 6		0			none	none	0%	none	none	0 1120	clear	6 7	0 00	<5	<1	<2	<4	<2	<1	0 190863	
17	wed	clear	0 00	12 0	clear	6 0	0 00	7 7		0			none	none	0%	none	none	0 1060	clear	6 1	0 00							0 184104	
18	thur	cloudy	0 00	13 0	clear	5 8	0 00	11 0		0			none	none	1%	none	none	0 1110	clear	6 7	0 00							0 220807	
19	fri	clear	0 00	13 0	clear	5 8	0 00	10.9		0			none	none	0%	none	none	0 1250	clear	6 7	0 00							0 233674	
20	sat	clear	0 00	13 0	clear		0 00			0			none	none	0%	none	none	0 1080	clear		0 00							0 221235	
21	sun	cloudy	0 10	14 0	clear		0 00			0			none	none	95%	none	none	0 1060	clear		0 00							0 234323	
22	mon	fog	0 00	14 0	clear	6 3	0 00	9.5		0			none	none	80%	none	none	0 1170	clear	6 8	0 00					<2		0 191466	
23	tue	clear	0 00	14 0	clear	5 9	0 00	11 8		0			none	none	10%	none	none	0 1180	clear	6 8	0 00							0 240116	
24	wed	cloudy	0 00	14 0	clear	6 7	0 00	10 7		0			none	none	1%	none	none	0 1080	clear	6 9	0 00							0 219536	
25	thur	cloudy	0 00	14 0	clear	6.2	0 00	10 4		0			none	none	0%	none	none	0 1090	clear	6 6	0 00							0 216536	
26	fri	clear	0 00	14 0	clear	5 9	0 00	11 5		0			none	none	100%	none	none	0 1140	clear	6 9	0 00							0 219000	
27	sat	cloudy	0 00	14 0	clear		0 00			0			none	none	100%	none	none	0 1110	clear		0 00							0 216000	
28	sun	cloudy	0 00	14 0	clear		0 00			0			none	none	50%	none	none	0 1320	clear		0 00							0 263000	
29	mon	clear	0 00	14 0	clear	5 8	0 00	12 1		0			none	none	20%	none	none	0.1050	clear	6 0	0 00					<2		0 200000	
30	tue	clear	0 00	14 0	clear	5 7	0 00	9 9		0			none	none	100%	none	none	0 1160	clear	6 9	0 00							0 242000	
31	wed	clear	0 00	14 0	clear	5 8	0 00	12 0		0			none	none	80%	none	none	0 1160	clear	6 7	0 00							0 205000	
TOTAL			1 60	328 0		118 6	0 00	207	0	0	0	0	none	none	6 38	none	none	3 3770	clear	140 8	0 00							6 483675	
AVG			0 05	13 1	clear	5 9	0 00	10 4	#####	0	0	0.0	none	none	0 2	none	none	0 1126	clear	6 7	<0 1	<5	<1	<2	<5	<2	<1	0 209157	

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operator Justin Myers, ESS Certification # 8406

Black & Decker WTP

PWSID # 106-0004

County: Carroll

Month February

Operated by

Address: BTR CAPITAL GROUP, Hampstead, MD 21073

Maryland Environmental Service

625 Hanover Pike, Hampstead, Carroll County, Maryland

Year: 2007

GENERAL (DOMESTIC WATER)				CHEMICAL							MONITORING		DISTRIBUTION			RAW WATER		Comments		
Date	Day	Weather	Flow meter reading 0	MGD Total FQIR	pH P.O.E	Free Cl ₂	Na ₂ CO ₃ (lbs/day)	Na ₂ CO ₃ (mg/l)	NaOCl (ozs./day)	NaOCl (mg/l)	VOC'S (ppb)	Bacti Pos/Neg	pH su	TRC mg/l	DISTRIBUTION LOCATION	Operator Initials	pH su		TOTAL RAW WATER WELL (mgd)	
1	Thur	Cloudy	0	0.0104	8.0	1.83	38.00	3.00	63.00	0.00								0.227546		
2	Fri	Cloudy	0	0.0074	8.1	1.70	35.00	4.00	63.00	0.00			8.2	1.50	Eng Lab			0.223470		
3	Sat	Clear	0	0.0065	8.2	1.33	57.00	1.00	63.00	0.00								0.234062		
4	Sun	Clear	0	0.0082	8.2	1.42	56.00	3.00	63.00	0.00								0.212676		
5	Mon	Clear	0	0.0166	8.1	1.31	53.00	5.00	63.00	0.00			8.3	1.10	Loading Dock			0.226663		
6	Tue	Clear	0	0.0110	8.0	1.44	48.00	3.00	63.00	0.00								0.245736		
7	Wed	Clear	0	0.0085	8.0	1.28	45.00	3.00	63.00	0.00			8.3	0.90	Admin. 3rd Fl			0.203951		
8	Thur	Clear	0	0.0112	8.1	1.22	45.00	4.00	63.00	0.00								0.222479		
9	Fri	Clear	0	0.0090	7.7	1.11	38.00	3.00	63.00	0.00			8.2	1.00	Eng Lab			0.249090		
10	Sat	Clear	0	0.0054	8.0	1.23	35.00	2.00	63.00	0.00								0.219967		
11	Sun	Clear	0	0.0078	8.0	1.34	33.00	3.00	63.00	0.00								0.223131		
12	Mon	Clear	0	0.0088	8.0	1.32	51.00	3.00	63.00	0.00			8.3	0.50	Admin. 3rd Fl			0.213967		
13	Tue	Snow	0	0.0069	8.0	1.37	48.00	2.00	63.00	0.00								0.209205		
14	Wed	Rain	0	0.0103	8.0	1.28	46.00	3.00	63.00	0.00								0.215010		
15	Thur	Cloudy	0	0.0097	7.8	1.31	43.00	3.00	63.00	0.00			8.0	1.10	Loading Dock			0.215499		
16	Fri	Clear	0	0.0068	7.9	1.13	40.00	3.00	63.00	0.00			7.6	1.20	Eng Lab			0.214841		
17	Sat	Clear	0	0.0061	8.0	1.22	37.00	2.00	63.00	0.00								0.214460		
18	Sun	Clear	0	0.0050	8.0	1.23	35.00	1.00	63.00	0.00								0.203100		
19	Mon	Clear	0	0.0119	8.0	1.26	34.00	4.00	63.00	0.00								0.245725		
20	Tue	Cloudy	0	0.0090	7.0	1.30	30.00	3.00	63.00	0.00							5.70	0.238131		
21	Wed	Clear	0	0.0091	7.9	1.06	27.00	3.00	63.00	0.00			8.0	0.70	Admin 3rd Fl			0.213333		
22	Thur	Cloudy	0	0.0082	6.7	1.18	24.00	4.00	63.00	0.00								0.205450		
23	Fri	Clear	0	0.0107	8.4	1.66	62.00	3.00	63.00	0.00			6.9	1.40	Loading Dock			0.246122		
24	Sat	Clear	0	0.0050	7.9	1.41	59.00	2.00	63.00	0.00								0.198278		
25	Sun	Snow	0	0.0069	7.8	1.37	57.00	3.00	63.00	0.00								0.235133		
26	Mon	Cloudy	0	0.0092	7.7	1.42	54.00	2.00	63.00	0.00								0.218022		
27	Tue	Clear	0	0.0094	8.0	1.46	52.00	3.00	63.00	0.00			8.3	1.30	Admin 1st Fl			0.221331		
28	Wed	Clear	0	0.0101	6.6	1.53	49.00	3.00	63.00	0.00			6.1	1.20	Eng Lab			0.220182		
29																				
30																				
31																				
Total				0.2451	220.1	37.72	1231.0	81.00	1764.0	0.00	0.0	0.0	86	12				6.216560		
Average				0.0088	7.86	1.35	43.96	2.89	63.00	0.00	0.0	0.0	7.84	1.08				0.222020		
Minimum				0.0050	6.60	1.06	24.00	1.00	63.00	0.00	0.0	0.0	6.10	0.50				0.198278		
Maximum				0.0166	8.40	1.83	62.00	5.00	63.00	0.00	0.0	0.0	8.30	1.50				0.249090		

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operator Justin Myers, ESS Certification # 8406

Black & Decker WTP

PWSID # 106-0004

County: Carroll


Month: March

Operated by

Address: BTR CAPITAL GROUP, Hampstead, MD 21073

Maryland Environmental Service

625 Hanover Pike, Hampstead, Carroll County, Maryland



Year: 2007

GENERAL (DOMESTIC WATER)				CHEMICAL							MONITORING			DISTRIBUTION			RAW WATER		Comments	
Date	Day	Weather	Flow meter reading o	MGD Total FQIR	pH P.O.E	Free Cl2	Na2CO3 (lbs/day)	Na2CO3 (mg/l)	NaOCl (ozs./day)	NaOCl (mg/l)	VOC'S (ppb)	Bacti Pos/Neg	pH su	TRC mg/l	DISTRIBUTION LOCATION	Operator Initials	pH su	TOTAL RAW WATER WELL (mgd)		
1	Thur	Clear	0	0.0109	6.7	1.62	46.00	3.00	63.00	0.00								0.234323		
2	Fri	Clear	0	0.0084	7.0	1.51	43.00	2.00	63.00	0.00			6.9	1.30	Loading Dock			0.231392		
3	Sat	Clear	0	0.0052	6.9	1.53	41.00	3.00	63.00	0.00								0.224029		
4	Sun	Clear	0	0.0086	6.8	1.45	38.00	3.00	63.00	0.00								0.223079		
5	Mon	Clear	0	0.0108	6.7	0.92	35.00	3.00	63.00	0.00			6.3	1.10	3rd Floor Admin			0.213631		
6	Tue	Clear	0	0.0117	6.7	1.16	32.00	4.00	63.00	0.00								0.205631		
7	Wed	Snow	0	0.0099	7.0	1.52	28.00	3.00	63.00	0.00			6.7	1.40	Eng Lab			0.228745		
8	Thur	Clear	0	0.0090	7.0	1.25	25.00	1.00	63.00	0.00								0.216183		
9	Fri	Clear	0	0.0100	7.3	1.09	45.00	2.00	63.00	0.00			6.8	1.00	Loading Dock		5.40	0.244097		
10	Sat	Clear	0	0.0050	7.4	1.00	43.00	1.00	63.00	0.00								0.205466		
11	Sun	Clear	0	0.0083	7.2	0.84	42.00	3.00	63.00	0.00								0.217352		
12	Mon	Clear	0	0.0089	8.0	1.13	39.00	3.00	63.00	0.00			7.0	1.00	1st Floor Admin			0.223235		
13	Tue	Cloudy	0	0.0106	7.7	1.01	36.00	4.00	63.00	0.00								0.223359		
14	Wed	Clear	0	0.0132	7.3	1.03	32.00	4.00	63.00	0.00			6.9	0.90	Eng Lab		5.30	0.223359		
15	Thur	Cloudy	0	0.0236	7.6	1.03	28.00	7.00	63.00	0.00								0.200058		
16	Fri	Rain	0	0.0307	7.4	1.01	21.00	3.00	63.00	0.00			6.7	0.90	Loading Dock			0.232652		
17	Sat	Clear	0	0.0201	7.4		18.00	6.00	63.00	0.00								0.206511		
18	Sun	Clear	0	0.0271	7.2		12.00	3.00	63.00	0.00								0.243798		
19	Mon	Clear	0	0.0051	6.7	0.80	9.00	1.00	63.00	0.00			6.6	0.40	3rd Floor Admin			0.206095		
20	Tue	Clear	0	0.0079	6.8	1.00	28.00	2.00	63.00	0.00								0.236982		
21	Wed	Cloudy	0	0.0053	8.9	1.90	26.00	1.00	63.00	0.00			7.4	1.30	Eng Lab			0.197121		
22	Thur	Clear	0	0.0080	8.5	2.06	25.00	3.00	63.00	0.00								0.233584		
23	Fri	Rain	0	0.0028	8.4	1.68	42.00	1.00	63.00	0.00			7.7	1.30	Loading Dock		5.00	0.228276		
24	Sat	Rain	0	0.0043	7.9	1.80	41.00	1.00	63.00	0.00								0.211359		
25	Sun	Clear	0	0.0055	8.5	1.72	40.00	1.00	63.00	0.00								0.234882		
26	Mon	Cloudy	0	0.0050	8.7	1.73	39.00	2.00	63.00	0.00			7.7	1.50	Loading Dock			0.211553		
27	Tue	Cloudy	0	0.0053	8.2	1.67	37.00	1.00	63.00	0.00								0.209607		
28	Wed	Cloudy	0	0.0079	8.5	1.91	36.00	3.00	63.00	0.00			7.8	1.60	1st Floor Admin		5.00	0.227873		
29	Thur	Clear		0.0055	8.5	1.76	33.00	2.00	63.00	0.00								0.212542		
30	Fri	Clear		0.0051	8.5	1.91	31.00	1.00	63.00	0.00			8.0	1.70	Eng Lab			0.229466		
31	Sat	Cloudy		0.0027	7.4	1.62	50.00	1.00	63.00	0.00								0.219031		
Total				0.3024	234.8	40.66	1041.0	78.00	1953.0	0.00	0.0	0.0		93	15				6.855271	
Average				0.0098	7.57	1.40	33.58	2.52	63.00	0.00	0.0	0.0		7.12	1.18				0.221138	
Minimum				0.0027	6.70	0.80	9.00	1.00	63.00	0.00	0.0	0.0		6.30	0.40				0.197121	
Maximum				0.0307	8.90	2.06	50.00	7.00	63.00	0.00	0.0	0.0		8.00	1.70				0.244097	

**APPENDIX B
DISCHARGE MONITORING REPORTS
(JANUARY - MARCH 2007)**

PERMITTEE NAME (Include Facility Name/Location if different)
 NAME **AG/CI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN

NATIONAL POLLUTANT CHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

State Discharge Permit
02-DP-0022

MD0001881
 PERMIT NUMBER

001
 DISCHARGE NUMBER

Form Approved. 12345
 OMB No. 2040-0004.
 Approval expires 05-31-98

MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
07	01	01	TO	07	01	31	
(20-21)		(22-23)		(24-25)		(26-27) (28-29) (30-31)	

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45) (46-53) (54-61)			NO EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15	MG/L		ONE/MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	6.0	*****	6.9	(12)	0	TWO/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	8.5	SU		TWO/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20	30	MG/L		ONE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	112567	132000	(07)	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011	0.019	MG/L		ONE/MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Jim Harkins, Director MES
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Resoff
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
410 729-8350
 AREA CODE NUMBER

DATE
07 03 01
 YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(2-16) (17-19)

State Discharge Permit
02-DP-0022

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MD0001881

PERMIT NUMBER

001


DISCHARGE NUMBER

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	07	01	01		07	01	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (54-61)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM	UNITS	MINIMUM (38-45)	AVERAGE	MAXIMUM				
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
79141 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONE/MONTH	GRAB
70030 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	10	15	MG/L		ONE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.		TELEPHONE	DATE		
Jim Harkins, Director MES			410 729-8350	07	03	01
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME (Include Facility Name/Location if different)

NAME **AG/ Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN

NATIONAL POLLUTION DISCHARGE MONITORING REPORT (DMR)

State Discharge Permit 02-DP-0022

MD0001881

PERMIT NUMBER

101

DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	07	01	01		07	01	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (34-61)			QUANTITY OR CONCENTRATION (34-61)				NO EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS (54-61)	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS (54-61)			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT			(07)	*****	*****	*****		0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONE/ MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(30)	0	TWO/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200	MPN		TWO/ WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Jim Harkins, Director MES

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

[Signature]
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
410 729-8350

DATE
07 02 28

AREA CODE NUMBER YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
NO DISCHARGE!
Process samples for fecal coliform were collected from the standing water in the pond. Five samples were collected and all results were <2 and are reported on the MOR.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

State Discharge Permit
02-DP-0022

MD0001881

PERMIT NUMBER

201

DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	07	01	01		07	01	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***


NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT PERMIT REQUIREMENT	QUANTITY OR LOADING (34-61)			QUANTITY OR CONCENTRATION (54-61)			NO EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS (62-63)	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE		209157	368185	(07) GPD	*****	*****	*****	0	MEASURED	RECORD
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	0	0	0	ONE/ QUARTER	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	0	0	0	ONE/ QUARTER	GRAB
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	0	0	0	ONE/ QUARTER	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Jim Harkins, Director MES

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
410 729-8350

DATE
07 02 28

AREA CODE NUMBER YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME **AG/GFI Hampstead, Inc**
 ADDRESS **626 Hanover Pike**
Hampstead, MD 21074
 FACILITY **Black and Decker WWTP**
 LOCATION **626 Hanover Pike**
 ATTN

NATIONAL POLLUTANT CHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

State Discharge Permit
 02-DP-0022


Form Approved. 12345
 OMB No. 2040-0004.
 Approval expires 05-31-98

MD0001881 PERMIT NUMBER
001 DISCHARGE NUMBER

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
07	02	01		07	02	28
(20-21)		(22-23)		(24-25)		(26-27) (28-29) (30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING (34-61)			QUANTITY OR CONCENTRATION (46-53)			NO EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS (54-61)	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)				UNITS (54-61)
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	*****	****	*****	*****	3	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	*****	****	*****	*****	15			ONE/MONTH	GRAB
pH	SAMPLE MEASUREMENT *****	*****	*****	****	6.0	*****	6.9	(12)	0	TWO/WEEK	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT *****	*****	*****	****	6.0	*****	8.5			TWO/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	*****	****	*****	0	0	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	*****	****	*****	20	30			ONE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT 131679	302000	(07)	****	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT REPORT	REPORT	GPD	****	*****	*****	*****			MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	*****	****	*****	0.01	0.019			ONE/MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	*****	****	*****	*****	5			ONE/MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	*****	****	*****	*****	5			ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
TYPED OR PRINTED			410	729-8350	07	03	23
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**
 ADDRESS **626 Hanover Pike**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT
 (2-16) (17-19)

State Discharge Permit
02-DP-0022

Form Approved. 12345
 OMB No. 2040-0004.
 Approval expires 05-31-98

MD0001881
 PERMIT NUMBER


001
 DISCHARGE NUMBER

Hampstead, MD 21074
 FACILITY **Black and Decker WWTP**
 LOCATION **626 Hanover Pike**

MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
07	02	01	TO	07	02	28	
(20-21)		(22-23)		(24-25)		(26-27) (28-29) (30-31)	

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45) (46-53)				NO EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TRICHLOROETHENE	*****	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
79141 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE	*****	*****	*****	****	*****	0	0	(19)	0	ONE/MONTH	GRAB
70030 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	10	15	MG/L		ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT 	TELEPHONE		DATE		
			410	729-8350	07	03	23
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/AGS (Include Facility Name/Location if different)
 NAME **AG/GFI Hampstead, Inc**
 ADDRESS **626 Hanover Pike**
Hampstead, MD 21074
 FACILITY **Black and Decker WWTP**
 LOCATION **626 Hanover Pike**
 ATTN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (17-19)

State Discharge Permit
 02-DP-0022

Form Approved. 12345
 OMB No. 2040-0004.
 Approval expires 05-31-98


MD0001881
 PERMIT NUMBER

101
 DISCHARGE NUMBER

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	07	02	01		07	02	28
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	0	0		(07)	*****	*****	*****	GPD	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	REPORT *****	REPORT *****		*****	*****	*****		0	ONE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	*****	*****		****	*****	*****	200	(30)	0	TWO/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200	MPN	0	TWO/WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE			
TYPED OR PRINTED			410 729-8350	07	03	23	
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here.)

NO DISCHARGE!
 Process samples for fecal coliform were collected from the standing water in the pond. All samples results were <2 and are reported on the MOR.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

State Discharge Permit
02-DP-0022


Form Approved 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MD0001881 PERMIT NUMBER
001 DISCHARGE NUMBER

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	07	03	01		07	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	*****	****	*****	*****	4	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	*****	****	*****	*****	15	MG/L		ONE/MONTH	GRAB
pH	SAMPLE MEASUREMENT *****	*****	*****	****	6.4	*****	7.1	(12)	0	TWO/WEEK	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT *****	*****	*****	****	6.0	*****	8.5	SU		TWO/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	*****	****	*****	17	17	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	*****	****	*****	20	30	MG/L		ONE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT 317452	693000	(07)	*****	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT REPORT	REPORT	GPD	*****	*****	*****	*****	****		MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	****	*****	<0.1	<0.1		(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	****	*****	0.011	0.019		MG/L		ONE/MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	****	*****	*****	0			0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	****	*****	*****	5		ug/l		ONE/MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT *****	*****	****	*****	*****	0			0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT *****	*****	****	*****	*****	5		ug/l		ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT 	TELEPHONE	DATE			
TYPED OR PRINTED			410	729-8350	07	04	17
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE ADDRESS (Include Facility Name and Location if different)
 NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

State Discharge Permit
02-DP-0022

MD0001881
 PERMIT NUMBER

001
 DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98


MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
07	03	01	TO	07	03	31	
(20-21)		(22-23)		(24-25)		(26-27)	
				(28-29)		(30-31)	

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)				UNITS
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****		*****	*****	0	0	ONE/MONTH	GRAB	
79141 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5		ug/l	GRAB	
OIL AND GREASE TOTAL RECOVERABLE	SAMPLE MEASUREMENT	*****	*****		*****	0	0	(19)	0	ONE/MONTH	GRAB
70030 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	10	15		MG/L	GRAB	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Jim Harkins, Director MES
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT


TELEPHONE: **410 729-8350**
 DATE: **07 04 17**

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(2-16) (17-19)

State Discharge Permit
02-DP-0022

MD0001881

PERMIT NUMBER

101

DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	07	03	01		07	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-65)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	37290	333000	(07)	*****	*****	*****	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	REPORT *****	REPORT *****	GPD	*****	*****	*****	****	ONE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	1	(30)	TWO/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200	MPN	TWO/WEEK	GRAB
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Jim Harkins, Director MES

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

410
AREA CODE

729-8350
NUMBER

07
YEAR

04
MO

17
DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name, Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POINT SOURCE DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16) (17-19)

State Discharge Permit

02-DP-0022

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MD0001881
PERMIT NUMBER

201
DISCHARGE NUMBER


MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
07	01	01		07	03	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	250383	693000	(07)	*****	*****	*****	0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****	MEASURED	RECORD
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	ug/l	ONE/ QUARTER	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	ug/l	ONE/ QUARTER	GRAB
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	ug/l	ONE/ QUARTER	GRAB
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Jim Harkins, Director MES
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
410	729-8350	07	04	17
AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Quarterly Report!

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS
(JANUARY - MARCH 2007)

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Order Number: A07010759
Project Name: Black & Decker WWTP
Receive Date: 1/17/2007
Client Code: MES_A
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A07010759-01

Sample Date: 1/16/2007 10:15

Site: Black & Decker 001
Client Sample ID:
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	<2	mg/L	2	SM 5210 B	1/17/2007 7:10:00 AM	TOciepa
Total Suspended Solids	<4	mg/L	4	SM 2540D	1/18/2007 12:02:00 PM	YThomas

Sample # A07010759-01A

Sample Date: 1/16/2007 10:15

Site: Black & Decker 001
Client Sample ID: A
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	<5	mg/L	5	EPA 1664	1/18/2007 12:00:00 PM	SHess

Sample # A07010759-01B

Sample Date: 1/16/2007 10:15

Site: Black & Decker 001
Client Sample ID: B
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	1/23/2007 2:31:00 PM	IMcMullen
Tetrachloroethene	<1	ug/L	1	EPA 8260B	1/23/2007 2:31:00 PM	IMcMullen
Trichloroethene	<1	ug/L	1	EPA 8260B	1/23/2007 2:31:00 PM	IMcMullen

Approved:

Don D. [Signature]
Laboratory Operations Manager

RECEIVED
FEB 09 2007

Reported: 2/7/2007 1:19:29 PM

Maryland Environmental Services

RDL = Reporting Detection Limit N/A = Not Applicable
Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568



ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Order Number: A07010760
Project Name: Black & Decker WWTP
Receive Date: 1/17/2007
Client Code: MES_A
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A07010760-01

Sample Date: 1/16/2007 10:25

Site: Black & Decker 201
Client Sample ID:
Sample Comments: None

Matrix: Waste Water

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	1/23/2007 3:02:00 PM	IMcMullen
Tetrachloroethene	<1	ug/L	1	EPA 8260B	1/23/2007 3:02:00 PM	IMcMullen
Trichloroethene	<1	ug/L	1	EPA 8260B	1/23/2007 3:02:00 PM	IMcMullen

RECEIVED

FEB 15 2007

Maryland Environmental Service
03

Approved:

Laboratory Operations Manager

Reported:

2/8/2007 4:56:19 PM

RDL = Reporting Detection Limit N/A = Not Applicable
Laboratory Certification Numbers. Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568



ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Order Number: A07020134
Project Name: Black & Decker WWTP
Receive Date: 2/5/2007
Client Code: MES_A
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A07020134-01

Sample Date: 2/5/2007 9:05

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
BOD-5	3	mg/L	2	SM 5210 B	2/5/2007 2:30:00 PM	JMcGuire
Total Suspended Solids	<4	mg/L	4	SM 2540D	2/6/2007 6:08:00 AM	JSantiago

Sample # A07020134-01A

Sample Date: 2/5/2007 9:05

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID: A

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Oil and Grease (HEM)	<5	mg/L	5	EPA 1664	2/2/2007 5:45:00 PM	SHess

RECEIVED

FEB 22 2007

Maryland Environmental Services

Approved:

Don D. Aponte
Laboratory Operations Manager

Reported:

2/20/2007 2:44:19 PM

RDL = Reporting Detection Limit N/A = Not Applicable
Laboratory Certification Numbers. Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568



ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Order Number: A07030142
Project Name: Black & Decker WWTP
Receive Date: 3/5/2007
Client Code: MES_A
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney


Sample # A07030142-01 **Sample Date: 3/5/2007 9:15**

Site: Black & Decker 201
Client Sample ID:
Sample Comments: None

Matrix: Waste Water

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	3/14/2007 2:26:00 AM	IMcMullen
Tetrachloroethene	<1	ug/L	1	EPA 8260B	3/14/2007 2:26:00 AM	IMcMullen
Trichloroethene	<1	ug/L	1	EPA 8260B	3/14/2007 2:26:00 AM	IMcMullen

MAR 20 2007

Approved: 
Laboratory Operations Manager

Reported: 3/23/2007 10:41:20 AM

RDL = Reporting Detection Limit N/A = Not Applicable
Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Order Number: A07030141
Project Name: Black & Decker WWTP
Receive Date: 3/5/2007
Client Code: MES_A
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A07030141-01

Sample Date: 3/5/2007 9:00

Site: Black & Decker 001
Client Sample ID:
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	4	mg/L	2	SM 5210 B	3/5/2007 3:45:00 PM	JMcGuire
Total Suspended Solids	17	mg/L	4	SM 2540D	3/8/2007 12:46:00 PM	YThomas

Sample # A07030141-01A

Sample Date: 3/5/2007 9:00

Site: Black & Decker 001
Client Sample ID: A
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	<5	mg/L	5	EPA 1664	3/6/2007 12:50:00 PM	SHess

Sample # A07030141-01B

Sample Date: 3/5/2007 9:00

Site: Black & Decker 001
Client Sample ID: B
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	3/14/2007 1:55:00 AM	IMcMullen
Tetrachloroethene	<1	ug/L	1	EPA 8260B	3/14/2007 1:55:00 AM	IMcMullen
Trichloroethene	<1	ug/L	1	EPA 8260B	3/14/2007 1:55:00 AM	IMcMullen

RECEIVED

Approved:



Laboratory Operations Manager

MAR 29 2007

Reported:

3/28/2007 10:07:43 AM

Maryland Environmental Services



ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Order Number: A07030874
Project Name: Black & Decker WWTP
Receive Date: 3/19/2007
Client Code: MES_A
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A07030874-01

Sample Date: 3/19/2007 9:15

Site: Black & Decker 201

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	3/24/2007 3:50:00 AM	IMcMullen
Tetrachloroethene	<1	ug/L	1	EPA 8260B	3/24/2007 3:50:00 AM	IMcMullen
Trichloroethene	<1	ug/L	1	EPA 8260B	3/24/2007 3:50:00 AM	IMcMullen

RECEIVED

APR 11 2007

Maryland Environmental Services

Approved:

Laboratory Operations Manager

Reported:

4/5/2007 1:56:16 PM

RDL = Reporting Detection Limit N/A = Not Applicable

Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568

**APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE
(FEBRUARY 2007)**

STL Chicago
2417 Bond Street
University Park, IL 60466

Tel: 708 534 5200 Fax: 708 534 5211
www.stl-inc.com


ANALYTICAL REPORT

Job Number: 500-2894-1

Job Description: Black and Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Attention: Mr. Tom Cornuet



Richard C Wright
Project Manager II
rwright@stl-inc.com
03/08/2007

Project Manager: Richard C Wright

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the STL Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

Severn Trent Laboratories, Inc.
STL Chicago 2417 Bond Street, University Park, IL 60466
Tel (708) 534-5200 Fax (708) 534-5211 www.stl-inc.com

Case Narrative for job: 500-J2894-1

Client: Weston Solutions, Inc.
Date: 03/08/2007

GCMS Volatiles

Reporting Limit - Dilution, Target

Sample was diluted due to the abundance of target analytes. Elevated reporting limits (RLs) are provided.

Affected Items

500-2894-25 8260B

500-2894-3 8260B

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-2894-1	EW-2				
cis-1,2-Dichloroethene		2.7	1.0	ug/L	8260B
Trichloroethene		400	10	ug/L	8260B
Tetrachloroethene		59	1.0	ug/L	8260B
500-2894-2	EW-3				
cis-1,2-Dichloroethene		2.0	1.0	ug/L	8260B
Trichloroethene		140	10	ug/L	8260B
Tetrachloroethene		4.0	1.0	ug/L	8260B
500-2894-3	EW-4				
Trichloroethene		1100	100	ug/L	8260B
Tetrachloroethene		20	10	ug/L	8260B
500-2894-4	EW-5				
1,1,1-Trichloroethane		1.6	1.0	ug/L	8260B
Trichloroethene		190	10	ug/L	8260B
Tetrachloroethene		9.0	1.0	ug/L	8260B
500-2894-5	EW-6				
Trichloroethene		9.0	1.0	ug/L	8260B
Tetrachloroethene		17	1.0	ug/L	8260B
500-2894-6	EW-7				
cis-1,2-Dichloroethene		7.2	1.0	ug/L	8260B
Trichloroethene		5.6	1.0	ug/L	8260B
Tetrachloroethene		11	1.0	ug/L	8260B
500-2894-7	EW-8				
cis-1,2-Dichloroethene		23	1.0	ug/L	8260B
Trichloroethene		12	1.0	ug/L	8260B
Tetrachloroethene		83	1.0	ug/L	8260B

STL Chicago

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-2894-8	EW-9				
cis-1,2-Dichloroethene		1.0	1.0	ug/L	8260B
Trichloroethene		1.5	1.0	ug/L	8260B
Tetrachloroethene		180	10	ug/L	8260B
500-2894-9	EW-9DUP				
Trichloroethene		1.3	1.0	ug/L	8260B
Tetrachloroethene		150	10	ug/L	8260B
500-2894-10	EW-10				
Tetrachloroethene		3.7	1.0	ug/L	8260B
500-2894-15	RFW-2A				
Trichloroethene		1.3	1.0	ug/L	8260B
500-2894-16	RFW-2B				
Trichloroethene		1.4	1.0	ug/L	8260B
500-2894-17	RFW-3B				
cis-1,2-Dichloroethene		6.5	1.0	ug/L	8260B
Trichloroethene		1.2	1.0	ug/L	8260B
Tetrachloroethene		2.4	1.0	ug/L	8260B
500-2894-18	RFW-4A				
Chloroform		1.0	1.0	ug/L	8260B
Trichloroethene		32	1.0	ug/L	8260B
Tetrachloroethene		30	1.0	ug/L	8260B
500-2894-19	RFW-4B				
cis-1,2-Dichloroethene		4.0	1.0	ug/L	8260B
Chloroform		1.8	1.0	ug/L	8260B
Trichloroethene		48	1.0	ug/L	8260B
Tetrachloroethene		80	1.0	ug/L	8260B

STL Chicago

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-2894-20	RFW-4B DUP				
cis-1,2-Dichloroethene		3.8	1.0	ug/L	8260B
Chloroform		1.7	1.0	ug/L	8260B
Trichloroethene		48	1.0	ug/L	8260B
Tetrachloroethene		84	1.0	ug/L	8260B
500-2894-21	RFW-6				
Trichloroethene		2.8	1.0	ug/L	8260B
Tetrachloroethene		2.7	1.0	ug/L	8260B
500-2894-22	RFW-7				
Trichloroethene		6.4	1.0	ug/L	8260B
500-2894-23	RFW-9				
1,1-Dichloroethene		1.4	1.0	ug/L	8260B
cis-1,2-Dichloroethene		13	1.0	ug/L	8260B
1,1,1-Trichloroethane		1.7	1.0	ug/L	8260B
Trichloroethene		19	1.0	ug/L	8260B
Tetrachloroethene		6.7	1.0	ug/L	8260B
500-2894-24	RFW-11B				
Trichloroethene		19	1.0	ug/L	8260B
Tetrachloroethene		1.5	1.0	ug/L	8260B
500-2894-25	RFW-12B				
Trichloroethene		520	50	ug/L	8260B
Tetrachloroethene		44	5.0	ug/L	8260B
500-2894-26	RFW-13				
Trichloroethene		4.6	1.0	ug/L	8260B
Tetrachloroethene		22	1.0	ug/L	8260B

STL Chicago

METHOD SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
VOC	STL CHI	SW846 8260B	
Purge-and-Trap	STL CHI		SW846 5030B

LAB REFERENCES:

STL CHI = STL Chicago

METHOD REFERENCES:

SW846 - "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986
And Its Updates.

METHOD / ANALYST SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

<u>Method</u>	<u>Analyst</u>	<u>Analyst ID</u>
SW846 8260B	Nagel, John D	JDN

SAMPLE SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-2894-1	EW-2	Water	02/21/2007 1430	02/23/2007 0900
500-2894-2	EW-3	Water	02/20/2007 1750	02/23/2007 0900
500-2894-3	EW-4	Water	02/20/2007 1745	02/23/2007 0900
500-2894-4	EW-5	Water	02/20/2007 1040	02/23/2007 0900
500-2894-5	EW-6	Water	02/21/2007 1210	02/23/2007 0900
500-2894-6	EW-7	Water	02/21/2007 1155	02/23/2007 0900
500-2894-7	EW-8	Water	02/21/2007 1145	02/23/2007 0900
500-2894-8	EW-9	Water	02/21/2007 1020	02/23/2007 0900
500-2894-9	EW-9DUP	Water	02/21/2007 1020	02/23/2007 0900
500-2894-10	EW-10	Water	02/21/2007 1000	02/23/2007 0900
500-2894-11	LEISTER-1	Water	02/21/2007 1100	02/23/2007 0900
500-2894-12	LEISTER-DAIRY	Water	02/21/2007 1105	02/23/2007 0900
500-2894-13	RFW-1A	Water	02/20/2007 1028	02/23/2007 0900
500-2894-14	RFW-1B	Water	02/21/2007 0730	02/23/2007 0900
500-2894-15	RFW-2A	Water	02/20/2007 0925	02/23/2007 0900
500-2894-16	RFW-2B	Water	02/20/2007 0950	02/23/2007 0900
500-2894-17	RFW-3B	Water	02/21/2007 0755	02/23/2007 0900
500-2894-18	RFW-4A	Water	02/21/2007 0835	02/23/2007 0900
500-2894-19	RFW-4B	Water	02/21/2007 0900	02/23/2007 0900
500-2894-20	RFW-4B DUP	Water	02/21/2007 0900	02/23/2007 0900
500-2894-21	RFW-6	Water	02/21/2007 0745	02/23/2007 0900
500-2894-22	RFW-7	Water	02/20/2007 1410	02/23/2007 0900
500-2894-23	RFW-9	Water	02/21/2007 1400	02/23/2007 0900
500-2894-24	RFW-11B	Water	02/21/2007 1300	02/23/2007 0900
500-2894-25	RFW-12B	Water	02/21/2007 1420	02/23/2007 0900
500-2894-26	RFW-13	Water	02/20/2007 1515	02/23/2007 0900
500-2894-27	RFW-17	Water	02/20/2007 1325	02/23/2007 0900
500-2894-28	TRIP BLANK	Water	02/20/2007 0800	02/23/2007 0900



SAMPLE RESULTS

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-2
 Lab Sample ID: 500-2894-1

Date Sampled: 02/21/2007 1430
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1101		
Prep Method: 5030B	Date Prepared:	03/03/2007	1101		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	2.7	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	59	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-2
 Lab Sample ID: 500-2894-1

Date Sampled: 02/21/2007 1430
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1101		
Prep Method: 5030B	Date Prepared:	03/03/2007	1101		
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate	Result	Unit	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	95	%	70 - 125
Toluene-d8 (Surr)	92	%	81 - 120
4-Bromofluorobenzene (Surr)	88	%	75 - 120
Dibromofluoromethane	96	%	80 - 120

Method: 8260B	Date Analyzed:	03/03/2007	1124		
Prep Method: 5030B	Date Prepared:	03/03/2007	1124		
Trichloroethene	400	ug/L	1.3	10	10

Surrogate	Result	Unit	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	101	%	70 - 125
Toluene-d8 (Surr)	94	%	81 - 120
4-Bromofluorobenzene (Surr)	87	%	75 - 120
Dibromofluoromethane	102	%	80 - 120

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-3
 Lab Sample ID: 500-2894-2

Date Sampled: 02/20/2007 1750
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1146		
Prep Method: 5030B	Date Prepared:	03/03/2007	1146		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	2.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	4.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-3
 Lab Sample ID: 500-2894-2

Date Sampled: 02/20/2007 1750
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1146		
Prep Method: 5030B	Date Prepared:	03/03/2007	1146		
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	100	%	70 - 125
Toluene-d8 (Surr)	91	%	81 - 120
4-Bromofluorobenzene (Surr)	86	%	75 - 120
Dibromofluoromethane	102	%	80 - 120

Method: 8260B	Run Type: DL	Date Analyzed:	03/04/2007	1330		
Prep Method: 5030B		Date Prepared:	03/04/2007	1330		
Trichloroethene	140	ug/L	1.3	10	10	

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	114	%	70 - 125
Toluene-d8 (Surr)	94	%	81 - 120
4-Bromofluorobenzene (Surr)	87	%	75 - 120
Dibromofluoromethane	111	%	80 - 120

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-4
 Lab Sample ID: 500-2894-3

Date Sampled: 02/20/2007 1745
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1231		
Prep Method: 5030B	Date Prepared:	03/03/2007	1231		
Benzene	<10	ug/L	2.3	10	10
Dichlorodifluoromethane	<10	ug/L	1.2	10	10
Chloromethane	<10	ug/L	2.0	10	10
Vinyl chloride	<10	ug/L	1.6	10	10
Bromomethane	<10	ug/L	5.9	10	10
Chloroethane	<10	ug/L	3.2	10	10
Trichlorofluoromethane	<10	ug/L	1.4	10	10
1,1-Dichloroethene	<10	ug/L	2.5	10	10
Carbon disulfide	<50	ug/L	1.5	50	10
Acetone	<50	ug/L	14	50	10
Methylene Chloride	<10	ug/L	2.4	10	10
trans-1,2-Dichloroethene	<10	ug/L	2.9	10	10
1,1-Dichloroethane	<10	ug/L	1.5	10	10
2,2-Dichloropropane	<10	ug/L	1.7	10	10
cis-1,2-Dichloroethene	<10	ug/L	2.0	10	10
2-Butanone (MEK)	<50	ug/L	10	50	10
Bromochloromethane	<10	ug/L	2.7	10	10
Chloroform	<10	ug/L	1.4	10	10
1,1,1-Trichloroethane	<10	ug/L	1.7	10	10
1,1-Dichloropropene	<10	ug/L	3.8	10	10
Carbon tetrachloride	<10	ug/L	3.4	10	10
1,2-Dichloroethane	<10	ug/L	2.5	10	10
1,2-Dichloropropane	<10	ug/L	1.9	10	10
Dibromomethane	<10	ug/L	2.1	10	10
Bromodichloromethane	<10	ug/L	2.2	10	10
cis-1,3-Dichloropropene	<10	ug/L	1.5	10	10
4-Methyl-2-pentanone (MIBK)	<50	ug/L	9.2	50	10
Toluene	<10	ug/L	1.8	10	10
trans-1,3-Dichloropropene	<10	ug/L	1.6	10	10
1,1,2-Trichloroethane	<10	ug/L	2.4	10	10
Tetrachloroethene	20	ug/L	1.8	10	10
1,3-Dichloropropane	<10	ug/L	2.2	10	10
2-Hexanone	<50	ug/L	9.9	50	10
Dibromochloromethane	<10	ug/L	2.2	10	10
1,2-Dibromoethane	<10	ug/L	3.3	10	10
Chlorobenzene	<10	ug/L	1.5	10	10
1,1,1,2-Tetrachloroethane	<10	ug/L	3.3	10	10
Ethylbenzene	<10	ug/L	2.1	10	10
m&p-Xylene	<20	ug/L	3.6	20	10
o-Xylene	<10	ug/L	1.9	10	10

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-4
 Lab Sample ID: 500-2894-3

Date Sampled: 02/20/2007 1745
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1231		
Prep Method: 5030B	Date Prepared:	03/03/2007	1231		
Styrene	<10	ug/L	1.8	10	10
Bromoform	<10	ug/L	3.2	10	10
Isopropylbenzene	<10	ug/L	2.0	10	10
Bromobenzene	<10	ug/L	2.2	10	10
1,1,2,2-Tetrachloroethane	<10	ug/L	3.4	10	10
1,2,3-Trichloropropane	<10	ug/L	3.5	10	10
N-Propylbenzene	<10	ug/L	1.6	10	10
2-Chlorotoluene	<10	ug/L	1.6	10	10
1,3,5-Trimethylbenzene	<10	ug/L	1.8	10	10
4-Chlorotoluene	<10	ug/L	1.8	10	10
tert-Butylbenzene	<10	ug/L	1.6	10	10
1,2,4-Trimethylbenzene	<10	ug/L	2.6	10	10
sec-Butylbenzene	<10	ug/L	1.9	10	10
1,3-Dichlorobenzene	<10	ug/L	2.1	10	10
p-Isopropyltoluene	<10	ug/L	2.9	10	10
1,4-Dichlorobenzene	<10	ug/L	2.5	10	10
n-Butylbenzene	<10	ug/L	3.5	10	10
1,2-Dichlorobenzene	<10	ug/L	2.9	10	10
1,2-Dibromo-3-Chloropropane	<10	ug/L	4.1	10	10
1,2,4-Trichlorobenzene	<10	ug/L	3.6	10	10
Hexachlorobutadiene	<10	ug/L	3.6	10	10
Naphthalene	<10	ug/L	3.7	10	10
1,2,3-Trichlorobenzene	<10	ug/L	4.3	10	10

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	107	%	70 - 125
Toluene-d8 (Surr)	93	%	81 - 120
4-Bromofluorobenzene (Surr)	86	%	75 - 120
Dibromofluoromethane	108	%	80 - 120

Method: 8260B	Run Type: DL	Date Analyzed:	03/03/2007	1254		
Prep Method: 5030B		Date Prepared:	03/03/2007	1254		
Trichloroethene	1100	ug/L	13	100	100	

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	105	%	70 - 125
Toluene-d8 (Surr)	92	%	81 - 120
4-Bromofluorobenzene (Surr)	87	%	75 - 120
Dibromofluoromethane	108	%	80 - 120

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-5
 Lab Sample ID: 500-2894-4

Date Sampled: 02/20/2007 1040
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1316		
Prep Method: 5030B	Date Prepared:	03/03/2007	1316		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	1.6	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	9.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-5
 Lab Sample ID: 500-2894-4

Date Sampled: 02/20/2007 1040
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1316		
Prep Method: 5030B	Date Prepared:	03/03/2007	1316		
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	105	%	70 - 125
Toluene-d8 (Surr)	94	%	81 - 120
4-Bromofluorobenzene (Surr)	87	%	75 - 120
Dibromofluoromethane	106	%	80 - 120

Method: 8260B Run Type: DL
 Prep Method: 5030B

Date Analyzed: 03/03/2007 1339
 Date Prepared: 03/03/2007 1339

Trichloroethene	190	ug/L	1.3	10	10
-----------------	-----	------	-----	----	----

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	105	%	70 - 125
Toluene-d8 (Surr)	93	%	81 - 120
4-Bromofluorobenzene (Surr)	89	%	75 - 120
Dibromofluoromethane	109	%	80 - 120

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-6
 Lab Sample ID: 500-2894-5

Date Sampled: 02/21/2007 1210
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1401		
Prep Method: 5030B	Date Prepared:	03/03/2007	1401		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	9.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	17	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-6
 Lab Sample ID: 500-2894-5

Date Sampled: 02/21/2007 1210
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1401		
Prep Method: 5030B	Date Prepared:	03/03/2007	1401		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	108	%		70 - 125	
Toluene-d8 (Surr)	94	%		81 - 120	
4-Bromofluorobenzene (Surr)	86	%		75 - 120	
Dibromofluoromethane	106	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-7
 Lab Sample ID: 500-2894-6

Date Sampled: 02/21/2007 1155
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1424		
Prep Method: 5030B	Date Prepared:	03/03/2007	1424		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	7.2	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	5.6	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	11	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-7
 Lab Sample ID: 500-2894-6

Date Sampled: 02/21/2007 1155
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1424		
Prep Method: 5030B	Date Prepared:	03/03/2007	1424		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	107	%		70 - 125	
Toluene-d8 (Surr)	93	%		81 - 120	
4-Bromofluorobenzene (Surr)	87	%		75 - 120	
Dibromofluoromethane	106	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-8
 Lab Sample ID: 500-2894-7

Date Sampled: 02/21/2007 1145
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1447		
Prep Method: 5030B	Date Prepared:	03/03/2007	1447		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	23	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	12	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	83	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-8
 Lab Sample ID: 500-2894-7

Date Sampled: 02/21/2007 1145
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1447		
Prep Method: 5030B	Date Prepared:	03/03/2007	1447		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	104	%		70 - 125	
Toluene-d8 (Surr)	92	%		81 - 120	
4-Bromofluorobenzene (Surr)	85	%		75 - 120	
Dibromofluoromethane	103	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-9
 Lab Sample ID: 500-2894-8

Date Sampled: 02/21/2007 1020
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1532		
Prep Method: 5030B	Date Prepared:	03/03/2007	1532		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	1.5	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-9
 Lab Sample ID: 500-2894-8

Date Sampled: 02/21/2007 1020
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2007 1532		
Prep Method: 5030B		Date Prepared:	03/03/2007 1532		
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	109	%	70 - 125
Toluene-d8 (Surr)	94	%	81 - 120
4-Bromofluorobenzene (Surr)	87	%	75 - 120
Dibromofluoromethane	108	%	80 - 120

Method: 8260B Run Type: DL		Date Analyzed:	03/03/2007 1554		
Prep Method: 5030B		Date Prepared:	03/03/2007 1554		
Tetrachloroethene	180	ug/L	1.8	10	10

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	110	%	70 - 125
Toluene-d8 (Surr)	92	%	81 - 120
4-Bromofluorobenzene (Surr)	86	%	75 - 120
Dibromofluoromethane	113	%	80 - 120

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-9DUP
 Lab Sample ID: 500-2894-9

Date Sampled: 02/21/2007 1020
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1617		
Prep Method: 5030B	Date Prepared:	03/03/2007	1617		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	1.3	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-9DUP
 Lab Sample ID: 500-2894-9

Date Sampled: 02/21/2007 1020
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1617		
Prep Method: 5030B	Date Prepared:	03/03/2007	1617		
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	109	%	70 - 125
Toluene-d8 (Surr)	93	%	81 - 120
4-Bromofluorobenzene (Surr)	86	%	75 - 120
Dibromofluoromethane	109	%	80 - 120

Method: 8260B	Run Type: DL	Date Analyzed:	03/03/2007	1640		
Prep Method: 5030B		Date Prepared:	03/03/2007	1640		
Tetrachloroethene	150	ug/L	1.8	10	10	

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	109	%	70 - 125
Toluene-d8 (Surr)	92	%	81 - 120
4-Bromofluorobenzene (Surr)	86	%	75 - 120
Dibromofluoromethane	110	%	80 - 120

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-10
 Lab Sample ID: 500-2894-10

Date Sampled: 02/21/2007 1000
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007 1703			
Prep Method: 5030B	Date Prepared:	03/03/2007 1703			
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Benzene	<1.0	ug/L	0.23	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	3.7	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: EW-10
 Lab Sample ID: 500-2894-10

Date Sampled: 02/21/2007 1000
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1703		
Prep Method: 5030B	Date Prepared:	03/03/2007	1703		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	111	%		70 - 125	
Toluene-d8 (Surr)	93	%		81 - 120	
4-Bromofluorobenzene (Surr)	84	%		75 - 120	
Dibromofluoromethane	115	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: LEISTER-1
 Lab Sample ID: 500-2894-11

Date Sampled: 02/21/2007 1100
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/04/2007	1245		
Prep Method: 5030B	Date Prepared:	03/04/2007	1245		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: LEISTER-1
 Lab Sample ID: 500-2894-11

Date Sampled: 02/21/2007 1100
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/04/2007	1245		
Prep Method: 5030B	Date Prepared:	03/04/2007	1245		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	111	%		70 - 125	
Toluene-d8 (Surr)	92	%		81 - 120	
4-Bromofluorobenzene (Surr)	87	%		75 - 120	
Dibromofluoromethane	105	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: LEISTER-DAIRY
 Lab Sample ID: 500-2894-12

Date Sampled: 02/21/2007 1105
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/04/2007	1308		
Prep Method: 5030B	Date Prepared:	03/04/2007	1308		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: LEISTER-DAIRY
 Lab Sample ID: 500-2894-12

Date Sampled: 02/21/2007 1105
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/04/2007	1308		
Prep Method: 5030B	Date Prepared:	03/04/2007	1308		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	107	%		70 - 125	
Toluene-d8 (Surr)	90	%		81 - 120	
4-Bromofluorobenzene (Surr)	88	%		75 - 120	
Dibromofluoromethane	108	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-1A
 Lab Sample ID: 500-2894-13

Date Sampled: 02/20/2007 1028
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1811		
Prep Method: 5030B	Date Prepared:	03/03/2007	1811		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-1A
 Lab Sample ID: 500-2894-13

Date Sampled: 02/20/2007 1028
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1811		
Prep Method: 5030B	Date Prepared:	03/03/2007	1811		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	111	%		70 - 125	
Toluene-d8 (Surr)	92	%		81 - 120	
4-Bromofluorobenzene (Surr)	85	%		75 - 120	
Dibromofluoromethane	114	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-1B
 Lab Sample ID: 500-2894-14

Date Sampled: 02/21/2007 0730
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1834		
Prep Method: 5030B	Date Prepared:	03/03/2007	1834		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-1B
 Lab Sample ID: 500-2894-14

Date Sampled: 02/21/2007 0730
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1834		
Prep Method: 5030B	Date Prepared:	03/03/2007	1834		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	112	%		70 - 125	
Toluene-d8 (Surr)	90	%		81 - 120	
4-Bromofluorobenzene (Surr)	87	%		75 - 120	
Dibromofluoromethane	112	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-2A
 Lab Sample ID: 500-2894-15

Date Sampled: 02/20/2007 0925
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1857		
Prep Method: 5030B	Date Prepared:	03/03/2007	1857		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	1.3	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-2A
 Lab Sample ID: 500-2894-15

Date Sampled: 02/20/2007 0925
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1857		
Prep Method: 5030B	Date Prepared:	03/03/2007	1857		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	109	%		70 - 125	
Toluene-d8 (Surr)	89	%		81 - 120	
4-Bromofluorobenzene (Surr)	88	%		75 - 120	
Dibromofluoromethane	113	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-2B
 Lab Sample ID: 500-2894-16

Date Sampled: 02/20/2007 0950
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007 1919			
Prep Method: 5030B	Date Prepared:	03/03/2007 1919			
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	1.4	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-2B
 Lab Sample ID: 500-2894-16

Date Sampled: 02/20/2007 0950
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007 1919			
Prep Method: 5030B	Date Prepared:	03/03/2007 1919			
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	113	%		70 - 125	
Toluene-d8 (Surr)	94	%		81 - 120	
4-Bromofluorobenzene (Surr)	85	%		75 - 120	
Dibromofluoromethane	112	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-3B
 Lab Sample ID: 500-2894-17

Date Sampled: 02/21/2007 0755
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1942		
Prep Method: 5030B	Date Prepared:	03/03/2007	1942		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	6.5	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	1.2	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	2.4	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-3B
 Lab Sample ID: 500-2894-17

Date Sampled: 02/21/2007 0755
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007 1942			
Prep Method: 5030B	Date Prepared:	03/03/2007 1942			
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	111	%		70 - 125	
Toluene-d8 (Surr)	91	%		81 - 120	
4-Bromofluorobenzene (Surr)	87	%		75 - 120	
Dibromofluoromethane	113	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-4A
 Lab Sample ID: 500-2894-18

Date Sampled: 02/21/2007 0835
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	2005		
Prep Method: 5030B	Date Prepared:	03/03/2007	2005		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	32	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	30	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-4A
 Lab Sample ID: 500-2894-18

Date Sampled: 02/21/2007 0835
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	2005		
Prep Method: 5030B	Date Prepared:	03/03/2007	2005		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	114	%		70 - 125	
Toluene-d8 (Surr)	93	%		81 - 120	
4-Bromofluorobenzene (Surr)	87	%		75 - 120	
Dibromofluoromethane	112	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-4B
 Lab Sample ID: 500-2894-19

Date Sampled: 02/21/2007 0900
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007 2027			
Prep Method: 5030B	Date Prepared:	03/03/2007 2027			
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	4.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	1.8	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	48	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	80	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-4B
 Lab Sample ID: 500-2894-19

Date Sampled: 02/21/2007 0900
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007 2027			
Prep Method: 5030B	Date Prepared:	03/03/2007 2027			
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	114	%		70 - 125	
Toluene-d8 (Surr)	94	%		81 - 120	
4-Bromofluorobenzene (Surr)	82	%		75 - 120	
Dibromofluoromethane	111	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-4B DUP
 Lab Sample ID: 500-2894-20

Date Sampled: 02/21/2007 0900
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/04/2007	1223		
Prep Method: 5030B	Date Prepared:	03/04/2007	1223		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	3.8	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	1.7	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	48	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	84	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-4B DUP
 Lab Sample ID: 500-2894-20

Date Sampled: 02/21/2007 0900
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/04/2007	1223		
Prep Method: 5030B	Date Prepared:	03/04/2007	1223		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	100	%		70 - 125	
Toluene-d8 (Surr)	94	%		81 - 120	
4-Bromofluorobenzene (Surr)	84	%		75 - 120	
Dibromofluoromethane	99	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-6
 Lab Sample ID: 500-2894-21

Date Sampled: 02/21/2007 0745
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/04/2007	1159		
Prep Method: 5030B	Date Prepared:	03/04/2007	1159		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	2.8	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	2.7	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-6
 Lab Sample ID: 500-2894-21

Date Sampled: 02/21/2007 0745
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/04/2007 1159			
Prep Method: 5030B	Date Prepared:	03/04/2007 1159			
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	99	%		70 - 125	
Toluene-d8 (Surr)	91	%		81 - 120	
4-Bromofluorobenzene (Surr)	86	%		75 - 120	
Dibromofluoromethane	100	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-7
 Lab Sample ID: 500-2894-22

Date Sampled: 02/20/2007 1410
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1206		
Prep Method: 5030B	Date Prepared:	03/03/2007	1206		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	6.4	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-7
 Lab Sample ID: 500-2894-22

Date Sampled: 02/20/2007 1410
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1206		
Prep Method: 5030B	Date Prepared:	03/03/2007	1206		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	96	%		70 - 125	
Toluene-d8 (Surr)	97	%		81 - 120	
4-Bromofluorobenzene (Surr)	106	%		75 - 120	
Dibromofluoromethane	95	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-9
 Lab Sample ID: 500-2894-23

Date Sampled: 02/21/2007 1400
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1229		
Prep Method: 5030B	Date Prepared:	03/03/2007	1229		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	1.4	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	13	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	1.7	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	19	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	6.7	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-9
 Lab Sample ID: 500-2894-23

Date Sampled: 02/21/2007 1400
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1229		
Prep Method: 5030B	Date Prepared:	03/03/2007	1229		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	95	%		70 - 125	
Toluene-d8 (Surr)	97	%		81 - 120	
4-Bromofluorobenzene (Surr)	103	%		75 - 120	
Dibromofluoromethane	94	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-11B
 Lab Sample ID: 500-2894-24

Date Sampled: 02/21/2007 1300
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1252		
Prep Method: 5030B	Date Prepared:	03/03/2007	1252		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	19	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	1.5	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-11B
 Lab Sample ID: 500-2894-24

Date Sampled: 02/21/2007 1300
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1252		
Prep Method: 5030B	Date Prepared:	03/03/2007	1252		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	99	%		70 - 125	
Toluene-d8 (Surr)	96	%		81 - 120	
4-Bromofluorobenzene (Surr)	107	%		75 - 120	
Dibromofluoromethane	97	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-12B
 Lab Sample ID: 500-2894-25

Date Sampled: 02/21/2007 1420
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1315		
Prep Method: 5030B	Date Prepared:	03/03/2007	1315		
Benzene	<5.0	ug/L	1.2	5.0	5.0
Dichlorodifluoromethane	<5.0	ug/L	0.60	5.0	5.0
Chloromethane	<5.0	ug/L	1.0	5.0	5.0
Vinyl chloride	<5.0	ug/L	0.80	5.0	5.0
Bromomethane	<5.0	ug/L	3.0	5.0	5.0
Chloroethane	<5.0	ug/L	1.6	5.0	5.0
Trichlorofluoromethane	<5.0	ug/L	0.70	5.0	5.0
1,1-Dichloroethene	<5.0	ug/L	1.3	5.0	5.0
Carbon disulfide	<25	ug/L	0.75	25	5.0
Acetone	<25	ug/L	7.0	25	5.0
Methylene Chloride	<5.0	ug/L	1.2	5.0	5.0
trans-1,2-Dichloroethene	<5.0	ug/L	1.5	5.0	5.0
1,1-Dichloroethane	<5.0	ug/L	0.75	5.0	5.0
2,2-Dichloropropane	<5.0	ug/L	0.85	5.0	5.0
cis-1,2-Dichloroethene	<5.0	ug/L	1.0	5.0	5.0
2-Butanone (MEK)	<25	ug/L	5.0	25	5.0
Bromochloromethane	<5.0	ug/L	1.4	5.0	5.0
Chloroform	<5.0	ug/L	0.70	5.0	5.0
1,1,1-Trichloroethane	<5.0	ug/L	0.85	5.0	5.0
1,1-Dichloropropene	<5.0	ug/L	1.9	5.0	5.0
Carbon tetrachloride	<5.0	ug/L	1.7	5.0	5.0
1,2-Dichloroethane	<5.0	ug/L	1.3	5.0	5.0
1,2-Dichloropropane	<5.0	ug/L	0.95	5.0	5.0
Dibromomethane	<5.0	ug/L	1.1	5.0	5.0
Bromodichloromethane	<5.0	ug/L	1.1	5.0	5.0
cis-1,3-Dichloropropene	<5.0	ug/L	0.75	5.0	5.0
4-Methyl-2-pentanone (MIBK)	<25	ug/L	4.6	25	5.0
Toluene	<5.0	ug/L	0.90	5.0	5.0
trans-1,3-Dichloropropene	<5.0	ug/L	0.80	5.0	5.0
1,1,2-Trichloroethane	<5.0	ug/L	1.2	5.0	5.0
Tetrachloroethene	44	ug/L	0.90	5.0	5.0
1,3-Dichloropropane	<5.0	ug/L	1.1	5.0	5.0
2-Hexanone	<25	ug/L	5.0	25	5.0
Dibromochloromethane	<5.0	ug/L	1.1	5.0	5.0
1,2-Dibromoethane	<5.0	ug/L	1.7	5.0	5.0
Chlorobenzene	<5.0	ug/L	0.75	5.0	5.0
1,1,1,2-Tetrachloroethane	<5.0	ug/L	1.7	5.0	5.0
Ethylbenzene	<5.0	ug/L	1.1	5.0	5.0
m&p-Xylene	<10	ug/L	1.8	10	5.0
o-Xylene	<5.0	ug/L	0.95	5.0	5.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-12B
 Lab Sample ID: 500-2894-25

Date Sampled: 02/21/2007 1420
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1315		
Prep Method: 5030B	Date Prepared:	03/03/2007	1315		
Styrene	<5.0	ug/L	0.90	5.0	5.0
Bromoform	<5.0	ug/L	1.6	5.0	5.0
Isopropylbenzene	<5.0	ug/L	1.0	5.0	5.0
Bromobenzene	<5.0	ug/L	1.1	5.0	5.0
1,1,2,2-Tetrachloroethane	<5.0	ug/L	1.7	5.0	5.0
1,2,3-Trichloropropane	<5.0	ug/L	1.8	5.0	5.0
N-Propylbenzene	<5.0	ug/L	0.80	5.0	5.0
2-Chlorotoluene	<5.0	ug/L	0.80	5.0	5.0
1,3,5-Trimethylbenzene	<5.0	ug/L	0.90	5.0	5.0
4-Chlorotoluene	<5.0	ug/L	0.90	5.0	5.0
tert-Butylbenzene	<5.0	ug/L	0.80	5.0	5.0
1,2,4-Trimethylbenzene	<5.0	ug/L	1.3	5.0	5.0
sec-Butylbenzene	<5.0	ug/L	0.95	5.0	5.0
1,3-Dichlorobenzene	<5.0	ug/L	1.1	5.0	5.0
p-Isopropyltoluene	<5.0	ug/L	1.5	5.0	5.0
1,4-Dichlorobenzene	<5.0	ug/L	1.3	5.0	5.0
n-Butylbenzene	<5.0	ug/L	1.8	5.0	5.0
1,2-Dichlorobenzene	<5.0	ug/L	1.5	5.0	5.0
1,2-Dibromo-3-Chloropropane	<5.0	ug/L	2.1	5.0	5.0
1,2,4-Trichlorobenzene	<5.0	ug/L	1.8	5.0	5.0
Hexachlorobutadiene	<5.0	ug/L	1.8	5.0	5.0
Naphthalene	<5.0	ug/L	1.9	5.0	5.0
1,2,3-Trichlorobenzene	<5.0	ug/L	2.2	5.0	5.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	99	%	70 - 125
Toluene-d8 (Surr)	97	%	81 - 120
4-Bromofluorobenzene (Surr)	106	%	75 - 120
Dibromofluoromethane	99	%	80 - 120

Method: 8260B	Run Type: DL	Date Analyzed:	03/03/2007	1338		
Prep Method: 5030B		Date Prepared:	03/03/2007	1338		
Trichloroethene	520	ug/L	6.5	50	50	

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	98	%	70 - 125
Toluene-d8 (Surr)	98	%	81 - 120
4-Bromofluorobenzene (Surr)	103	%	75 - 120
Dibromofluoromethane	97	%	80 - 120

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-13
 Lab Sample ID: 500-2894-26

Date Sampled: 02/20/2007 1515
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1401		
Prep Method: 5030B	Date Prepared:	03/03/2007	1401		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	4.6	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	22	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-13
 Lab Sample ID: 500-2894-26

Date Sampled: 02/20/2007 1515
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1401		
Prep Method: 5030B	Date Prepared:	03/03/2007	1401		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	97	%		70 - 125	
Toluene-d8 (Surr)	97	%		81 - 120	
4-Bromofluorobenzene (Surr)	102	%		75 - 120	
Dibromofluoromethane	96	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-17
 Lab Sample ID: 500-2894-27

Date Sampled: 02/20/2007 1325
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1423		
Prep Method: 5030B	Date Prepared:	03/03/2007	1423		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: RFW-17
 Lab Sample ID: 500-2894-27

Date Sampled: 02/20/2007 1325
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1423		
Prep Method: 5030B	Date Prepared:	03/03/2007	1423		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	99	%		70 - 125	
Toluene-d8 (Surr)	96	%		81 - 120	
4-Bromofluorobenzene (Surr)	108	%		75 - 120	
Dibromofluoromethane	97	%		80 - 120	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: TRIP BLANK
 Lab Sample ID: 500-2894-28

Date Sampled: 02/20/2007 0800
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1446		
Prep Method: 5030B	Date Prepared:	03/03/2007	1446		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<1.0	ug/L	0.24	1.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
2-Butanone (MEK)	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-2894-1

Client Sample ID: TRIP BLANK
 Lab Sample ID: 500-2894-28

Date Sampled: 02/20/2007 0800
 Date Received: 02/23/2007 0900
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B	Date Analyzed:	03/03/2007	1446		
Prep Method: 5030B	Date Prepared:	03/03/2007	1446		
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<1.0	ug/L	0.41	1.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	97	%		70 - 125	
Toluene-d8 (Surr)	97	%		81 - 120	
4-Bromofluorobenzene (Surr)	102	%		75 - 120	
Dibromofluoromethane	98	%		80 - 120	

DATA REPORTING QUALIFIERS

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Lab Section	Qualifier	Description
GC/MS VOA	M	Manual integrated compound.



QUALITY CONTROL RESULTS

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-11178					
LCS 500-11178/32	Lab Control Spike	T	Water	8260B	
MB 500-11178/31	Method Blank	T	Water	8260B	
500-2894-2DL	EW-3	T	Water	8260B	
500-2894-11	LEISTER-1	T	Water	8260B	
500-2894-12	LEISTER-DAIRY	T	Water	8260B	
500-2894-20	RFW-4B DUP	T	Water	8260B	
500-2894-21	RFW-6	T	Water	8260B	
Analysis Batch:500-11179					
LCS 500-11179/34	Lab Control Spike	T	Water	8260B	
MB 500-11179/33	Method Blank	T	Water	8260B	
500-2894-1	EW-2	T	Water	8260B	
500-2894-1DL	EW-2	T	Water	8260B	
500-2894-2	EW-3	T	Water	8260B	
500-2894-3	EW-4	T	Water	8260B	
500-2894-3DL	EW-4	T	Water	8260B	
500-2894-4	EW-5	T	Water	8260B	
500-2894-4DL	EW-5	T	Water	8260B	
500-2894-5	EW-6	T	Water	8260B	
500-2894-6	EW-7	T	Water	8260B	
500-2894-7	EW-8	T	Water	8260B	
500-2894-8	EW-9	T	Water	8260B	
500-2894-8DL	EW-9	T	Water	8260B	
500-2894-9	EW-9DUP	T	Water	8260B	
500-2894-9DL	EW-9DUP	T	Water	8260B	
500-2894-10	EW-10	T	Water	8260B	
500-2894-13	RFW-1A	T	Water	8260B	
500-2894-14	RFW-1B	T	Water	8260B	
500-2894-15	RFW-2A	T	Water	8260B	
500-2894-16	RFW-2B	T	Water	8260B	
500-2894-17	RFW-3B	T	Water	8260B	
500-2894-18	RFW-4A	T	Water	8260B	
500-2894-19	RFW-4B	T	Water	8260B	
Analysis Batch:500-11197					
LCS 500-11197/5	Lab Control Spike	T	Water	8260B	
MB 500-11197/4	Method Blank	T	Water	8260B	
500-2894-22	RFW-7	T	Water	8260B	
500-2894-23	RFW-9	T	Water	8260B	
500-2894-24	RFW-11B	T	Water	8260B	
500-2894-25	RFW-12B	T	Water	8260B	
500-2894-25DL	RFW-12B	T	Water	8260B	
500-2894-26	RFW-13	T	Water	8260B	
500-2894-27	RFW-17	T	Water	8260B	
500-2894-28	TRIP BLANK	T	Water	8260B	

STL Chicago

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
---------------	------------------	--------------	---------------	--------	------------

Report Basis

T = Total

STL Chicago

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Surrogate Recovery Report

8260B VOC

Client Matrix: Water

<u>Lab Sample ID</u>	<u>Client Sample</u>	(12DCE) (%Rec)	(BFB) (%Rec)	(DBFM) (%Rec)	(TOL) (%Rec)
500-2894-1	EW-2	95	88	96	92
500-2894-1DL	EW-2	101	87	102	94
500-2894-2	EW-3	100	86	102	91
500-2894-2DL	EW-3	114	87	111	94
500-2894-3	EW-4	107	86	108	93
500-2894-3DL	EW-4	105	87	108	92
500-2894-4	EW-5	105	87	106	94
500-2894-4DL	EW-5	105	89	109	93
500-2894-5	EW-6	108	86	106	94
500-2894-6	EW-7	107	87	106	93
500-2894-7	EW-8	104	85	103	92
500-2894-8	EW-9	109	87	108	94
500-2894-8DL	EW-9	110	86	113	92
500-2894-9	EW-9DUP	109	86	109	93
500-2894-9DL	EW-9DUP	109	86	110	92
500-2894-10	EW-10	111	84	115	93
500-2894-11	LEISTER-1	111	87	105	92
500-2894-12	LEISTER-DAIRY	107	88	108	90
500-2894-13	RFW-1A	111	85	114	92
500-2894-14	RFW-1B	112	87	112	90
500-2894-15	RFW-2A	109	88	113	89
500-2894-16	RFW-2B	113	85	112	94
500-2894-17	RFW-3B	111	87	113	91
500-2894-18	RFW-4A	114	87	112	93
500-2894-19	RFW-4B	114	82	111	94

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

		(12DCE) (%Rec)	(BFB) (%Rec)	(DBFM) (%Rec)	(TOL) (%Rec)
500-2894-20	RFW-4B DUP	100	84	99	94
500-2894-21	RFW-6	99	86	100	91
500-2894-22	RFW-7	96	106	95	97
500-2894-23	RFW-9	95	103	94	97
500-2894-24	RFW-11B	99	107	97	96
500-2894-25	RFW-12B	99	106	99	97
500-2894-25DL	RFW-12B	98	103	97	98
500-2894-26	RFW-13	97	102	96	97
500-2894-27	RFW-17	99	108	97	96
500-2894-28	TRIP BLANK	97	102	98	97
LCS 500-11178/32		105	94	103	90
LCS 500-11179/34		96	97	98	95
LCS 500-11197/5		95	110	96	100
MB 500-11178/31		106	88	107	93
MB 500-11179/33		97	92	101	93
MB 500-11197/4		94	105	94	97

Surrogate

Acceptance Limits

(12DCE)	1,2-Dichloroethane-d4 (Surr)	70 - 125
(BFB)	4-Bromofluorobenzene (Surr)	75 - 120
(DBFM)	Dibromofluoromethane	80 - 120
(TOL)	Toluene-d8 (Surr)	81 - 120

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Method Blank - Batch: 500-11178

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-11178/31
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/04/2007 1100
Date Prepared: 03/04/2007 1100

Analysis Batch: 500-11178
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6M0304.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.23	1.0
Dichlorodifluoromethane	<1.0		0.12	1.0
Chloromethane	<1.0		0.20	1.0
Vinyl chloride	<1.0		0.16	1.0
Bromomethane	<1.0		0.59	1.0
Chloroethane	<1.0		0.32	1.0
Trichlorofluoromethane	<1.0		0.14	1.0
1,1-Dichloroethene	<1.0		0.25	1.0
Carbon disulfide	<5.0		0.15	5.0
Acetone	<5.0		1.4	5.0
Methylene Chloride	<1.0		0.24	1.0
trans-1,2-Dichloroethene	<1.0		0.29	1.0
1,1-Dichloroethane	<1.0		0.15	1.0
2,2-Dichloropropane	<1.0		0.17	1.0
cis-1,2-Dichloroethene	<1.0		0.20	1.0
2-Butanone (MEK)	<5.0		1.0	5.0
Bromochloromethane	<1.0		0.27	1.0
Chloroform	<1.0		0.14	1.0
1,1,1-Trichloroethane	<1.0		0.17	1.0
1,1-Dichloropropene	<1.0		0.38	1.0
Carbon tetrachloride	<1.0		0.34	1.0
1,2-Dichloroethane	<1.0		0.25	1.0
Trichloroethene	<1.0		0.13	1.0
1,2-Dichloropropane	<1.0		0.19	1.0
Dibromomethane	<1.0		0.21	1.0
Bromodichloromethane	<1.0		0.22	1.0
cis-1,3-Dichloropropene	<1.0		0.15	1.0
4-Methyl-2-pentanone (MIBK)	<5.0		0.92	5.0
Toluene	<1.0		0.18	1.0
trans-1,3-Dichloropropene	<1.0		0.16	1.0
1,1,2-Trichloroethane	<1.0		0.24	1.0
Tetrachloroethene	<1.0		0.18	1.0
1,3-Dichloropropane	<1.0		0.22	1.0
2-Hexanone	<5.0		0.99	5.0
Dibromochloromethane	<1.0		0.22	1.0
1,2-Dibromoethane	<1.0		0.33	1.0
Chlorobenzene	<1.0		0.15	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.33	1.0
Ethylbenzene	<1.0		0.21	1.0
m&p-Xylene	<2.0		0.36	2.0
o-Xylene	<1.0		0.19	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Method Blank - Batch: 500-11178

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-11178/31
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/04/2007 1100
Date Prepared: 03/04/2007 1100

Analysis Batch: 500-11178
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6M0304.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Styrene	<1.0		0.18	1.0
Bromoform	<1.0		0.32	1.0
Isopropylbenzene	<1.0		0.20	1.0
Bromobenzene	<1.0		0.22	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.34	1.0
1,2,3-Trichloropropane	<1.0		0.35	1.0
N-Propylbenzene	<1.0		0.16	1.0
2-Chlorotoluene	<1.0		0.16	1.0
1,3,5-Trimethylbenzene	<1.0		0.18	1.0
4-Chlorotoluene	<1.0		0.18	1.0
tert-Butylbenzene	<1.0		0.16	1.0
1,2,4-Trimethylbenzene	<1.0		0.26	1.0
sec-Butylbenzene	<1.0		0.19	1.0
1,3-Dichlorobenzene	<1.0		0.21	1.0
p-Isopropyltoluene	<1.0		0.29	1.0
1,4-Dichlorobenzene	<1.0		0.25	1.0
n-Butylbenzene	<1.0		0.35	1.0
1,2-Dichlorobenzene	<1.0		0.29	1.0
1,2-Dibromo-3-Chloropropane	<1.0		0.41	1.0
1,2,4-Trichlorobenzene	<1.0		0.36	1.0
Hexachlorobutadiene	<1.0		0.36	1.0
Naphthalene	<1.0		0.37	1.0
1,2,3-Trichlorobenzene	<1.0		0.43	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	106	70 - 125
Toluene-d8 (Surr)	93	81 - 120
4-Bromofluorobenzene (Surr)	88	75 - 120
Dibromofluoromethane	107	80 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Lab Control Spike - Batch: 500-11178

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-11178/32
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/04/2007 1123
Date Prepared: 03/04/2007 1123

Analysis Batch: 500-11178
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6S0304.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	19.8	79	68 - 113	
Dichlorodifluoromethane	25.0	18.9	76	21 - 178	
Chloromethane	25.0	18.8	75	50 - 140	
Vinyl chloride	25.0	20.7	83	57 - 135	
Bromomethane	25.0	30.1	121	61 - 172	
Chloroethane	25.0	22.4	90	56 - 152	
Trichlorofluoromethane	25.0	20.9	84	58 - 147	
1,1-Dichloroethene	25.0	18.1	72	50 - 121	
Carbon disulfide	25.0	13.5	54	33 - 119	
Acetone	25.0	14.5	58	22 - 175	
Methylene Chloride	25.0	22.1	88	52 - 126	
trans-1,2-Dichloroethene	25.0	20.4	82	57 - 122	
1,1-Dichloroethane	25.0	20.3	81	63 - 121	
2,2-Dichloropropane	25.0	21.1	84	56 - 134	
cis-1,2-Dichloroethene	25.0	22.0	88	62 - 127	
2-Butanone (MEK)	25.0	22.4	90	36 - 157	
Bromochloromethane	25.0	25.2	101	61 - 125	
Chloroform	25.0	21.5	86	65 - 127	
1,1,1-Trichloroethane	25.0	20.8	83	65 - 129	
1,1-Dichloropropene	25.0	19.9	80	62 - 122	
Carbon tetrachloride	25.0	18.9	76	67 - 121	
1,2-Dichloroethane	25.0	21.2	85	68 - 120	
Trichloroethene	25.0	18.7	75	73 - 111	
1,2-Dichloropropane	25.0	20.5	82	72 - 111	
Dibromomethane	25.0	21.1	84	71 - 116	
Bromodichloromethane	25.0	23.4	93	71 - 131	
cis-1,3-Dichloropropene	26.9	18.8	70	60 - 119	
4-Methyl-2-pentanone (MIBK)	25.0	20.7	83	65 - 128	
Toluene	25.0	21.2	85	75 - 110	
trans-1,3-Dichloropropene	24.3	18.0	74	61 - 112	
1,1,2-Trichloroethane	25.0	22.6	90	59 - 135	
Tetrachloroethene	25.0	18.6	74	65 - 113	
1,3-Dichloropropane	25.0	22.4	90	73 - 114	
2-Hexanone	25.0	19.8	79	54 - 139	
Dibromochloromethane	25.0	23.9	96	57 - 132	
1,2-Dibromoethane	25.0	21.4	85	68 - 125	
Chlorobenzene	25.0	20.3	81	75 - 110	
1,1,1,2-Tetrachloroethane	25.0	22.0	88	72 - 119	
Ethylbenzene	25.0	21.3	85	75 - 110	
m&p-Xylene	50.0	44.1	88	75 - 111	
o-Xylene	25.0	22.2	89	75 - 113	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Lab Control Spike - Batch: 500-11178

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-11178/32
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/04/2007 1123
Date Prepared: 03/04/2007 1123

Analysis Batch: 500-11178
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6S0304.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Styrene	25.0	23.1	92	77 - 115	
Bromoform	25.0	20.4	82	55 - 120	
Isopropylbenzene	25.0	19.3	77	68 - 110	
Bromobenzene	25.0	21.9	88	76 - 114	
1,1,2,2-Tetrachloroethane	25.0	22.6	90	68 - 117	
1,2,3-Trichloropropane	25.0	23.0	92	70 - 118	
N-Propylbenzene	25.0	21.8	87	74 - 115	
2-Chlorotoluene	25.0	21.9	88	74 - 114	
1,3,5-Trimethylbenzene	25.0	21.9	88	76 - 114	
4-Chlorotoluene	25.0	21.9	88	75 - 112	
tert-Butylbenzene	25.0	20.9	84	75 - 114	
1,2,4-Trimethylbenzene	25.0	22.7	91	76 - 114	
sec-Butylbenzene	25.0	19.5	78	73 - 114	
1,3-Dichlorobenzene	25.0	20.8	83	76 - 110	
p-Isopropyltoluene	25.0	19.3	77	71 - 110	
1,4-Dichlorobenzene	25.0	20.4	82	74 - 110	
n-Butylbenzene	25.0	22.3	89	68 - 119	
1,2-Dichlorobenzene	25.0	22.1	88	74 - 110	
1,2-Dibromo-3-Chloropropane	25.0	23.1	93	60 - 113	
1,2,4-Trichlorobenzene	25.0	21.9	88	63 - 113	
Hexachlorobutadiene	25.0	20.5	82	54 - 131	
Naphthalene	25.0	21.2	85	50 - 117	
1,2,3-Trichlorobenzene	25.0	23.2	93	62 - 111	
Surrogate		% Rec		Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)		105		70 - 125	
Toluene-d8 (Surr)		90		81 - 120	
4-Bromofluorobenzene (Surr)		94		75 - 120	
Dibromofluoromethane		103		80 - 120	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Method Blank - Batch: 500-11179

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-11179/33
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2007 1016
Date Prepared: 03/03/2007 1016

Analysis Batch: 500-11179
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6M0303.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.23	1.0
Dichlorodifluoromethane	<1.0		0.12	1.0
Chloromethane	<1.0		0.20	1.0
Vinyl chloride	<1.0		0.16	1.0
Bromomethane	<1.0		0.59	1.0
Chloroethane	<1.0		0.32	1.0
Trichlorofluoromethane	<1.0		0.14	1.0
1,1-Dichloroethene	<1.0		0.25	1.0
Carbon disulfide	<5.0		0.15	5.0
Acetone	<5.0		1.4	5.0
Methylene Chloride	<1.0		0.24	1.0
trans-1,2-Dichloroethene	<1.0		0.29	1.0
1,1-Dichloroethane	<1.0		0.15	1.0
2,2-Dichloropropane	<1.0		0.17	1.0
cis-1,2-Dichloroethene	<1.0		0.20	1.0
2-Butanone (MEK)	<5.0		1.0	5.0
Bromochloromethane	<1.0		0.27	1.0
Chloroform	<1.0		0.14	1.0
1,1,1-Trichloroethane	<1.0		0.17	1.0
1,1-Dichloropropene	<1.0		0.38	1.0
Carbon tetrachloride	<1.0		0.34	1.0
1,2-Dichloroethane	<1.0		0.25	1.0
Trichloroethene	<1.0		0.13	1.0
1,2-Dichloropropane	<1.0		0.19	1.0
Dibromomethane	<1.0		0.21	1.0
Bromodichloromethane	<1.0		0.22	1.0
cis-1,3-Dichloropropene	<1.0		0.15	1.0
4-Methyl-2-pentanone (MIBK)	<5.0		0.92	5.0
Toluene	<1.0		0.18	1.0
trans-1,3-Dichloropropene	<1.0		0.16	1.0
1,1,2-Trichloroethane	<1.0		0.24	1.0
Tetrachloroethene	<1.0		0.18	1.0
1,3-Dichloropropane	<1.0		0.22	1.0
2-Hexanone	<5.0		0.99	5.0
Dibromochloromethane	<1.0		0.22	1.0
1,2-Dibromoethane	<1.0		0.33	1.0
Chlorobenzene	<1.0		0.15	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.33	1.0
Ethylbenzene	<1.0		0.21	1.0
m&p-Xylene	<2.0		0.36	2.0
o-Xylene	<1.0		0.19	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Method Blank - Batch: 500-11179

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-11179/33
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2007 1016
Date Prepared: 03/03/2007 1016

Analysis Batch: 500-11179
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6M0303.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Styrene	<1.0		0.18	1.0
Bromoform	<1.0		0.32	1.0
Isopropylbenzene	<1.0		0.20	1.0
Bromobenzene	<1.0		0.22	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.34	1.0
1,2,3-Trichloropropane	<1.0		0.35	1.0
N-Propylbenzene	<1.0		0.16	1.0
2-Chlorotoluene	<1.0		0.16	1.0
1,3,5-Trimethylbenzene	<1.0		0.18	1.0
4-Chlorotoluene	<1.0		0.18	1.0
tert-Butylbenzene	<1.0		0.16	1.0
1,2,4-Trimethylbenzene	<1.0		0.26	1.0
sec-Butylbenzene	<1.0		0.19	1.0
1,3-Dichlorobenzene	<1.0		0.21	1.0
p-Isopropyltoluene	<1.0		0.29	1.0
1,4-Dichlorobenzene	<1.0		0.25	1.0
n-Butylbenzene	<1.0		0.35	1.0
1,2-Dichlorobenzene	<1.0		0.29	1.0
1,2-Dibromo-3-Chloropropane	<1.0		0.41	1.0
1,2,4-Trichlorobenzene	<1.0		0.36	1.0
Hexachlorobutadiene	<1.0		0.36	1.0
Naphthalene	<1.0		0.37	1.0
1,2,3-Trichlorobenzene	<1.0		0.43	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	97	70 - 125
Toluene-d8 (Surr)	93	81 - 120
4-Bromofluorobenzene (Surr)	92	75 - 120
Dibromofluoromethane	101	80 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Lab Control Spike - Batch: 500-11179

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-11179/34
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2007 1039
Date Prepared: 03/03/2007 1039

Analysis Batch: 500-11179
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6S0303.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	20.1	80	68 - 113	
Dichlorodifluoromethane	25.0	21.2	85	21 - 178	
Chloromethane	25.0	18.7	75	50 - 140	
Vinyl chloride	25.0	18.7	75	57 - 135	
Bromomethane	25.0	24.8	99	61 - 172	
Chloroethane	25.0	22.4	90	56 - 152	
Trichlorofluoromethane	25.0	18.4	74	58 - 147	
1,1-Dichloroethene	25.0	17.3	69	50 - 121	
Carbon disulfide	25.0	14.1	56	33 - 119	
Acetone	25.0	19.9	80	22 - 175	
Methylene Chloride	25.0	21.7	87	52 - 126	
trans-1,2-Dichloroethene	25.0	20.1	81	57 - 122	
1,1-Dichloroethane	25.0	19.8	79	63 - 121	
2,2-Dichloropropane	25.0	20.1	80	56 - 134	
cis-1,2-Dichloroethene	25.0	21.8	87	62 - 127	
2-Butanone (MEK)	25.0	23.1	93	36 - 157	
Bromochloromethane	25.0	24.0	96	61 - 125	
Chloroform	25.0	20.5	82	65 - 127	
1,1,1-Trichloroethane	25.0	20.2	81	65 - 129	
1,1-Dichloropropene	25.0	20.1	81	62 - 122	
Carbon tetrachloride	25.0	18.2	73	67 - 121	
1,2-Dichloroethane	25.0	19.7	79	68 - 120	
Trichloroethene	25.0	18.8	75	73 - 111	
1,2-Dichloropropane	25.0	20.5	82	72 - 111	
Dibromomethane	25.0	20.9	84	71 - 116	
Bromodichloromethane	25.0	22.5	90	71 - 131	
cis-1,3-Dichloropropene	26.9	19.5	72	60 - 119	
4-Methyl-2-pentanone (MIBK)	25.0	21.9	87	65 - 128	
Toluene	25.0	21.7	87	75 - 110	
trans-1,3-Dichloropropene	24.3	18.3	75	61 - 112	
1,1,2-Trichloroethane	25.0	21.4	86	59 - 135	
Tetrachloroethene	25.0	17.5	70	65 - 113	
1,3-Dichloropropane	25.0	21.3	85	73 - 114	
2-Hexanone	25.0	19.6	79	54 - 139	
Dibromochloromethane	25.0	22.5	90	57 - 132	
1,2-Dibromoethane	25.0	21.8	87	68 - 125	
Chlorobenzene	25.0	19.7	79	75 - 110	
1,1,1,2-Tetrachloroethane	25.0	20.7	83	72 - 119	
Ethylbenzene	25.0	21.1	84	75 - 110	
m&p-Xylene	50.0	42.6	85	75 - 111	
o-Xylene	25.0	21.9	88	75 - 113	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Lab Control Spike - Batch: 500-11179

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-11179/34
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2007 1039
Date Prepared: 03/03/2007 1039

Analysis Batch: 500-11179
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6S0303.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Styrene	25.0	22.5	90	77 - 115	
Bromoform	25.0	18.9	76	55 - 120	
Isopropylbenzene	25.0	19.0	76	68 - 110	
Bromobenzene	25.0	20.9	84	76 - 114	
1,1,2,2-Tetrachloroethane	25.0	21.4	85	68 - 117	
1,2,3-Trichloropropane	25.0	20.9	84	70 - 118	
N-Propylbenzene	25.0	21.3	85	74 - 115	
2-Chlorotoluene	25.0	20.9	84	74 - 114	
1,3,5-Trimethylbenzene	25.0	21.4	86	76 - 114	
4-Chlorotoluene	25.0	20.6	82	75 - 112	
tert-Butylbenzene	25.0	20.4	82	75 - 114	
1,2,4-Trimethylbenzene	25.0	21.7	87	76 - 114	
sec-Butylbenzene	25.0	19.5	78	73 - 114	
1,3-Dichlorobenzene	25.0	20.0	80	76 - 110	
p-Isopropyltoluene	25.0	18.6	74	71 - 110	
1,4-Dichlorobenzene	25.0	19.3	77	74 - 110	
n-Butylbenzene	25.0	21.6	87	68 - 119	
1,2-Dichlorobenzene	25.0	20.7	83	74 - 110	
1,2-Dibromo-3-Chloropropane	25.0	21.8	87	60 - 113	
1,2,4-Trichlorobenzene	25.0	21.1	84	63 - 113	
Hexachlorobutadiene	25.0	20.0	80	54 - 131	
Naphthalene	25.0	20.5	82	50 - 117	
1,2,3-Trichlorobenzene	25.0	21.7	87	62 - 111	
Surrogate		% Rec		Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)		96		70 - 125	
Toluene-d8 (Surr)		95		81 - 120	
4-Bromofluorobenzene (Surr)		97		75 - 120	
Dibromofluoromethane		98		80 - 120	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Method Blank - Batch: 500-11197

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-11197/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2007 1120
Date Prepared: 03/03/2007 1120

Analysis Batch: 500-11197
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5975N
Lab File ID: 18M0303.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.23	1.0
Dichlorodifluoromethane	<1.0		0.12	1.0
Chloromethane	<1.0		0.20	1.0
Vinyl chloride	<1.0		0.16	1.0
Bromomethane	<1.0		0.59	1.0
Chloroethane	<1.0		0.32	1.0
Trichlorofluoromethane	<1.0		0.14	1.0
1,1-Dichloroethene	<1.0		0.25	1.0
Carbon disulfide	<5.0		0.15	5.0
Acetone	<5.0		1.4	5.0
Methylene Chloride	<1.0		0.24	1.0
trans-1,2-Dichloroethene	<1.0		0.29	1.0
1,1-Dichloroethane	<1.0		0.15	1.0
2,2-Dichloropropane	<1.0		0.17	1.0
cis-1,2-Dichloroethene	<1.0		0.20	1.0
2-Butanone (MEK)	<5.0		1.0	5.0
Bromochloromethane	<1.0		0.27	1.0
Chloroform	<1.0		0.14	1.0
1,1,1-Trichloroethane	<1.0		0.17	1.0
1,1-Dichloropropene	<1.0		0.38	1.0
Carbon tetrachloride	<1.0		0.34	1.0
1,2-Dichloroethane	<1.0		0.25	1.0
Trichloroethene	<1.0		0.13	1.0
1,2-Dichloropropane	<1.0		0.19	1.0
Dibromomethane	<1.0		0.21	1.0
Bromodichloromethane	<1.0		0.22	1.0
cis-1,3-Dichloropropene	<1.0		0.15	1.0
4-Methyl-2-pentanone (MIBK)	<5.0		0.92	5.0
Toluene	<1.0		0.18	1.0
trans-1,3-Dichloropropene	<1.0		0.16	1.0
1,1,2-Trichloroethane	<1.0		0.24	1.0
Tetrachloroethene	<1.0		0.18	1.0
1,3-Dichloropropane	<1.0		0.22	1.0
2-Hexanone	<5.0		0.99	5.0
Dibromochloromethane	<1.0		0.22	1.0
1,2-Dibromoethane	<1.0		0.33	1.0
Chlorobenzene	<1.0		0.15	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.33	1.0
Ethylbenzene	<1.0		0.21	1.0
m&p-Xylene	<2.0		0.36	2.0
o-Xylene	<1.0		0.19	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Method Blank - Batch: 500-11197

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-11197/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2007 1120
Date Prepared: 03/03/2007 1120

Analysis Batch: 500-11197
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5975N
Lab File ID: 18M0303.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Styrene	<1.0		0.18	1.0
Bromoform	<1.0		0.32	1.0
Isopropylbenzene	<1.0		0.20	1.0
Bromobenzene	<1.0		0.22	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.34	1.0
1,2,3-Trichloropropane	<1.0		0.35	1.0
N-Propylbenzene	<1.0		0.16	1.0
2-Chlorotoluene	<1.0		0.16	1.0
1,3,5-Trimethylbenzene	<1.0		0.18	1.0
4-Chlorotoluene	<1.0		0.18	1.0
tert-Butylbenzene	<1.0		0.16	1.0
1,2,4-Trimethylbenzene	<1.0		0.26	1.0
sec-Butylbenzene	<1.0		0.19	1.0
1,3-Dichlorobenzene	<1.0		0.21	1.0
p-Isopropyltoluene	<1.0		0.29	1.0
1,4-Dichlorobenzene	<1.0		0.25	1.0
n-Butylbenzene	<1.0		0.35	1.0
1,2-Dichlorobenzene	<1.0		0.29	1.0
1,2-Dibromo-3-Chloropropane	<1.0		0.41	1.0
1,2,4-Trichlorobenzene	<1.0		0.36	1.0
Hexachlorobutadiene	<1.0		0.36	1.0
Naphthalene	<1.0		0.37	1.0
1,2,3-Trichlorobenzene	<1.0		0.43	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	94	70 - 125
Toluene-d8 (Surr)	97	81 - 120
4-Bromofluorobenzene (Surr)	105	75 - 120
Dibromofluoromethane	94	80 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Lab Control Spike - Batch: 500-11197

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-11197/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2007 1143
Date Prepared: 03/03/2007 1143

Analysis Batch: 500-11197
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5975N
Lab File ID: 18S0303.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	22.9	92	68 - 113	
Dichlorodifluoromethane	25.0	24.8	99	21 - 178	
Chloromethane	25.0	13.8	55	50 - 140	
Vinyl chloride	25.0	22.5	90	57 - 135	
Bromomethane	25.0	21.7	87	61 - 172	
Chloroethane	25.0	21.1	84	56 - 152	
Trichlorofluoromethane	25.0	15.7	63	58 - 147	
1,1-Dichloroethene	25.0	21.1	84	50 - 121	
Carbon disulfide	25.0	15.0	60	33 - 119	
Acetone	25.0	20.0	80	22 - 175	
Methylene Chloride	25.0	21.4	86	52 - 126	
trans-1,2-Dichloroethene	25.0	22.2	89	57 - 122	
1,1-Dichloroethane	25.0	21.8	87	63 - 121	
2,2-Dichloropropane	25.0	23.3	93	56 - 134	
cis-1,2-Dichloroethene	25.0	23.5	94	62 - 127	
2-Butanone (MEK)	25.0	20.1	81	36 - 157	
Bromochloromethane	25.0	25.4	102	61 - 125	
Chloroform	25.0	22.4	90	65 - 127	
1,1,1-Trichloroethane	25.0	23.2	93	65 - 129	
1,1-Dichloropropene	25.0	22.4	90	62 - 122	
Carbon tetrachloride	25.0	24.0	96	67 - 121	
1,2-Dichloroethane	25.0	22.2	89	68 - 120	
Trichloroethene	25.0	23.3	93	73 - 111	
1,2-Dichloropropane	25.0	22.5	90	72 - 111	
Dibromomethane	25.0	22.4	90	71 - 116	
Bromodichloromethane	25.0	25.8	103	71 - 131	
cis-1,3-Dichloropropene	26.9	21.5	80	60 - 119	
4-Methyl-2-pentanone (MIBK)	25.0	21.4	86	65 - 128	
Toluene	25.0	23.5	94	75 - 110	
trans-1,3-Dichloropropene	24.3	19.4	80	61 - 112	
1,1,2-Trichloroethane	25.0	23.2	93	59 - 135	
Tetrachloroethene	25.0	22.9	92	65 - 113	
1,3-Dichloropropane	25.0	23.0	92	73 - 114	
2-Hexanone	25.0	21.1	84	54 - 139	
Dibromochloromethane	25.0	22.9	91	57 - 132	
1,2-Dibromoethane	25.0	23.1	93	68 - 125	
Chlorobenzene	25.0	23.9	96	75 - 110	
1,1,1,2-Tetrachloroethane	25.0	25.5	102	72 - 119	
Ethylbenzene	25.0	24.7	99	75 - 110	
m&p-Xylene	50.0	49.5	99	75 - 111	
o-Xylene	25.0	25.4	101	75 - 113	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Lab Control Spike - Batch: 500-11197

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-11197/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2007 1143
Date Prepared: 03/03/2007 1143

Analysis Batch: 500-11197
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5975N
Lab File ID: 18S0303.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Styrene	25.0	26.1	104	77 - 115	
Bromoform	25.0	22.3	89	55 - 120	
Isopropylbenzene	25.0	19.4	77	68 - 110	
Bromobenzene	25.0	21.1	84	76 - 114	
1,1,2,2-Tetrachloroethane	25.0	22.4	90	68 - 117	
1,2,3-Trichloropropane	25.0	20.7	83	70 - 118	M
N-Propylbenzene	25.0	22.2	89	74 - 115	
2-Chlorotoluene	25.0	22.1	88	74 - 114	
1,3,5-Trimethylbenzene	25.0	24.7	99	76 - 114	
4-Chlorotoluene	25.0	21.9	87	75 - 112	
tert-Butylbenzene	25.0	24.8	99	75 - 114	
1,2,4-Trimethylbenzene	25.0	25.2	101	76 - 114	
sec-Butylbenzene	25.0	25.5	102	73 - 114	
1,3-Dichlorobenzene	25.0	23.2	93	76 - 110	
p-Isopropyltoluene	25.0	25.8	103	71 - 110	
1,4-Dichlorobenzene	25.0	23.0	92	74 - 110	
n-Butylbenzene	25.0	27.8	111	68 - 119	
1,2-Dichlorobenzene	25.0	24.8	99	74 - 110	
1,2-Dibromo-3-Chloropropane	25.0	22.5	90	60 - 113	
1,2,4-Trichlorobenzene	25.0	19.8	79	63 - 113	
Hexachlorobutadiene	25.0	23.4	94	54 - 131	
Naphthalene	25.0	18.5	74	50 - 117	
1,2,3-Trichlorobenzene	25.0	18.9	76	62 - 111	
Surrogate		% Rec		Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)		95		70 - 125	
Toluene-d8 (Surr)		100		81 - 120	
4-Bromofluorobenzene (Surr)		110		75 - 120	
Dibromofluoromethane		96		80 - 120	

Calculations are performed before rounding to avoid round-off errors in calculated results.

SEVERN TREN T **STL**

STL Chicago
 2417 Bond Street
 University Park, IL 60466
 Phone: 708-534-5200
 Fax: 708-534-5211

Report To:

Bill To:

Shaded Areas For Internal Use Only 1 of 3

Contact: Greg Flasiński
 Company: Western
 Address: 1410 Western Way
W Chester PA 19380
 Phone: 610.701.7293
 Fax: _____
 E-Mail: _____

Contact: _____
 Company: _____
 Address: Sand
 Phone: _____
 Fax: _____
 PO#: _____ Quote: _____

Lab Lot# 500-2894

Package Sealed <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Samples Sealed <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Received on Ice <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Samples Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Temperature °C of Cooler <u>32</u>	
Within Hold Time <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Preserv. Indicated <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
pH Check OK <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	Res Cl. Check OK <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA
Sample Labels and COC Agree <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> COC not present	

Sampler Name: Greg Flasiński
 Project Name: Black + Decker
 Project Location: HAMPSTEAD, MD
 Lab PM: Dick Wright

Signature: [Signature]
 Project Number: 02501.004.004.0700
 Date Required: _____
 Hard Copy: _____
 Fax: _____

Refr #	# / Cont	Volume	Process
	<u>3</u>	<u>100ml</u>	<u>HCl</u>

Laboratory ID	MS-MSD	Client Sample ID	Sampling		Matrix	Comp/Grab
			Date	Time		
1		EW-2	2/21/07	1430	W	✓
2		EW-3	2/20/07	1750		✓
3		EW-4		1745		✓
4		EW-5		1040		✓
5		EW-6	2/21/07	1210		✓
6		EW-7		1155		✓
7		EW-8		1145		✓
8		EW-9		1030		✓
9		EW-9 Dup		1030		✓
10		EW-10		1000		✓
11		Leister-1		1100		✓
12		Leister-Dairy		1125		✓

Additional Analyses / Remarks

RELINQUISHED BY: <u>[Signature]</u>	COMPANY: <u>Western</u>	DATE: <u>2/27/07</u>	TIME: <u>1600</u>	RECEIVED BY: <u>[Signature]</u>	COMPANY: <u>se</u>	DATE: <u>2/23/07</u>	TIME: <u>0900</u>
RELINQUISHED BY: _____	COMPANY: _____	DATE: _____	TIME: _____	RECEIVED BY: _____	COMPANY: _____	DATE: _____	TIME: _____

- Matrix Key**
- WW = Wastewater
 - W = Water
 - S = Soil
 - SL = Sludge
 - MS = Miscellaneous
 - OL = Oil
 - A = Air
 - SE = Sediment
 - SO = Solid
 - DS = Drum Solid
 - DL = Drum Liquid
 - L = Leachate
 - WI = Wipe
 - O = _____
- Container Key**
1. Plastic
 2. VOA Vial
 3. Sterile Plastic
 4. Amber Glass
 5. Widemouth Glass
 6. Other
- Preservative Key**
1. HCl, Cool to 4°
 2. H2SO4, Cool to 4°
 3. HNO3, Cool to 4°
 4. NaOH, Cool to 4°
 5. NaOH/Zn, Cool to 4°
 6. Cool to 4°
 7. None

COMMENTS

Date Received 2/23/07

Courier: FX Hand Delivered

Bill of Lading see attach

**SEVERN
TRENT STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:

Contact: _____
Company: _____
Address: _____
Phone: _____
Fax: _____
E-Mail: _____

Bill To:

Contact: _____
Company: _____
Address: _____
Phone: _____
Fax: _____
PO#: _____ Quote: _____

Shaded Areas For Internal Use Only 2 of 3

Lab Lot# **500-2894**

Package Sealed Yes No	Samples Sealed Yes No
Received on Ice Yes No	Samples Intact Yes No

Temperature °C of Cooler

Within Hold Time Yes No	Preserv. Indicated Yes No NA
----------------------------	---------------------------------

pH Check OK Yes No NA	Res Cl ₂ Check OK Yes No NA
--------------------------	---

Sample Labels and COC Agree Yes No	COC not present
---------------------------------------	-----------------

Additional Analyses / Remarks

Sampler Name: **Greg Flawinski** Signature: _____
Project Name: **Block + Decker** Project Number: **02501-004-004-0700**
Project Location: **HANDSTRA, MD** Date Required: _____
Lab PM: **Dick Wright** Hard Copy: _____
Fax: _____

Laboratory ID	MS-MSD	Client Sample ID	Sampling		Matrix	Comp/Grab	A
			Date	Time			
13		RFW-1A	2/20/07	1028	W	✓	
14		RFW-1B	2/21/07	0730		✓	
15		RFW-2A	2/20/07	925		✓	
16		RFW-2B	2/20/07	950		✓	
17		RFW-3B	2/21/07	0755		✓	
18		RFW-4A	2/21/07	0835		✓	
19		RFW-4B	2/21/07	0900		✓	
20		RFW-4B Dup	2/21/07	0900		✓	
21		RFW-6	2/21/07	0745		✓	
22		RFW-7	2/20/07	1410		✓	
23		RFW-9	2/21/07	1400		✓	
24		RFW-11B	2/21/07	1300		✓	

RELINQUISHED BY: **[Signature]** COMPANY: **Western** DATE: **2/22/07** TIME: **1600**

RECEIVED BY: **[Signature]** COMPANY: **SL** DATE: **2/23/07** TIME: **0900**

- Matrix Key**
- WW = Wastewater
 - W = Water
 - S = Soil
 - SL = Sludge
 - MS = Miscellaneous
 - OL = Oil
 - A = Air
 - SE = Sediment
 - SO = Solid
 - DS = Drum Solid
 - DL = Drum Liquid
 - L = Leachate
 - WI = Wipe
 - O =
- Container Key**
1. Plastic
 2. VOA Vial
 3. Sterile Plastic
 4. Amber Glass
 5. Widemouth Glass
 6. Other
- Preservative Key**
1. HCl, Cool to 4°
 2. H2SO4, Cool to 4°
 3. HNO3, Cool to 4°
 4. NaOH, Cool to 4°
 5. NaOH/Zn, Cool to 4°
 6. Cool to 4°
 7. None

COMMENTS

Date Received **2, 23, 07**

Courier: **FA** Hand Delivered

Bill of Lading

SEVERN TRENT STL

STL Chicago
 2417 Bond Street
 University Park, IL 60466
 Phone: 708-534-5200
 Fax: 708-534-5211

Report To:

Contact: _____
 Company: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To:

Contact: _____
 Company: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#: _____ Quote: _____

Shaded Areas For Internal Use Only 3 of 3

Lab Lot# 500-2894

Package Sealed	Samples Sealed
Yes No	Yes No
Received on Ice	Samples Intact
Yes No	Yes No

Temperature °C of Cooler

Within Hold Time	Preserv. Indicated
Yes No	Yes No NA
pH Check OK	Res. Cl. Check OK
Yes No NA	Yes No NA
Sample Labels and COC Agree	
Yes No	COC not present

Sampler Name: Greg Frank
 Project Name: Black + Decker
 Project Location: Hempstead, MD
 Lab P#: Dick Wright

Signature: [Signature]
 Project Number: 02504.004.004.0700
 Date Required: _____
 Hard Copy: _____
 Fax: _____

Refr #	
# / Cont.	<u>3</u>
Volume	<u>30ml</u>
Preserv	<u>HCl</u>

Matrix	Comp/Grab
	<u>DOV</u>

Laboratory ID	MS-MSD	Client Sample ID	Sampling		Matrix	Comp/Grab										
			Date	Time												
<u>25</u>		<u>RFW-12B</u>	<u>2/21/07</u>	<u>1430</u>	<u>W</u>	<u>✓</u>										
<u>26</u>		<u>RFW-13</u>	<u>2/20/07</u>	<u>1515</u>	<u>✓</u>	<u>✓</u>										
<u>27</u>		<u>RFW-17</u>	<u>2/20/07</u>	<u>1325</u>	<u>✓</u>	<u>✓</u>										
<u>28</u>		<u>Trip Blank</u>	<u>2/20/07</u>	<u>0500</u>	<u>✓</u>	<u>✓</u>										

Additional Analyses / Remarks

RELINQUISHED BY: <u>[Signature]</u>	COMPANY: <u>Weston</u>	DATE: <u>2/23/07</u>	TIME: <u>1600</u>	RECEIVED BY: <u>[Signature]</u>	COMPANY: <u>STL</u>	DATE: <u>2/23/07</u>	TIME: <u>0900</u>
RELINQUISHED BY: _____	COMPANY: _____	DATE: _____	TIME: _____	RECEIVED BY: _____	COMPANY: _____	DATE: _____	TIME: _____

- Matrix Key**
- WW = Wastewater
 - W = Water
 - S = Soil
 - SL = Sludge
 - MS = Miscellaneous
 - OL = Oil
 - A = Air
 - SE = Sediment
 - SO = Solid
 - DS = Drum Liquid
 - DL = Drum Liquid
 - L = Leachate
 - WI = Wipe
 - O = _____

- Container Key**
1. Plastic
 2. VOA Vial
 3. Sterile Plastic
 4. Amber Glass
 5. Widemouth Glass
 6. Other

- Preservative Key**
1. HCl, Cool to 4°
 2. H2SO4, Cool to 4°
 3. HNO3, Cool to 4°
 4. NaOH, Cool to 4°
 5. NaOH/Zn, Cool to 4°
 6. Cool to 4°
 7. None

COMMENTS

Date Received 2/23/07

Courier: Fx Hand Delivered

Bill of Lading

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Weston Solutions, Inc.

Job Number: 500-2894-1

Login Number: 2894

Question	T/F/NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	3.2
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	



STL

ANALYTICAL REPORT

Job Number: 680-24545-1

Job Description: Black & Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Attention: Mr. Tom Cornuet

Abbie Page
Project Manager I
apage@stl-inc.com
03/02/2007

Project Manager: Abbie Page

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the STL Project Manager who signed this report.

Severn Trent Laboratories, Inc.
STL Savannah 5102 LaRoche Avenue, Savannah, GA 31404
Tel (912) 354-7858 Fax (912) 351-3673 www.stl-inc.com



METHOD SUMMARY

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Purgeable Organic Compounds in Water by GC/MS	STL SAV	EPA-DW 524.2	

LAB REFERENCES:

STL SAV = STL Savannah

METHOD REFERENCES:

EPA-DW - "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

SAMPLE SUMMARY

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Client Matrix</u>	<u>Date/Time Sampled</u>	<u>Date/Time Received</u>
680-24545-1TB	Trip Blank	Drinking Water	02/20/2007 0800	02/23/2007 0925
680-24545-2	RFW-21	Drinking Water	02/20/2007 1209	02/23/2007 0925
680-24545-3	RFW-20	Drinking Water	02/20/2007 1810	02/23/2007 0925
680-24545-4	HAMP-22	Drinking Water	02/21/2007 0000	02/23/2007 0925
680-24545-5	HAMP-23	Drinking Water	02/21/2007 0000	02/23/2007 0925

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-24545-1TB

Date Sampled: 02/20/2007 0800

Client Matrix: Drinking Water

Date Received: 02/23/2007 0925

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2

Analysis Batch: 680-68554

Instrument ID: GC/MS Volatiles - U

Preparation: N/A

Lab File ID: u3746.d

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 02/27/2007 1109

Final Weight/Volume: 5 mL

Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		5.0	10
Benzene	<0.50		0.20	0.50
Bromobenzene	<0.50		0.20	0.50
Bromoform	<0.50		0.26	0.50
Bromomethane	<1.0		0.50	1.0
Carbon tetrachloride	<0.50		0.20	0.50
Chlorobenzene	<0.50		0.20	0.50
Chlorobromomethane	<0.50		0.20	0.50
Chlorodibromomethane	<0.50		0.23	0.50
Chloroethane	<1.0		0.50	1.0
Chloroform	<0.50		0.19	0.50
Chloromethane	<0.50		0.40	0.50
2-Chlorotoluene	<0.50		0.20	0.50
4-Chlorotoluene	<0.50		0.20	0.50
cis-1,2-Dichloroethene	<0.50		0.20	0.50
cis-1,3-Dichloropropene	<0.50		0.20	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.35	0.50
Dibromomethane	<0.50		0.20	0.50
1,2-Dichlorobenzene	<0.50		0.20	0.50
1,3-Dichlorobenzene	<0.50		0.20	0.50
1,4-Dichlorobenzene	<0.50		0.21	0.50
Dichlorobromomethane	<0.50		0.20	0.50
Dichlorodifluoromethane	<0.50		0.20	0.50
1,2-Dichloroethane	<0.50		0.20	0.50
1,1-Dichloroethane	<0.50		0.20	0.50
1,1-Dichloroethene	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.20	0.50
2,2-Dichloropropane	<0.50		0.36	0.50
1,2-Dichloropropane	<0.50		0.20	0.50
1,1-Dichloropropene	<0.50		0.20	0.50
1,3-Dichloropropene, Total	<0.50		0.20	0.50
Diisopropyl ether	<0.50		0.21	0.50
Ethylbenzene	<0.50		0.20	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.33	0.50
Hexachlorobutadiene	<0.50		0.36	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.20	0.50
4-Isopropyltoluene	<0.50		0.22	0.50
Methylene Chloride	<0.50		0.30	0.50
Methyl Ethyl Ketone	<10		5.0	10
methyl isobutyl ketone	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.31	0.50

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-24545-1TB

Date Sampled: 02/20/2007 0800

Client Matrix: Drinking Water

Date Received: 02/23/2007 0925

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2

Analysis Batch: 680-68554

Instrument ID: GC/MS Volatiles - U

Preparation: N/A

Lab File ID: u3746.d

Dilution: 1.0

Initial Weight/Volume: 5 mL

Date Analyzed: 02/27/2007 1109

Final Weight/Volume: 5 mL

Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	<1.0		0.24	1.0
n-Butylbenzene	<0.50		0.24	0.50
N-Propylbenzene	<0.50		0.20	0.50
o-Xylene	<0.50		0.21	0.50
sec-Butylbenzene	<0.50		0.20	0.50
Styrene	<0.50		0.21	0.50
Tert-amyl methyl ether	<0.50		0.32	0.50
tert-Butyl alcohol	<2.0		2.0	2.0
tert-Butylbenzene	<0.50		0.20	0.50
Tert-butyl ethyl ether	<0.50		0.31	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
Tetrachloroethene	<0.50		0.27	0.50
Toluene	<0.50		0.20	0.50
trans-1,2-Dichloroethene	<0.50		0.26	0.50
trans-1,3-Dichloropropene	<0.50		0.20	0.50
1,2,4-Trichlorobenzene	<0.50		0.33	0.50
1,2,3-Trichlorobenzene	<0.50		0.26	0.50
1,1,2-Trichloroethane	<0.50		0.20	0.50
1,1,1-Trichloroethane	<0.50		0.20	0.50
Trichloroethene	<0.50		0.26	0.50
Trichlorofluoromethane	<0.50		0.20	0.50
1,2,3-Trichloropropane	<0.50		0.25	0.50
Trihalomethanes, Total	<0.50		0.26	0.50
1,2,4-Trimethylbenzene	<0.50		0.22	0.50
1,3,5-Trimethylbenzene	<0.50		0.20	0.50
Vinyl chloride	<0.50		0.20	0.50
Xylenes, Total	<0.50		0.31	0.50
Surrogate	%Rec	Acceptance Limits		
4-Bromofluorobenzene	93	70 - 130		
1,2-Dichlorobenzene-d4	88	70 - 130		

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Client Sample ID: RFW-21

Lab Sample ID: 680-24545-2
 Client Matrix: Drinking Water

Date Sampled: 02/20/2007 1209
 Date Received: 02/23/2007 0925

524.2 Purgeable Organic Compounds in Water by GC/MS

Method:	524.2	Analysis Batch: 680-68554	Instrument ID: GC/MS Volatiles - U
Preparation:	N/A		Lab File ID: u3748.d
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	02/27/2007 1151		Final Weight/Volume: 5 mL
Date Prepared:	N/A		

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	19		5.0	10
Benzene	<0.50		0.20	0.50
Bromobenzene	<0.50		0.20	0.50
Bromoform	<0.50		0.26	0.50
Bromomethane	<1.0		0.50	1.0
Carbon tetrachloride	<0.50		0.20	0.50
Chlorobenzene	<0.50		0.20	0.50
Chlorobromomethane	<0.50		0.20	0.50
Chlorodibromomethane	<0.50		0.23	0.50
Chloroethane	<1.0		0.50	1.0
Chloroform	<0.50		0.19	0.50
Chloromethane	<0.50		0.40	0.50
4-Chlorotoluene	<0.50		0.20	0.50
2-Chlorotoluene	<0.50		0.20	0.50
cis-1,2-Dichloroethene	<0.50		0.20	0.50
cis-1,3-Dichloropropene	<0.50		0.20	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.35	0.50
Dibromomethane	<0.50		0.20	0.50
1,4-Dichlorobenzene	<0.50		0.21	0.50
1,2-Dichlorobenzene	<0.50		0.20	0.50
1,3-Dichlorobenzene	<0.50		0.20	0.50
Dichlorobromomethane	<0.50		0.20	0.50
Dichlorodifluoromethane	<0.50		0.20	0.50
1,2-Dichloroethane	<0.50		0.20	0.50
1,1-Dichloroethane	<0.50		0.20	0.50
1,1-Dichloroethene	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.20	0.50
2,2-Dichloropropane	<0.50		0.36	0.50
1,2-Dichloropropane	<0.50		0.20	0.50
1,1-Dichloropropene	<0.50		0.20	0.50
1,3-Dichloropropene, Total	<0.50		0.20	0.50
Diisopropyl ether	<0.50		0.21	0.50
Ethylbenzene	<0.50		0.20	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.33	0.50
Hexachlorobutadiene	<0.50		0.36	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.20	0.50
4-Isopropyltoluene	<0.50		0.22	0.50
Methylene Chloride	<0.50		0.30	0.50
Methyl Ethyl Ketone	<10		5.0	10
methyl isobutyl ketone	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.31	0.50

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Client Sample ID: RFW-21

Lab Sample ID: 680-24545-2
 Client Matrix: Drinking Water

Date Sampled: 02/20/2007 1209
 Date Received: 02/23/2007 0925

524.2 Purgeable Organic Compounds in Water by GC/MS

Method:	524.2	Analysis Batch: 680-68554	Instrument ID: GC/MS Volatiles - U
Preparation:	N/A		Lab File ID: u3748.d
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	02/27/2007 1151		Final Weight/Volume: 5 mL
Date Prepared:	N/A		

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	<1.0		0.24	1.0
n-Butylbenzene	<0.50		0.24	0.50
N-Propylbenzene	<0.50		0.20	0.50
o-Xylene	<0.50		0.21	0.50
sec-Butylbenzene	<0.50		0.20	0.50
Styrene	<0.50		0.21	0.50
Tert-amyl methyl ether	<0.50		0.32	0.50
tert-Butyl alcohol	<2.0		2.0	2.0
tert-Butylbenzene	<0.50		0.20	0.50
Tert-butyl ethyl ether	<0.50		0.31	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
Tetrachloroethene	<0.50		0.27	0.50
Toluene	<0.50		0.20	0.50
trans-1,2-Dichloroethene	<0.50		0.26	0.50
trans-1,3-Dichloropropene	<0.50		0.20	0.50
1,2,4-Trichlorobenzene	<0.50		0.33	0.50
1,2,3-Trichlorobenzene	<0.50		0.26	0.50
1,1,2-Trichloroethane	<0.50		0.20	0.50
1,1,1-Trichloroethane	<0.50		0.20	0.50
Trichloroethene	<0.50		0.26	0.50
Trichlorofluoromethane	<0.50		0.20	0.50
1,2,3-Trichloropropane	<0.50		0.25	0.50
Trihalomethanes, Total	<0.50		0.26	0.50
1,2,4-Trimethylbenzene	<0.50		0.22	0.50
1,3,5-Trimethylbenzene	<0.50		0.20	0.50
Vinyl chloride	<0.50		0.20	0.50
Xylenes, Total	<0.50		0.31	0.50
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	94		70 - 130	
1,2-Dichlorobenzene-d4	90		70 - 130	

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Client Sample ID: RFW-20

Lab Sample ID: 680-24545-3
 Client Matrix: Drinking Water

Date Sampled: 02/20/2007 1810
 Date Received: 02/23/2007 0925

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2
 Preparation: N/A
 Dilution: 1.0
 Date Analyzed: 02/27/2007 1213
 Date Prepared: N/A

Analysis Batch: 680-68554

Instrument ID: GC/MS Volatiles - U
 Lab File ID: u3749.d
 Initial Weight/Volume: 5 mL
 Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	20		5.0	10
Benzene	<0.50		0.20	0.50
Bromobenzene	<0.50		0.20	0.50
Bromoform	<0.50		0.26	0.50
Bromomethane	<1.0		0.50	1.0
Carbon tetrachloride	<0.50		0.20	0.50
Chlorobenzene	<0.50		0.20	0.50
Chlorobromomethane	<0.50		0.20	0.50
Chlorodibromomethane	<0.50		0.23	0.50
Chloroethane	<1.0		0.50	1.0
Chloroform	<0.50		0.19	0.50
Chloromethane	<0.50		0.40	0.50
2-Chlorotoluene	<0.50		0.20	0.50
4-Chlorotoluene	<0.50		0.20	0.50
cis-1,2-Dichloroethene	<0.50		0.20	0.50
cis-1,3-Dichloropropene	<0.50		0.20	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.35	0.50
Dibromomethane	<0.50		0.20	0.50
1,2-Dichlorobenzene	<0.50		0.20	0.50
1,3-Dichlorobenzene	<0.50		0.20	0.50
1,4-Dichlorobenzene	<0.50		0.21	0.50
Dichlorobromomethane	<0.50		0.20	0.50
Dichlorodifluoromethane	<0.50		0.20	0.50
1,2-Dichloroethane	<0.50		0.20	0.50
1,1-Dichloroethane	<0.50		0.20	0.50
1,1-Dichloroethene	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.20	0.50
2,2-Dichloropropane	<0.50		0.36	0.50
1,2-Dichloropropane	<0.50		0.20	0.50
1,1-Dichloropropene	<0.50		0.20	0.50
1,3-Dichloropropene, Total	<0.50		0.20	0.50
Diisopropyl ether	<0.50		0.21	0.50
Ethylbenzene	<0.50		0.20	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.33	0.50
Hexachlorobutadiene	<0.50		0.36	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.20	0.50
4-Isopropyltoluene	<0.50		0.22	0.50
Methylene Chloride	<0.50		0.30	0.50
Methyl Ethyl Ketone	<10		5.0	10
methyl isobutyl ketone	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.31	0.50

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Client Sample ID: RFW-20

Lab Sample ID: 680-24545-3
 Client Matrix: Drinking Water

Date Sampled: 02/20/2007 1810
 Date Received: 02/23/2007 0925

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2	Analysis Batch: 680-68554	Instrument ID: GC/MS Volatiles - U
Preparation: N/A		Lab File ID: u3749.d
Dilution: 1.0		Initial Weight/Volume: 5 mL
Date Analyzed: 02/27/2007 1213		Final Weight/Volume: 5 mL
Date Prepared: N/A		

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	<1.0		0.24	1.0
n-Butylbenzene	<0.50		0.24	0.50
N-Propylbenzene	<0.50		0.20	0.50
o-Xylene	<0.50		0.21	0.50
sec-Butylbenzene	<0.50		0.20	0.50
Styrene	<0.50		0.21	0.50
Tert-amyl methyl ether	<0.50		0.32	0.50
tert-Butyl alcohol	<2.0		2.0	2.0
tert-Butylbenzene	<0.50		0.20	0.50
Tert-butyl ethyl ether	<0.50		0.31	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
Tetrachloroethene	<0.50		0.27	0.50
Toluene	<0.50		0.20	0.50
trans-1,2-Dichloroethene	<0.50		0.26	0.50
trans-1,3-Dichloropropene	<0.50		0.20	0.50
1,2,4-Trichlorobenzene	<0.50		0.33	0.50
1,2,3-Trichlorobenzene	<0.50		0.26	0.50
1,1,2-Trichloroethane	<0.50		0.20	0.50
1,1,1-Trichloroethane	<0.50		0.20	0.50
Trichloroethene	0.46	J	0.26	0.50
Trichlorofluoromethane	<0.50		0.20	0.50
1,2,3-Trichloropropane	<0.50		0.25	0.50
Trihalomethanes, Total	<0.50		0.26	0.50
1,2,4-Trimethylbenzene	<0.50		0.22	0.50
1,3,5-Trimethylbenzene	<0.50		0.20	0.50
Vinyl chloride	<0.50		0.20	0.50
Xylenes, Total	<0.50		0.31	0.50
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	95		70 - 130	
1,2-Dichlorobenzene-d4	90		70 - 130	

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Client Sample ID: HAMP-22

Lab Sample ID: 680-24545-4
Client Matrix: Drinking Water

Date Sampled: 02/21/2007 0000
Date Received: 02/23/2007 0925

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2
Preparation: N/A
Dilution: 1.0
Date Analyzed: 02/27/2007 1234
Date Prepared: N/A

Analysis Batch: 680-68554

Instrument ID: GC/MS Volatiles - U
Lab File ID: u3750.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	19		5.0	10
Benzene	<0.50		0.20	0.50
Bromobenzene	<0.50		0.20	0.50
Bromoform	<0.50		0.26	0.50
Bromomethane	<1.0		0.50	1.0
Carbon tetrachloride	<0.50		0.20	0.50
Chlorobenzene	<0.50		0.20	0.50
Chlorobromomethane	<0.50		0.20	0.50
Chlorodibromomethane	<0.50		0.23	0.50
Chloroethane	<1.0		0.50	1.0
Chloroform	<0.50		0.19	0.50
Chloromethane	<0.50		0.40	0.50
2-Chlorotoluene	<0.50		0.20	0.50
4-Chlorotoluene	<0.50		0.20	0.50
cis-1,2-Dichloroethene	<0.50		0.20	0.50
cis-1,3-Dichloropropene	<0.50		0.20	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.35	0.50
Dibromomethane	<0.50		0.20	0.50
1,2-Dichlorobenzene	<0.50		0.20	0.50
1,3-Dichlorobenzene	<0.50		0.20	0.50
1,4-Dichlorobenzene	<0.50		0.21	0.50
Dichlorobromomethane	<0.50		0.20	0.50
Dichlorodifluoromethane	<0.50		0.20	0.50
1,2-Dichloroethane	<0.50		0.20	0.50
1,1-Dichloroethane	<0.50		0.20	0.50
1,1-Dichloroethene	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.20	0.50
2,2-Dichloropropane	<0.50		0.36	0.50
1,2-Dichloropropane	<0.50		0.20	0.50
1,1-Dichloropropene	<0.50		0.20	0.50
1,3-Dichloropropene, Total	<0.50		0.20	0.50
Diisopropyl ether	<0.50		0.21	0.50
Ethylbenzene	<0.50		0.20	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.33	0.50
Hexachlorobutadiene	<0.50		0.36	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.20	0.50
4-Isopropyltoluene	<0.50		0.22	0.50
Methylene Chloride	<0.50		0.30	0.50
Methyl Ethyl Ketone	<10		5.0	10
methyl isobutyl ketone	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.31	0.50

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Client Sample ID: HAMP-22

Lab Sample ID: 680-24545-4

Date Sampled: 02/21/2007 0000

Client Matrix: Drinking Water

Date Received: 02/23/2007 0925

524.2 Purgeable Organic Compounds in Water by GC/MS

Method:	524.2	Analysis Batch: 680-68554	Instrument ID: GC/MS Volatiles - U
Preparation:	N/A		Lab File ID: u3750.d
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	02/27/2007 1234		Final Weight/Volume: 5 mL
Date Prepared:	N/A		

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	<1.0		0.24	1.0
n-Butylbenzene	<0.50		0.24	0.50
N-Propylbenzene	<0.50		0.20	0.50
o-Xylene	<0.50		0.21	0.50
sec-Butylbenzene	<0.50		0.20	0.50
Styrene	<0.50		0.21	0.50
Tert-amyl methyl ether	<0.50		0.32	0.50
tert-Butyl alcohol	<2.0		2.0	2.0
tert-Butylbenzene	<0.50		0.20	0.50
Tert-butyl ethyl ether	<0.50		0.31	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
Tetrachloroethene	<0.50		0.27	0.50
Toluene	<0.50		0.20	0.50
trans-1,2-Dichloroethene	<0.50		0.26	0.50
trans-1,3-Dichloropropene	<0.50		0.20	0.50
1,2,4-Trichlorobenzene	<0.50		0.33	0.50
1,2,3-Trichlorobenzene	<0.50		0.26	0.50
1,1,2-Trichloroethane	<0.50		0.20	0.50
1,1,1-Trichloroethane	<0.50		0.20	0.50
Trichloroethene	<0.50		0.26	0.50
Trichlorofluoromethane	<0.50		0.20	0.50
1,2,3-Trichloropropane	<0.50		0.25	0.50
Trihalomethanes, Total	<0.50		0.26	0.50
1,2,4-Trimethylbenzene	<0.50		0.22	0.50
1,3,5-Trimethylbenzene	<0.50		0.20	0.50
Vinyl chloride	<0.50		0.20	0.50
Xylenes, Total	<0.50		0.31	0.50
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	94		70 - 130	
1,2-Dichlorobenzene-d4	90		70 - 130	

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-24545-5
 Client Matrix: Drinking Water

Date Sampled: 02/21/2007 0000
 Date Received: 02/23/2007 0925

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2
 Preparation: N/A
 Dilution: 1.0
 Date Analyzed: 02/27/2007 1255
 Date Prepared: N/A

Analysis Batch: 680-68554

Instrument ID: GC/MS Volatiles - U
 Lab File ID: u3751.d
 Initial Weight/Volume: 5 mL
 Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	21		5.0	10
Benzene	<0.50		0.20	0.50
Bromobenzene	<0.50		0.20	0.50
Bromoform	<0.50		0.26	0.50
Bromomethane	<1.0		0.50	1.0
Carbon tetrachloride	<0.50		0.20	0.50
Chlorobenzene	<0.50		0.20	0.50
Chlorobromomethane	<0.50		0.20	0.50
Chlorodibromomethane	<0.50		0.23	0.50
Chloroethane	<1.0		0.50	1.0
Chloroform	<0.50		0.19	0.50
Chloromethane	<0.50		0.40	0.50
2-Chlorotoluene	<0.50		0.20	0.50
4-Chlorotoluene	<0.50		0.20	0.50
cis-1,2-Dichloroethene	<0.50		0.20	0.50
cis-1,3-Dichloropropene	<0.50		0.20	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.35	0.50
Dibromomethane	<0.50		0.20	0.50
1,2-Dichlorobenzene	<0.50		0.20	0.50
1,3-Dichlorobenzene	<0.50		0.20	0.50
1,4-Dichlorobenzene	<0.50		0.21	0.50
Dichlorobromomethane	<0.50		0.20	0.50
Dichlorodifluoromethane	<0.50		0.20	0.50
1,2-Dichloroethane	<0.50		0.20	0.50
1,1-Dichloroethane	<0.50		0.20	0.50
1,1-Dichloroethene	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.20	0.50
2,2-Dichloropropane	<0.50		0.36	0.50
1,2-Dichloropropane	<0.50		0.20	0.50
1,1-Dichloropropene	<0.50		0.20	0.50
1,3-Dichloropropene, Total	<0.50		0.20	0.50
Diisopropyl ether	<0.50		0.21	0.50
Ethylbenzene	<0.50		0.20	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.33	0.50
Hexachlorobutadiene	<0.50		0.36	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.20	0.50
4-Isopropyltoluene	<0.50		0.22	0.50
Methylene Chloride	<0.50		0.30	0.50
Methyl Ethyl Ketone	<10		5.0	10
methyl isobutyl ketone	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.31	0.50

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-24545-5
 Client Matrix: Drinking Water

Date Sampled: 02/21/2007 0000
 Date Received: 02/23/2007 0925

524.2 Purgeable Organic Compounds in Water by GC/MS

Method:	524.2	Analysis Batch: 680-68554	Instrument ID: GC/MS Volatiles - U
Preparation:	N/A		Lab File ID: u3751.d
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	02/27/2007 1255		Final Weight/Volume: 5 mL
Date Prepared:	N/A		

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	<1.0		0.24	1.0
n-Butylbenzene	<0.50		0.24	0.50
N-Propylbenzene	<0.50		0.20	0.50
o-Xylene	<0.50		0.21	0.50
sec-Butylbenzene	<0.50		0.20	0.50
Styrene	<0.50		0.21	0.50
Tert-amyl methyl ether	<0.50		0.32	0.50
tert-Butyl alcohol	<2.0		2.0	2.0
tert-Butylbenzene	<0.50		0.20	0.50
Tert-butyl ethyl ether	<0.50		0.31	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
Tetrachloroethene	<0.50		0.27	0.50
Toluene	<0.50		0.20	0.50
trans-1,2-Dichloroethene	<0.50		0.26	0.50
trans-1,3-Dichloropropene	<0.50		0.20	0.50
1,2,4-Trichlorobenzene	<0.50		0.33	0.50
1,2,3-Trichlorobenzene	<0.50		0.26	0.50
1,1,2-Trichloroethane	<0.50		0.20	0.50
1,1,1-Trichloroethane	<0.50		0.20	0.50
Trichloroethene	<0.50		0.26	0.50
Trichlorofluoromethane	<0.50		0.20	0.50
1,2,3-Trichloropropane	<0.50		0.25	0.50
Trihalomethanes, Total	<0.50		0.26	0.50
1,2,4-Trimethylbenzene	<0.50		0.22	0.50
1,3,5-Trimethylbenzene	<0.50		0.20	0.50
Vinyl chloride	<0.50		0.20	0.50
Xylenes, Total	<0.50		0.31	0.50
Surrogate	%Rec		Acceptance Limits	
4-Bromofluorobenzene	94		70 - 130	
1,2-Dichlorobenzene-d4	90		70 - 130	

DATA REPORTING QUALIFIERS

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Lab Section	Qualifier	Description
GC/MS VOA	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Surrogate Recovery Report

524.2 Purgeable Organic Compounds in Water by GC/MS

Client Matrix: Water

<u>Lab Sample ID</u>	<u>Client Sample</u>	<u>(12DCB) (%Rec)</u>	<u>(BFB) (%Rec)</u>
LCS 680-68554/16		97	96
MB 680-68554/17		90	92
680-24545-1TB	Trip Blank	88	93
680-24545-2	RFW-21	90	94
680-24545-3	RFW-20	90	95
680-24545-4	HAMP-22	90	94
680-24545-5	HAMP-23	90	94

Surrogate

Acceptance Limits

(12DCB)	1,2-Dichlorobenzene-d4	70 - 130
(BFB)	4-Bromofluorobenzene	70 - 130

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Method Blank - Batch: 680-68554

Method: 524.2
Preparation: N/A

Lab Sample ID: MB 680-68554/17
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2007 1047
Date Prepared: N/A

Analysis Batch: 680-68554
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq1561.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Acetone	<10		5.0	10
Benzene	<0.50		0.20	0.50
Bromobenzene	<0.50		0.20	0.50
Bromoform	<0.50		0.26	0.50
Bromomethane	<1.0		0.50	1.0
Carbon tetrachloride	<0.50		0.20	0.50
Chlorobenzene	<0.50		0.20	0.50
Chlorobromomethane	<0.50		0.20	0.50
Chlorodibromomethane	<0.50		0.23	0.50
Chloroethane	<1.0		0.50	1.0
Chloroform	<0.50		0.19	0.50
Chloromethane	<0.50		0.40	0.50
4-Chlorotoluene	<0.50		0.20	0.50
2-Chlorotoluene	<0.50		0.20	0.50
cis-1,2-Dichloroethene	<0.50		0.20	0.50
cis-1,3-Dichloropropene	<0.50		0.20	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.35	0.50
Dibromomethane	<0.50		0.20	0.50
1,4-Dichlorobenzene	<0.50		0.21	0.50
1,3-Dichlorobenzene	<0.50		0.20	0.50
1,2-Dichlorobenzene	<0.50		0.20	0.50
Dichlorobromomethane	<0.50		0.20	0.50
Dichlorodifluoromethane	<0.50		0.20	0.50
1,2-Dichloroethane	<0.50		0.20	0.50
1,1-Dichloroethane	<0.50		0.20	0.50
1,1-Dichloroethene	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.20	0.50
2,2-Dichloropropane	<0.50		0.36	0.50
1,2-Dichloropropane	<0.50		0.20	0.50
1,1-Dichloropropene	<0.50		0.20	0.50
1,3-Dichloropropene, Total	<0.50		0.20	0.50
Diisopropyl ether	<0.50		0.21	0.50
Ethylbenzene	<0.50		0.20	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.33	0.50
Hexachlorobutadiene	<0.50		0.36	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.20	0.50
4-Isopropyltoluene	<0.50		0.22	0.50
Methylene Chloride	<0.50		0.30	0.50
Methyl Ethyl Ketone	<10		5.0	10

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Method Blank - Batch: 680-68554

Method: 524.2
Preparation: N/A

Lab Sample ID: MB 680-68554/17
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2007 1047
Date Prepared: N/A

Analysis Batch: 680-68554
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq1561.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
methyl isobutyl ketone	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.31	0.50
Naphthalene	<1.0		0.24	1.0
n-Butylbenzene	<0.50		0.24	0.50
N-Propylbenzene	<0.50		0.20	0.50
o-Xylene	<0.50		0.21	0.50
sec-Butylbenzene	<0.50		0.20	0.50
Styrene	<0.50		0.21	0.50
Tert-amyl methyl ether	<0.50		0.32	0.50
tert-Butyl alcohol	<2.0		2.0	2.0
tert-Butylbenzene	<0.50		0.20	0.50
Tert-butyl ethyl ether	<0.50		0.31	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.20	0.50
Tetrachloroethene	<0.50		0.27	0.50
Toluene	<0.50		0.20	0.50
trans-1,2-Dichloroethene	<0.50		0.26	0.50
trans-1,3-Dichloropropene	<0.50		0.20	0.50
1,2,4-Trichlorobenzene	<0.50		0.33	0.50
1,2,3-Trichlorobenzene	<0.50		0.26	0.50
1,1,1-Trichloroethane	<0.50		0.20	0.50
1,1,2-Trichloroethane	<0.50		0.20	0.50
Trichloroethene	<0.50		0.26	0.50
Trichlorofluoromethane	<0.50		0.20	0.50
1,2,3-Trichloropropane	<0.50		0.25	0.50
Trihalomethanes, Total	<0.50		0.26	0.50
1,3,5-Trimethylbenzene	<0.50		0.20	0.50
1,2,4-Trimethylbenzene	<0.50		0.22	0.50
Vinyl chloride	<0.50		0.20	0.50
Xylenes, Total	<0.50		0.31	0.50

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	92	70 - 130
1,2-Dichlorobenzene-d4	90	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Lab Control Spike - Batch: 680-68554

Method: 524.2
Preparation: N/A

Lab Sample ID: LCS 680-68554/16
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2007 0938
Date Prepared: N/A

Analysis Batch: 680-68554
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq1559.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Acetone	40.0	50.1	125	70 - 130	
Benzene	20.0	19.7	99	70 - 130	
Bromobenzene	20.0	20.2	101	70 - 130	
Bromoform	20.0	20.2	101	70 - 130	
Bromomethane	20.0	24.0	120	70 - 130	
Carbon tetrachloride	20.0	20.4	102	70 - 130	
Chlorobenzene	20.0	20.1	101	70 - 130	
Chlorobromomethane	20.0	21.5	108	70 - 130	
Chlorodibromomethane	20.0	21.5	108	70 - 130	
Chloroethane	20.0	19.7	98	70 - 130	
Chloroform	20.0	20.7	104	70 - 130	
Chloromethane	20.0	20.0	100	70 - 130	
2-Chlorotoluene	20.0	19.7	99	70 - 130	
4-Chlorotoluene	20.0	20.5	103	70 - 130	
cis-1,2-Dichloroethene	20.0	19.9	99	70 - 130	
cis-1,3-Dichloropropene	20.0	20.8	104	70 - 130	
1,2-Dibromo-3-Chloropropane	20.0	23.1	116	70 - 130	
Dibromomethane	20.0	20.7	104	70 - 130	
1,2-Dichlorobenzene	20.0	20.3	101	70 - 130	
1,3-Dichlorobenzene	20.0	20.2	101	70 - 130	
1,4-Dichlorobenzene	20.0	20.3	102	70 - 130	
Dichlorobromomethane	20.0	21.1	105	70 - 130	
Dichlorodifluoromethane	20.0	21.2	106	70 - 130	
1,1-Dichloroethane	20.0	20.7	103	70 - 130	
1,2-Dichloroethane	20.0	21.2	106	70 - 130	
1,1-Dichloroethene	20.0	22.2	111	70 - 130	
1,2-Dichloropropane	20.0	20.4	102	70 - 130	
1,3-Dichloropropane	20.0	20.5	103	70 - 130	
2,2-Dichloropropane	20.0	20.1	100	70 - 130	
1,1-Dichloropropene	20.0	20.4	102	70 - 130	
1,3-Dichloropropene, Total	40.0	41.7	104	70 - 130	
Diisopropyl ether	16.0	17.5	109	70 - 130	
Ethylbenzene	20.0	20.8	104	70 - 130	
Ethylene Dibromide	20.0	20.6	103	70 - 130	
Freon 113	16.0	20.3	127	70 - 130	
Hexachlorobutadiene	20.0	20.2	101	70 - 130	
2-Hexanone	40.0	44.5	111	70 - 130	
Isopropylbenzene	20.0	20.6	103	70 - 130	
4-Isopropyltoluene	20.0	20.6	103	70 - 130	
Methylene Chloride	20.0	20.2	101	70 - 130	
Methyl Ethyl Ketone	40.0	45.6	114	70 - 130	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-24545-1

Lab Control Spike - Batch: 680-68554

Method: 524.2
Preparation: N/A

Lab Sample ID: LCS 680-68554/16
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/27/2007 0938
Date Prepared: N/A

Analysis Batch: 680-68554
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq1559.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
methyl isobutyl ketone	40.0	44.0	110	70 - 130	
m-Xylene & p-Xylene	40.0	41.4	104	70 - 130	
Naphthalene	20.0	20.7	103	70 - 130	
n-Butylbenzene	20.0	21.0	105	70 - 130	
N-Propylbenzene	20.0	21.0	105	70 - 130	
o-Xylene	20.0	20.4	102	70 - 130	
sec-Butylbenzene	20.0	20.9	105	70 - 130	
Styrene	20.0	20.7	104	70 - 130	
Tert-amyl methyl ether	16.0	15.3	96	70 - 130	
tert-Butyl alcohol	80.0	87.7	110	70 - 130	
tert-Butylbenzene	20.0	20.1	101	70 - 130	
Tert-butyl ethyl ether	16.0	16.1	100	70 - 130	
1,1,1,2-Tetrachloroethane	20.0	21.1	105	70 - 130	
1,1,2,2-Tetrachloroethane	20.0	21.4	107	70 - 130	
Tetrachloroethene	20.0	20.4	102	70 - 130	
Toluene	20.0	20.1	100	70 - 130	
trans-1,2-Dichloroethene	20.0	19.2	96	70 - 130	
trans-1,3-Dichloropropene	20.0	20.9	104	70 - 130	
1,2,3-Trichlorobenzene	20.0	20.2	101	70 - 130	
1,2,4-Trichlorobenzene	20.0	20.0	100	70 - 130	
1,1,1-Trichloroethane	20.0	21.0	105	70 - 130	
1,1,2-Trichloroethane	20.0	20.1	100	70 - 130	
Trichloroethene	20.0	19.3	97	70 - 130	
Trichlorofluoromethane	20.0	23.4	117	70 - 130	
1,2,3-Trichloropropane	20.0	21.4	107	70 - 130	
Trihalomethanes, Total	80.0	84.0	105	70 - 130	
1,2,4-Trimethylbenzene	20.0	20.6	103	70 - 130	
1,3,5-Trimethylbenzene	20.0	20.7	103	70 - 130	
Vinyl chloride	20.0	21.0	105	70 - 130	
Xylenes, Total	60.0	61.8	103	70 - 130	

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	96	70 - 130
1,2-Dichlorobenzene-d4	97	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD



STL Savannah
 5102 LaRoche Avenue
 Savannah, GA 31404
 Website: www.stl-inc.com
 Phone: (912) 354-7858
 Fax: (912) 352-0165

Alternate Laboratory Name/Location
 Phone:
 Fax:

PROJECT REFERENCE Black + Decker	PROJECT NO. 02501.004.004.070	PROJECT LOCATION (STATE) MD	MATRIX TYPE	REQUIRED ANALYSIS										PAGE	OF	
STL (LAB) PROJECT MANAGER Bernard Kirkland	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	524.2	PRESERVATIVE										STANDARD REPORT DELIVERY <input type="checkbox"/>	
CLIENT (SITE) PM Greg Flaszinski	CLIENT PHONE 610.701.7293	CLIENT FAX													DATE DUE _____	
CLIENT NAME Black + Decker / Weston	CLIENT E-MAIL														EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="checkbox"/>	
CLIENT ADDRESS															DATE DUE _____	
COMPANY CONTRACTING THIS WORK (if applicable)				NUMBER OF CONTAINERS SUBMITTED										REMARKS		

SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED										REMARKS
DATE	TIME							1	2	3	4	5	6	7	8	9	10	
2/20/07	0800	Trip Blank	✓					2										Drinking Water
	1209	RFW-21	✓					3										
	1810	RFW-20	✓					3										524.2
2/21/07		HAMP-22	✓					3										
		HAMP-23	✓					3										

TEMP: 0.6

RELINQUISHED BY (SIGNATURE) <i>Greg Flaszinski</i>	DATE 2/20/07	TIME 1600	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME

RECEIVED FOR LABORATORY BY (SIGNATURE) <i>Bernard Kirkland</i>	DATE 2-23-07	TIME 0935	CUSTODY INTACT YES <input type="checkbox"/> NO <input type="checkbox"/>	CUSTODY SEAL NO.	STL SAVANNAH LOG NO. 680-24545	LABORATORY REMARKS
---	-----------------	--------------	---	------------------	-----------------------------------	--------------------

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

STL Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Website: www.stl-inc.com
Phone: (912) 354-7858
Fax: (912) 352-0165

Alternate Laboratory Name/Location

Phone:
Fax:

SEVERN
TRENT

STL

PROJECT REFERENCE Black + Decker	PROJECT NO. 02501.004.004.070	PROJECT LOCATION (STATE) MD	MATRIX TYPE	REQUIRED ANALYSIS										PAGE	OF
STL (LAB) PROJECT MANAGER Bernard Kirkland	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	524.2										STANDARD REPORT DELIVERY <input type="checkbox"/>	
CLIENT (SITE) PM Greg Flasiński	CLIENT PHONE 610.701.7293	CLIENT FAX												DATE DUE _____	
CLIENT NAME Black + Decker / Weston	CLIENT E-MAIL	EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="checkbox"/>													
CLIENT ADDRESS	DATE DUE _____														
COMPANY CONTRACTING THIS WORK (if applicable)														NUMBER OF COOLERS SUBMITTED PER SHIPMENT:	

SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED										REMARKS
DATE	TIME																	
2/20/07	0800	Trip Blank	✓				2											Drinking Water
	1209	RFW-21	✓				3											
	1810	RFW-20	✓				3											524.2
2/21/07		HAMP-22	✓				3											
		HAMP-23	✓				3											

TEMP: 0.6

RELINQUISHED BY: (SIGNATURE) <i>Greg Flasiński</i>	DATE 2/20/07	TIME 1600	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME

LABORATORY USE ONLY								
RECEIVED FOR LABORATORY BY: (SIGNATURE) <i>Brian ...</i>	DATE 2-23-07	TIME 0925	CUSTODY INTACT YES <input type="checkbox"/> NO <input type="checkbox"/>	CUSTODY SEAL NO.	STL SAVANNAH LOG NO. 4280-24545	LABORATORY REMARKS		