Quarterly Groundwater Monitoring Report

Prepared for

Black & Decker (U.S.) Inc.

Hampstead, Maryland

April 2009

Prepared by

WESTON SOLUTIONS, INC.

West Chester, Pennsylvania 19380-1499

TABLE OF CONTENTS

LIST OF APPENDICES

LIST OF TABLES

Table **Page**

1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of January through March 2009.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of January through March 2009, the extraction wells were pumping at an average combined rate of approximately 154 gallons per minute (gpm).

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of January through March 2009 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of January through March 2009, approximately 17.9 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (81.4%) and tetrachloroethene (PCE) (18.6%). Analytical results of the groundwater collected from the air stripper for the period of January through March 2009 are included in Appendix C.

A summary of the analytical results from the third quarter (February 2009) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

Table 2-1
Treatment System Pumping Records - 1st Quarter 2009
Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
January 2009	6,143,140
February 2009	5,882,030
March 2009	6,039,130

Table 2-2
Groundwater Elevation Data - 1st Quarter 2009
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV.	TOTAL DEPTH	1/22/2009 DTW	1/22/2009 ELEV	2/25/2009 DTW	2/25/2009 ELEV	3/18/2009 DTW	3/18/2009 ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	68.90	780.31	78.11	771.10	79.54	769.67
EW-3	846.64	118	90.41	756.23	77.31	769.33	81.13	765.51
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	63.42	800.75	71.25	792.92	69.41	794.76
EW-6	831.98	115	102.91	729.07	103.26	728.72	101.87	730.11
EW-7	818.38	78	72.69	745.69	71.79	746.59	70.43	747.95
EW-8	811.13	98	90.60	720.53	91.41	719.72	90.84	720.29
EW-9	811.35	141	104.78	706.57	104.00	707.35	102.00	709.35
EW-10	807.74	INA	64.31	743.43	55.88	751.86	56.11	751.63
RFW-1A	864.37	78	47.68	816.69	49.39	814.98	50.46	813.91
RFW-1B	864.23	200	47.74	816.49	49.45	814.78	50.51	813.72
RFW-2A	857.41	35	17.94	839.47	16.06	841.35	15.94	841.47
RFW-2B	857.73	75	18.47	839.26	16.72	841.01	16.36	841.37
RFW-3B	839.21	153	39.21	800.00	37.65	801.56	36.89	802.32
RFW-4A	830.37	62	39.57	790.80	41.86	788.51	39.47	790.90
RFW-4B	830.37	120	39.46	790.91	41.71	788.66	39.26	791.11
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	4.61	780.43	5.81	779.23	5.04	780.00
RFW-7	805.14	29	7.49	797.65	7.18	797.96	7.49	797.65
RFW-8	860.07	56	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	28.11	833.91	27.11	834.91	28.40	833.62
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	67.40	782.22	67.43	782.19	66.84	782.78
RFW-12B	844.87	264	51.32	793.55	50.86	794.01	50.39	794.48
RFW-13	849.11	150	66.60	782.51	66.87	782.24	66.91	782.20
RFW-14B	812.39	281	46.30	766.09	50.45	761.94	50.61	761.78
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	28.73	805.93	28.16	806.50	28.33	806.33
RFW-20	842.49	142	33.34	809.15	36.09	806.40	36.16	806.33
RFW-21	832.65	102	23.86	808.79	23.00	809.65	22.94	809.71
PH-7	805.94	89	41.31	764.63	33.81	772.13	34.04	771.90
PH-9	814.94	98	50.08	764.86	56.80	758.14	55.41	759.53
PH-11	820.68	78	51.86	768.82	51.26	769.42	50.94	769.74
PH-12	828.35	87	52.93	775.42	54.04	774.31	53.90	774.45
B-3	803.02	83	8.94	794.08	9.22	793.80	8.74	794.28
Amoco	842.29	INA	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	INA	18.12	786.84	16.99	787.97	13.84	791.12
Pembroke #1	INA	INA	12.88	NC	11.73	NC	12.11	NC
Pembroke #2	INA	INA	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	INA	INA	10.12	NC	10.26	NC	9.44	NC
E. Century St.	INA	INA	21.19	NC	19.20	NC	21.20	NC
Lwr. Beckleys. Rd.	INA	INA	55.10	NC	54.73	NC	54.81	NC

NA - Not Available/Not Accessible
NC - Not Calculable
INA - Information not available
PC - Pump Cycles

Table 2-3
Effluent Characteristics Summary - 1st Quarter 2009
Black & Decker
Hampstead, Maryland

Discharge Number	Parameter		Units	Permit Limits	DMR DATE		
					January 2009	February 2009	March 2009
001	FLOW	average	MGD	NA	0.184	0.141	0.081
		maximum	MGD	NA	0.233	0.194	0.199
	1,1,1-Trichloroethane		ug/l	5	< 1	< 1	< 1
	Tetrachloroethylene		ug/l	5	< 1	< 1	< 1
	Trichloroethylene		ug/l	5	< 1	< 1	< 1
	Total Residual Chlorine		mg/l	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease	maximum	mg/l	15	< 5	7	7.0
		quarterly average	mg/l	10	< 5	7	7.0
	pH	minimum	STD	6.0	6.40	6.40	6.40
		maximum	STD	8.5	6.90	6.70	7.30
	BOD		mg/l	15	2.0	0.0	4.0
	TSS	maximum	mg/l	30	4.0	0.0	10.0
		quarterly average	mg/l	20	4.0	0.0	10.0
101 (Monitoring Point)	FLOW	average	MGD	NA	0.329	0.344	0.317
		maximum	MGD	NA	0.422	0.441	0.398
	Fecal Coliform		MPN/100ml	200	2.0	2.0	1.0
201 (Monitoring Point)	FLOW	average	MGD	NA	NR	NR	0.201
		maximum	MGD	NA	NR	NR	0.255
	1,1,1-Trichloroethane		ug/l	NA	NR	NR	< 1
	Tetrachloroethylene		ug/l	NA	NR	NR	< 1
	Trichloroethylene		ug/l	NA	NR	NR	< 1

DMR - Discharge Monitoring Report
NA - Not Applicable
NR - Not Reported

Table 2-4
Summary of Groundwater Analytical Results - February 2009
Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1.1	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.6	2.3	1 U	1 U	1 U	7.1	28	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	420	110	930	200	13	5.7	13	1.5	1.5	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	65	3.4	21	12	21	12	81	170	190	1.7
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.
NS = Not Sampled

Table 2-4
Summary of Groundwater Analytical Results - February 2009
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4B	RFW-4B (DUP)	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.2	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	4	1 U	3.7	3.9	NS	1 U	1 U	NS	14	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1.1	1.8	2	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.5	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1.4	1.9	3.1	24	52	57	NS	3.4	5.1	NS	16	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1.3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	2.5	16	81	91	NS	3.3	1 U	NS	6.8	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
NS = Not sampled
U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.

Table 2-4
Summary of Groundwater Analytical Results - February 2009
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
												USEPA drinking water method 524.2				
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.26 J	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	2.9	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.33 J	0.44 J	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.33 J	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	11	450	4.4	NS	1 U	ABD	ABD	ABD	1 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.36 J	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.26 J	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	44	20	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

analytical data package is included in Appendix D.

As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells RFW-12B and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from wells RFW-4B and EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (January through March 2009) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

Table 3-1
Treatment System Maintenance Activities - 1st Quarter 2009
Black & Decker
Hampstead, Maryland

Date	Event/Corrective Action
Jan-09	EW - 5 will only run on local setting, replaced 2 relays. Well is back on line.
Jan-09	Broken valve in air stripper, causing the air stripper to be shut down for 5 hours. The valve was replaced, the stripper is back online.
Jan-09	Replaced the heater in EW-10.
Feb-09	Alarm at the stripper due to a high wet well. The system was reset everything is okay.
Feb-09	Repair the auto dialer at the stripper.
Mar-09	EW - 5 went down. Replaced the heaters in the contactor. Also the pump motor was shorted out. A new motor was installed, the well was bleached and is back online.
Mar-09	Alarm at the stripper due to a high column blower failure. The system was reset everything is okay.
Mar-09	EW-6 went down. Replaced a bad relay. The well is now back online.

4. RECOMMENDATIONS

For the reporting period of January through March 2009, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS
(JANUARY – MARCH 2009)

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By: Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763. Scott Steedman 0764, Gary Dickerson 0782, Gary Kesselring 1962

Permit Number: 02-DP-0022
Operator: Earle Villarreal
Certification # 1017

Month: January
Year: 2009

	Final-Effluent outfall 001											Outfall 101						Outfall 201				
Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD_5 mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	Discharge mgd	Comments
1	clear	0.0180									0.02800		0.0	2.0	2.0	5.0				0.174814	gdickerson
2	clear	0.0233	6.57	0.00							0.03790		0.0	5.0	2.0	5.0				0.234914	djones
3	clear	0.0196									0.03180		0.0	2.0	2.0	5.0				0.196370	djones
4	clear	0.0198									0.03270		0.0	1.0	2.0	5.0				0.223421	djones
5	clear	0.0188									0.03100		0.0	1.0	2.0	5.0				0.200892	ssteedman
6	clear	0.0179	6.89	0.00							0.02800		0.0	1.0	2.0	5.0				0.182166	ssteedman
7	clear	0.0197			< 1.00	< 1.00	< 1.00	2.0	4.0	< 5.0	0.03020	< 1.8	0.0	1.0	2.0	3.7				0.202928	djones
8	clear	0.0210	6.35	0.00							0.03770		0.0	2.0	2.0	5.0				0.220607	djones
9	clear	0.0190									0.03640		0.0	1.0	2.0	5.0				0.196925	djones
10	clear	0.0183									0.03410		0.0	1.0	2.0	5.0				0.201982	ssteedman
11	clear	0.0170									0.03090		0.0	1.0	2.0	5.0				0.207462	ssteedman
12	clear	0.0182									0.03290		0.0	4.0	2.0	5.0				0.195931	djones
13	clear	0.0180	6.40	0.00							0.03780		0.0	5.0	1.0	3.1				0.193201	djones
14	clear	0.0167									0.03970	< 1.8	1.0	1.0	1.0	5.0				0.215890	djones
15	clear	0.0165	6.36	0.00							0.03360		1.0	1.0	1.0	5.0				0.184410	djones
16	clear	0.0202									0.03440		1.0	1.0	2.0	5.0				0.183945	ssteedman
17	clear	0.0185									0.03150		1.0	1.0	2.0	3.1				0.186590	gdickerson
18	clear	0.0184									0.03110		1.0	1.0	2.0	5.0				0.188592	gdickerson
19	clear	0.0193									0.03270		1.0	1.0	2.0	5.0				0.203741	ssteedman
20	clear	0.0153									0.02430		0.0	1.0	2.0	5.0				0.165983	ssteedman
21	clear	0.0188	6.50	0.00							0.03020	< 1.8	0.0	3.0	2.0	3.9	< 1	< 1	< 1	0.170514	djones
22	clear	0.0181									0.04130		1.0	5.0	2.0	5.0				0.206406	djones
23	clear	0.0192	6.54	0.00							0.03120		1.0	1.0	2.0	5.0				0.190573	djones
24	clear	0.0185									0.02880		0.0	1.0	2.0	5.0				0.195292	ssteedman
25	clear	0.0170									0.02580		0.0	1.0	2.0	5.0				0.193742	ssteedman
26	clear	0.0146									0.02400		0.0	2.0	2.0	5.0				0.174445	djones
27	clear	0.0187	6.50	0.00							0.03300		1.0	5.0	2.0	2.9				0.222808	djones
28	clear	0.0187									0.03110	2.0	1.0	5.0	2.0	5.0				0.220089	gdickerson
29	clear	0.0186	6.52	0.00							0.03940		0.0	5.0	2.0	5.0				0.229208	djones
30	clear	0.0161									0.03760		0.0	5.0	1.0	3.1				0.168465	djones
31	clear	0.0178									0.04220		1.0	5.0	2.0	5.0				0.210835	djones
Total		0.5696	58.63	0.00	0	0	0	2	4	0	1.02130	5	11.0	72.0	58.0	144.8	0.00	0.00	0.00	6.14314	
Average		0.0184	6.51	<0.10	0	0	0	2	4	0	0.03295	1	0.4	2.3	1.9	4.7	0.00	0.00	0.00	0.19817	
Minimim		0.0146	6.35	0.00	0	0	0	2	4	0	0.02400	1	0.0	1.0	1.0	2.9	0.00	0.00	0.00	0.16598	
Maximim		0.0233	6.89	<0.10	0	0	0	2	4	0	0.04220	2	1.0	5.0	2.0	5.0	0.00	0.00	0.00	0.23491	MOR 5-07-08

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By: Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, Scott Steedman 0764, Gary Dickerson 0782, Gary Kesseiring 1962,

Permit Number: 02-DP-0022
Operator: Earle Villarreal

Certification # 1017

Month: February
Year: 2009

	Final Effluent outfall 001											Outfall 101						Outfall 201				
Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD_5 mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	Discharge mgd	Comments
1	clear	0.0194									0.44100		0.0	2.0	2.0	2.8				0.199705	djones
2	clear	0.0154									0.35500		0.0	3.0	2.0	5.0				0.255276	ssteedman
3	clear	0.0163									0.35500		0.0	1.0	2.0	4.4				0.193058	gkesserling
4	clear	0.0174	6.50	0.00	< 1.00	< 1.00	< 1.00	< 2.0	< 4.0	7.2	0.40300	2	3.0	1.0	1.0	2.6				0.212463	djones
5	clear	0.0175									0.27400		3.0	2.0	1.0	5.0				0.221084	djones
6	clear	0.0177	6.45	0.00							0.38900		2.0	1.0	1.0	5.0				0.203921	djones
7	clear	0.0165									0.36300		2.0	1.0	1.0	5.0				0.205066	gdickerson
8	clear	0.0185									0.41700		2.0	1.0	1.0	4.4				0.225234	gdickerson
9	clear	0.0154									0.33600		2.0	2.0	1.0	4.3				0.193999	gkesserling
10	clear	0.0160	6.40	0.00							0.29000		3.0	1.0	1.0	5.0				0.195569	djones
11	clear	0.0168									0.32900	< 1.8	2.0	1.0	1.0	5.0				0.207492	djones
12	clear	0.0180	6.45	0.00							0.36600		2.0	3.0	1.0	3.0				0.240308	djones
13	clear	0.0163									0.33900		2.0	2.0	2.0	5.0				0.207143	ssteedman
14	clear	0.0155									0.32000		1.0	2.0	1.0	5.0				0.208040	ssteedman
15	clear	0.0159									0.33800		0.0	1.0	1.0	5.0				0.227121	ssteedman
16	clear	0.0147									0.31600		0.0	5.0	1.0	5.0				0.205583	gkesserling
17	clear	0.0145	6.43	0.00							0.27700		0.0	2.0	2.0	5.0				0.174844	gkesserling
18	clear	0.0145									0.37300	< 1.8	0.0	2.0	2.0	5.0				0.239145	ssteedman
19	clear	0.0138	6.60	0.00							0.32600		0.0	1.0	2.0	5.0				0.211072	ssteedman
20	clear	0.0125									0.32900		0.0	5.0	1.0	5.0				0.202605	ssteedman
21	clear	0.0092									0.32800		0.0	2.0	1.0	5.0				0.210551	djones
22	clear	0.0087									0.31300		0.0	2.0	1.0	5.0				0.213399	djones
23	clear	0.0089									0.30800		0.0	2.0	1.0	5.0				0.202460	ssteedman
24	clear	0.0092	6.74	0.00							0.30300		0.0	2.0	2.0	5.0				0.205390	ssteedman
25	clear	0.0089									0.28100	< 1.8	0.0	2.0	2.0	2.2				0.210697	djones
26	clear	0.0094	6.60	0.00							0.42500		0.0	5.0	2.0	5.0				0.212232	djones
27	clear	0.0095									0.36900		1.0	3.0	2.0	4.8				0.186459	djones
28	clear	0.0093									0.36100		0.0	1.0	2.0	2.8				0.212118	gdickerson
29																					
30																					
31																					
Total		0.3957			0	0	0	0	0	7	9.62400	5	25.0	58.0	40.0	126.3	0.00	0.00	0.00	5.88203	
Average		0.0141	6.52	<0.10	0	0	0	0	0	7	0.34371	1	0.9	2.1	1.4	4.5	#DIV/0!	#DIV/0!	######	0.21007	
Minimum		0.0087	6.40	0.00	0	0	0	0	0	7	0.27400	1	0.0	1.0	1.0	2.2	0.00	0.00	0.00	0.17484	
Maximum		0.0194	6.74	<0.10	0	0	0	0	0	7	0.44100	2	3.0	5.0	2.0	5.0	0.00	0.00	0.00	0.25528	MOR 5-07-08.

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By: Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763. Scott Steedman 0764, Gary Dickerson 0782, Douglas Myers 723

Permit Number: 02-DP-0022
Operator: Earle Villarreal
Certification # 1017

Month: March
Year: 2009

	Final Effluent outfall 001											Outfall 101						Outfall 201				
Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD_5 mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	Discharge mgd	Comments
1	clear	0.0086									0.34400		0.0	1.0	2.0	5.0				0.203566	gdickerson
2	clear	0.0085	7.11								0.35900		1.0	1.0	2.0	3.4				0.200464	dmyers
3	clear	0.0087	6.70	0.00							0.32800		1.0	3.0	1.0	5.0				0.190308	djones
4	clear	0.0075									0.31100	< 1.8	1.0	5.0	2.0	5.0				0.159337	djones
5	clear	0.0086	6.35	0.00							0.34100		2.0	5.0	2.0	5.0				0.199193	djones
6	clear	0.0091									0.37100		2.0	3.0	2.0	5.0				0.183131	djones
7	clear	0.0075									0.30000		2.0	1.0	2.0	5.0				0.166741	ssteedman
8	clear	0.0066									0.27200		2.0	1.0	2.0	5.0				0.109386	ssteedman
9	clear	0.0073									0.39800		2.0	1.0	2.0	5.0				0.187325	djones
10	clear	0.0067	6.60	0.00							0.30400		3.0	1.0	2.0	5.0				0.176341	djones
11	clear	0.0072			< 1.00	< 1.00	< 1.00	4.0	10.0	6.5	0.36200	< 1.8	3.0	18.0	2.0	5.0				0.200762	djones
12	clear	0.0070	6.64	0.00							0.30300		3.0	15.0	2.0	5.0				0.189543	djones
13	clear	0.0060									0.19400		2.0	5.0	2.0	5.0				0.160228	djones
14	clear	0.0079									0.34500		1.0	10.0	2.0	5.0				0.232620	djones
15	clear	0.0069									0.32500		0.0	5.0	2.0	5.0				0.197943	djones
16	clear	0.0068	7.32	0.00							0.31200		0.0	5.0	2.0	5.0				0.227785	dcoale
17	clear	0.0063									0.26000		0.0	2.0	2.0	5.0				0.171538	ssteedman
18	clear	0.0071									0.30700	< 1.8	0.0	3.0	2.0	5.0				0.213605	djones
19	clear	0.0074	6.55	0.00							0.32300		0.0	5.0	2.0	5.0				0.226669	djones
20	clear	0.0068									0.30000		0.0	2.0	2.0	5.0				0.191853	djones
21	clear	0.0068									0.29500		0.0	3.0	2.0	5.0				0.205978	gdickerson
22	clear	0.0067									0.27900		0.0	5.0	2.0	5.0				0.214248	gdickerson
23	clear	0.0066									0.33600		0.0	5.0	2.0	5.0				0.207495	djones
24	clear	0.0065	6.35	0.00							0.33800		1.0	5.0	2.0	5.0				0.208023	djones
25	clear	0.0058									0.32600	< 1.8	0.0	5.0	2.0	5.0				0.205271	djones
26	clear	0.0062	6.60	0.00							0.39100		0.0	3.0	2.0	5.0				0.208929	djones
27	clear	0.0086									0.33100		0.0	5.0	2.0	5.0				0.197625	djones
28	clear	0.0078									0.29600		0.0	5.0	2.0	5.0				0.207152	ssteedman
29	clear	0.0072									0.27100		0.0	5.0	2.0	5.0				0.208230	ssteedman
30	clear	0.0199									0.30600		0.0	5.0	2.0	5.0				0.200423	djones
31	clear	0.0196	6.52	0.00							0.30700		0.0	5.0	2.0	5.0				0.187422	djones
Total		0.2502	66.74	0.00	0	0	0	4	10	7	9.83500	4	26.0	143.0	61.0	153.4	0.00	0.00	0.00	6.03913	
Average		0.0081	6.67	<0.10	0	0	0	4	10	7	0.31726	1	0.8	4.6	2.0	4.9	#DIV/0!	#DIV/0!	######	0.19481	
Minimim		0.0058	6.35	0.00	0	0	0	4	10	7	0.19400	1	0.0	1.0	1.0	3.4	0.00	0.00	0.00	0.10939	
Maximim		0.0199	7.32	<0.10	0	0	0	4	10	7	0.39800	1	3.0	18.0	2.0	5.0	0.00	0.00	0.00	0.23262	MOR 5-07-08

APPENDIX B
DISCHARGE MONITORING REPORTS
(JANUARY – MARCH 2009)

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) MD0001881 PERMIT NUMBER

(17-19) 001 DISCHARGE NUMBER

State Discharge Permit
02-DP-0022

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	01	01	TO	09	01	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ☐ ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING (54-61) AVERAGE	MAXIMUM	UNITS	(4 Card Only) (38-45) QUANTITY OR CONCENTRATION (46-53) MINIMUM	AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	2	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	6.4	******	6.9	(12) SU	0	TWO/ WEEK	GRAB
	PERMIT REQUIREMENT	******	******		6.0	******	8.5			TWO/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	4	4	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	20	30			ONE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	18374	23300	(07) GPD	******	******	******	****	0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT		******	******	******			MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	<0.1	<0.1	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	0.01	0.019			ONE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Jim Harkins, Director MES

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
AREA CODE	NUMBER	YEAR	MO	DAY
410	729-8350	09	02	24

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT *(DMR)*

State Discharge Permit

02-DP-0022

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

(2-16) PERMIT NUMBER	*(17-19)* DISCHARGE NUMBER
MD0001881	001

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	01	01	TO	09	01	31
	(20-21)	*(22-23)*	*(24-25)*		*(26-27)*	*(28-29)*	*(30-31)*

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* QUANTITY OR LOADING *(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	*(4 Card Only)* QUANTITY OR CONCENTRATION *(38-45)* MINIMUM	*(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	0	0	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	10	15			ONE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410	729-8350	09	02	24
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) (17-19)

MD0001881 — PERMIT NUMBER

101 — DISCHARGE NUMBER

State Discharge Permit

02-DP-0022

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	01	01	TO	09	01	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ☐ ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUANTITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	32945	42200	(07) GPD	******	******	******	****	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	REPORT	REPORT		******	******	******			ONE/ MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	2	(30) MPN	0	ONE/ WEEK	GRAB
	PERMIT REQUIREMENT	******	******		******	******	200			ONE/ WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Jim Harkins, Director MES

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
410	729-8350	09	02	24
AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT *(DMR)*

MD0001881	001
PERMIT NUMBER *(2-16)*	DISCHARGE NUMBER *(17-19)*

State Discharge Permit
02-DP-0022

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	02	01	TO	09	02	28
	(20-21)	*(22-23)*	*(24-25)*		*(26-27)*	*(28-29)*	*(30-31)*

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* QUANTITY OR LOADING *(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	*(4 Card Only)* QUANTITY OR CONCENTRATION *(38-45)* MINIMUM	*(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	NO EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	15			ONE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	6.4	******	6.7	(12) SU	0	TWO/ WEEK	GRAB
	PERMIT REQUIREMENT	******	******		6.0	******	8.5			TWO/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	0	0	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	20	30			ONE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	14132	19400	(07) GPD	******	******	******	****	0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT		******	******	******			MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	<0.1	<0.1	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	0.011	0.019			ONE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Jim Harkins, Director MES

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
AREA CODE	NUMBER	YEAR	MO	DAY
410	729-8350	09	03	23

COMMENT AND EXPLANATION OF ANY VIOLATIONS(*Reference all attachments here*)

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT *(DMR)*

(2-16) *(17-19)*

MD0001881	001
PERMIT NUMBER	DISCHARGE NUMBER

State Discharge Permit
02-DP-0022

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	02	01	TO	09	02	28
	(20-21)	*(22-23)*	*(24-25)*		*(26-27)*	*(28-29)*	*(30-31)*

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* QUANTITY OR LOADING *(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	*(4 Card Only)* QUANTITY OR CONCENTRATION *(38-45)* MINIMUM	*(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	7	7	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	10 ******	15 ******			ONE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	410	729-8350	09	03	23
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS(*Reference all attachments here*)

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) (17-19)

State Discharge Permit
02-DP-0022

MD0001881	101
PERMIT NUMBER	DISCHARGE NUMBER

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	02	01	TO	09	02	28
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUANTITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	343714	441000	(07) GPD	******	******	******	****	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	REPORT ******	REPORT ******		******	******	******			ONE/ MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	2	(30) MPN	0	ONE/ WEEK	GRAB
	PERMIT REQUIREMENT	******	******		******	******	200			ONE/ WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410	729-8350	09	03	23
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT *(DMR)*

(2-16) *(17-19)*

MD0001881	001
PERMIT NUMBER	DISCHARGE NUMBER

State Discharge Permit
02-DP-0022

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	03	01	TO	09	03	31
	(20-21)	*(22-23)*	*(24-25)*		*(26-27)*	*(28-29)*	*(30-31)*

*** NO DISCHARGE ☐ ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* *(46-53)* QUANTITY OR LOADING *(54-61)*			*(4 Card Only)* *(38-45)* QUANTITY OR CONCENTRATION *(46-53)* *(54-61)*				NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	4	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	15 ******			ONE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	6.4	******	7.3	(12) SU	0	TWO/ WEEK	GRAB
	PERMIT REQUIREMENT	******	******		6.0	******	8.5			TWO/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	10	10	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	20	30			ONE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	8071	19900	(07) GPD	******	******	******	****	0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT		******	******	******			MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	<0.1	<0.1	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	0.011	0.019			ONE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Jim Harkins, Director MES

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE 410 | NUMBER 729-8350

DATE: YEAR 09 | MO 04 | DAY 20

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT *(DMR)*

MD0001881	001
PERMIT NUMBER (2-16)	DISCHARGE NUMBER (17-19)

State Discharge Permit
02-DP-0022

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	03	01	TO	09	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUANTITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	0		0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******	****	******	******	5	ug/l		ONE/ MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	7	7	(19)	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******	****	******	10 ******	15 ******	MG/L		ONE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	410	729-8350	09	04	20
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT *(DMR)*

(2-16) *(17-19)*

MD0001881	101
PERMIT NUMBER	DISCHARGE NUMBER

State Discharge Permit

02-DP-0022

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	03	01	TO	09	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING (54-61) AVERAGE	MAXIMUM	UNITS	(4 Card Only) (38-45) QUANTITY OR CONCENTRATION (46-53) MINIMUM	AVERAGE (54-61)	MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	317258	398000	(07) GPD	******	******	******	****	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	REPORT ******	REPORT ******		******	******	******			ONE/ MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	1	(30) MPN	0	ONE/ WEEK	GRAB
	PERMIT REQUIREMENT	******	******		******	******	200			ONE/ WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Jim Harkins, Director MES

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
410	729-8350	09	04	20
AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME: **AG/GFI Hampstead, Inc**

ADDRESS: **626 Hanover Pike**

Hampstead, MD 21074

FACILITY: **Black and Decker WWTP**

LOCATION: **626 Hanover Pike**

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT *(DMR)*

(2-16) **MD0001881** PERMIT NUMBER

(17-19) **201** DISCHARGE NUMBER

State Discharge Permit
02-DP-0022

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	01	01	TO	09	03	31
	(20-21)	*(22-23)*	*(24-25)*		*(26-27)*	*(28-29)*	*(30-31)*

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* *(46-53)* QUANTITY OR LOADING *(54-61)* AVERAGE	MAXIMUM	UNITS	*(4 Card Only)* *(38-45)* QUANTITY OR CONCENTRATION *(46-53)* MINIMUM	AVERAGE *(54-61)*	MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	200715	255276	(07)	******	******	******		0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	******	******	******	****		MEASURED	RECORD
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	0	0		0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	******	******	****	******	REPORT ******	REPORT ******	ug/l		ONE/ QUARTER	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	0	0		0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	******	******	****	******	REPORT ******	REPORT	ug/l		ONE/ QUARTER	GRAB
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	0	0		0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	******	******	****	******	REPORT ******	REPORT	ug/l		ONE/ QUARTER	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Jim Harkins, Director MES

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
410	729-8350	09	04	20
AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

Quarterly Report! Outfall 201 quarterly sample's collected on 01/21/09.

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS
(JANUARY – MARCH 2009)

ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Attention: Mr. Jay Janney

Order Number A09010242
Project Name: Black & Decker WWTP
Receive Date: 1/7/2009
Client Code: MES_A
Project Location: Black & Decker WWTP

Sample # A09010242-01 **Sample Date: 1/7/2009 9:46**

Site: Black & Decker 001
Client Sample ID:
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	< 5	mg/L	5	EPA 1664	1/12/2009 2:25:00 PM	HHerman

Sample # A09010242-01A **Sample Date: 1/7/2009 9:46**

Site: Black & Decker 001
Client Sample ID: A
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	< 1	ug/L	1	EPA 8260B	1/9/2009 6:26:00 PM	WWells
Tetrachloroethene	< 1	ug/L	1	EPA 8260B	1/9/2009 6:26:00 PM	WWells
Trichloroethene	< 1	ug/L	1	EPA 8260B	1/9/2009 6:26:00 PM	WWells

Approved: Warren Van Arsdall
Quality Assurance Manager

Reported: 1/21/2009 2:38:58 PM

RDL = Reporting Detection Limit N/A = Not Applicable
Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568

ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 ◦ 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Attention: Mr. Jay Janney

Order Number A09010383
Project Name: Black & Decker WWTP
Receive Date: 1/9/2009
Client Code: MES_A
Project Location: Black & Decker WWTP

Sample # A09010383-01 **Sample Date: 1/7/2009**

Site: Black & Decker 001
Client Sample ID:
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	2	mg/L	2	SM 5210 B	1/9/2009 4:45:00 PM	Ythomas
Total Suspended Solids	4	mg/L	4	SM 2540D	1/13/2009 6:33:00 PM	JMcGuire

Approved: Warren Van Arsdall
Quality Assurance Manager

Reported: 1/16/2009 11:43:40 AM

RDL = Reporting Detection Limit *N/A = Not Applicable*
Laboratory Certification Numbers: *Delaware - DE00011* *Maryland - #138* *Pennsylvania - 68-335* *New Jersey - DE568*

ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 ◦ 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Attention: Mr. Jay Janney

Order Number A09010892
Project Name: Black & Decker WWTP
Receive Date: 1/21/2009
Client Code: MES_A
Project Location: Black & Decker WWTP

Sample # A09010892-01 **Sample Date: 1/21/2009 9:20**

Site: Black & Decker 201
Client Sample ID:
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	< 1	ug/L	1	EPA 8260B	1/24/2009 5:29:00 AM	WWells
Tetrachloroethene	< 1	ug/L	1	EPA 8260B	1/24/2009 5:29:00 AM	WWells
Trichloroethene	< 1	ug/L	1	EPA 8260B	1/24/2009 5:29:00 AM	WWells

Approved: Warren Van Arsdall
Quality Assurance Manager

Reported: 1/26/2009 3:46:32 PM

RDL = Reporting Detection Limit *N/A = Not Applicable*
Laboratory Certification Numbers: *Delaware - DE00011* *Maryland - #138* *Pennsylvania - 68-335* *New Jersey - DE568*

ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Attention: Mr. Jay Janney

Order Number A09020255
Project Name: Black & Decker WWTP
Receive Date: 2/4/2009
Client Code: MES_A
Project Location: Black & Decker WWTP

Sample # A09020255-01 **Sample Date: 2/4/2009 9:30**

Site: Black & Decker 001
Client Sample ID:
Sample Comments: None
Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	< 2	mg/L	2	SM 5210 B	2/5/2009 11:30:00 AM	Skent
Total Suspended Solids	< 4	mg/L	4	SM 2540D	2/9/2009 5:40:00 PM	JMcGuire

Sample # A09020255-01A **Sample Date: 2/4/2009 9:30**

Site: Black & Decker 001
Client Sample ID: A
Sample Comments: None
Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	7.2	mg/L	5	EPA 1664	2/6/2009 2:25:00 PM	HHerman

Sample # A09020255-01B **Sample Date: 2/4/2009 9:30**

Site: Black & Decker 001
Client Sample ID: B
Sample Comments: None
Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	< 1	ug/L	1	EPA 8260B	2/12/2009 6:42:00 PM	WWells
Tetrachloroethene	< 1	ug/L	1	EPA 8260B	2/12/2009 6:42:00 PM	WWells
Trichloroethene	< 1	ug/L	1	EPA 8260B	2/12/2009 6:42:00 PM	WWells

Approved: Warren Van Arsdall
Quality Assurance Manager

Reported: 2/17/2009 2:00:17 PM

RDL = Reporting Detection Limit N/A = Not Applicable
Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568

ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 ◦ 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Attention: Mr. Jay Janney

Order Number A09030557
Project Name: Black & Decker WWTP
Receive Date: 3/11/2009
Client Code: MES_A
Project Location: Black & Decker WWTP

Sample # A09030557-01 **Sample Date: 3/11/2009 9:10**

Site: Black & Decker 001
Matrix: Waste Water
Client Sample ID:
Sample Comments: None

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	4	mg/L	2	SM 5210 B	3/12/2009 11:15:00 AM	Skent
Total Suspended Solids	10	mg/L	4	SM 2540D	3/16/2009 6:11:00 PM	JMcGuire

Sample # A09030557-01A **Sample Date: 3/11/2009 9:10**

Site: Black & Decker 001
Matrix: Waste Water
Client Sample ID: A
Sample Comments: None

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	6.5	mg/L	5	EPA 1664	3/16/2009 11:40:00 AM	HHerman

Sample # A09030557-01B **Sample Date: 3/11/2009 9:10**

Site: Black & Decker 001
Matrix: Waste Water
Client Sample ID: B
Sample Comments: None

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	< 1	ug/L	1	EPA 8260B	3/13/2009 7:34:00 PM	WWells
Tetrachloroethene	< 1	ug/L	1	EPA 8260B	3/13/2009 7:34:00 PM	WWells
Trichloroethene	< 1	ug/L	1	EPA 8260B	3/13/2009 7:34:00 PM	WWells

Approved: Warren Van Arsdall
Quality Assurance Manager

Reported: 3/24/2009 1:17:15 PM

RDL = Reporting Detection Limit N/A = Not Applicable
Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568

APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE
(FEBRUARY 2009)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 500-17322-1

Job Description: Black and Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Attention: Mr. Tom Cornuet

Approved for release.
Richard C Wright
Project Manager II
3/10/2009 2:58 PM

Richard C Wright
Project Manager II
richard.wright@testamericainc.com
03/10/2009

cc: Greg Flasinski

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

Comments
No additional comments.

Receipt
All samples were received in good condition within temperature requirements.

GC/MS VOA
Method(s) 8260B: The following sample(s) was diluted due to the abundance of target analytes: EW-2 (500-17322-17), EW-4 (500-17322-19), RFW-12B (500-17322-13). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc. Job Number: 500-17322-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-17322-3	**RFW-2A**				
Trichloroethene		1.4	1.0	ug/L	8260B
500-17322-4	**RFW-2B**				
Trichloroethene		1.9	1.0	ug/L	8260B
500-17322-5	**RFW-3B**				
cis-1,2-Dichloroethene		4.0	1.0	ug/L	8260B
Trichloroethene		3.1	1.0	ug/L	8260B
Tetrachloroethene		2.5	1.0	ug/L	8260B
500-17322-6	**RFW-4A**				
Chloroform		1.1	1.0	ug/L	8260B
Trichloroethene		24	1.0	ug/L	8260B
Tetrachloroethene		16	1.0	ug/L	8260B
500-17322-7	**RFW-4B**				
cis-1,2-Dichloroethene		3.7	1.0	ug/L	8260B
Chloroform		1.8	1.0	ug/L	8260B
Trichloroethene		52	1.0	ug/L	8260B
Tetrachloroethene		81	1.0	ug/L	8260B
500-17322-8	**RFW-4B DUP**				
cis-1,2-Dichloroethene		3.9	1.0	ug/L	8260B
Chloroform		2.0	1.0	ug/L	8260B
Trichloroethene		57	1.0	ug/L	8260B
Tetrachloroethene		91	1.0	ug/L	8260B
500-17322-9	**RFW-6**				
Trichloroethene		3.4	1.0	ug/L	8260B
Tetrachloroethene		3.3	1.0	ug/L	8260B
500-17322-10	**RFW-7**				
Trichloroethene		5.1	1.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc. Job Number: 500-17322-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-17322-11	**RFW-9**				
1,1-Dichloroethene		1.2	1.0	ug/L	8260B
cis-1,2-Dichloroethene		14	1.0	ug/L	8260B
1,1,1-Trichloroethane		1.5	1.0	ug/L	8260B
Trichloroethene		16	1.0	ug/L	8260B
Tetrachloroethene		6.8	1.0	ug/L	8260B
500-17322-12	**RFW-11B**				
Trichloroethene		11	1.0	ug/L	8260B
500-17322-13	**RFW-12B**				
cis-1,2-Dichloroethene		2.9	2.0	ug/L	8260B
Trichloroethene		450	20	ug/L	8260B
Tetrachloroethene		44	2.0	ug/L	8260B
500-17322-14	**RFW-13**				
Trichloroethene		4.4	1.0	ug/L	8260B
Tetrachloroethene		20	1.0	ug/L	8260B
500-17322-17	**EW-2**				
cis-1,2-Dichloroethene		3.6	2.0	ug/L	8260B
Trichloroethene		420	20	ug/L	8260B
Tetrachloroethene		65	2.0	ug/L	8260B
500-17322-18	**EW-3**				
cis-1,2-Dichloroethene		2.3	1.0	ug/L	8260B
Trichloroethene		110	10	ug/L	8260B
Tetrachloroethene		3.4	1.0	ug/L	8260B
500-17322-19	**EW-4**				
Trichloroethene		930	100	ug/L	8260B
Tetrachloroethene		21	10	ug/L	8260B
500-17322-20	**EW-5**				
1,1,1-Trichloroethane		1.0	1.0	ug/L	8260B
Trichloroethene		200	10	ug/L	8260B
Tetrachloroethene		12	1.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc. Job Number: 500-17322-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-17322-21	**EW-6**				
Trichloroethene		13	1.0	ug/L	8260B
Tetrachloroethene		21	1.0	ug/L	8260B
500-17322-22	**EW-7**				
cis-1,2-Dichloroethene		7.1	1.0	ug/L	8260B
Trichloroethene		5.7	1.0	ug/L	8260B
Tetrachloroethene		12	1.0	ug/L	8260B
500-17322-23	**EW-8**				
1,1-Dichloroethane		1.1	1.0	ug/L	8260B
cis-1,2-Dichloroethene		28	1.0	ug/L	8260B
Trichloroethene		13	1.0	ug/L	8260B
Tetrachloroethene		81	1.0	ug/L	8260B
500-17322-24	**EW-9**				
Trichloroethene		1.5	1.0	ug/L	8260B
Tetrachloroethene		170	10	ug/L	8260B
500-17322-25	**EW-9 DUP**				
Trichloroethene		1.5	1.0	ug/L	8260B
Tetrachloroethene		190	10	ug/L	8260B
500-17322-26	**EW-10**				
Tetrachloroethene		1.7	1.0	ug/L	8260B

METHOD SUMMARY

Client: Weston Solutions, Inc. Job Number: 500-17322-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
VOC	TAL CHI	SW846 8260B	
Purge and Trap	TAL CHI		SW846 5030B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

Method	Analyst	Analyst ID
SW846 8260B	Alikpala, Elaine	EA
SW846 8260B	Drabek, Dave J	DJD

SAMPLE SUMMARY

Client: Weston Solutions, Inc. Job Number: 500-17322-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-17322-1	RFW-1A	Water	02/25/2009 1145	02/27/2009 1030
500-17322-2	RFW-1B	Water	02/25/2009 1730	02/27/2009 1030
500-17322-3	RFW-2A	Water	02/25/2009 1300	02/27/2009 1030
500-17322-4	RFW-2B	Water	02/25/2009 1310	02/27/2009 1030
500-17322-5	RFW-3B	Water	02/26/2009 1215	02/27/2009 1030
500-17322-6	RFW-4A	Water	02/26/2009 0910	02/27/2009 1030
500-17322-7	RFW-4B	Water	02/26/2009 1020	02/27/2009 1030
500-17322-8	RFW-4B DUP	Water	02/26/2009 1020	02/27/2009 1030
500-17322-9	RFW-6	Water	02/26/2009 1010	02/27/2009 1030
500-17322-10	RFW-7	Water	02/25/2009 1335	02/27/2009 1030
500-17322-11	RFW-9	Water	02/26/2009 1200	02/27/2009 1030
500-17322-12	RFW-11B	Water	02/26/2009 1130	02/27/2009 1030
500-17322-13	RFW-12B	Water	02/26/2009 1030	02/27/2009 1030
500-17322-14	RFW-13	Water	02/25/2009 1445	02/27/2009 1030
500-17322-15	RFW-17	Water	02/25/2009 1120	02/27/2009 1030
500-17322-16	TRIP BLANK	Water	02/25/2009 0800	02/27/2009 1030
500-17322-17	EW-2	Water	02/26/2009 1045	02/27/2009 1030
500-17322-18	EW-3	Water	02/26/2009 1050	02/27/2009 1030
500-17322-19	EW-4	Water	02/26/2009 1105	02/27/2009 1030
500-17322-20	EW-5	Water	02/25/2009 1155	02/27/2009 1030
500-17322-21	EW-6	Water	02/25/2009 1450	02/27/2009 1030
500-17322-22	EW-7	Water	02/25/2009 1435	02/27/2009 1030
500-17322-23	EW-8	Water	02/25/2009 1415	02/27/2009 1030
500-17322-24	EW-9	Water	02/25/2009 1405	02/27/2009 1030
500-17322-25	EW-9 DUP	Water	02/25/2009 1405	02/27/2009 1030
500-17322-26	EW-10	Water	02/25/2009 1355	02/27/2009 1030

SAMPLE RESULTS

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-1A
Lab Sample ID: 500-17322-1

Date Sampled: 02/25/2009 1145
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B			Date Analyzed: 03/03/2009 1134		
Prep Method: 5030B			Date Prepared: 03/03/2009 1134		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-1A
Lab Sample ID: 500-17322-1

Date Sampled: 02/25/2009 1145
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	103	%	70 - 125
Toluene-d8 (Surr)	100	%	75 - 120
4-Bromofluorobenzene (Surr)	92	%	75 - 120
Dibromofluoromethane	106	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-1B
Lab Sample ID: 500-17322-2

Date Sampled: 02/25/2009 1730
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1157		
Prep Method: 5030B		Date Prepared:	03/03/2009 1157		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-1B
Lab Sample ID: 500-17322-2

Date Sampled: 02/25/2009 1730
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	106	%	70 - 125
Toluene-d8 (Surr)	100	%	75 - 120
4-Bromofluorobenzene (Surr)	89	%	75 - 120
Dibromofluoromethane	109	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-2A
Lab Sample ID: 500-17322-3

Date Sampled: 02/25/2009 1300
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1221		
Prep Method: 5030B		Date Prepared:	03/03/2009 1221		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	1.4	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-2A
Lab Sample ID: 500-17322-3

Date Sampled: 02/25/2009 1300
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	106	%	70 - 125
Toluene-d8 (Surr)	97	%	75 - 120
4-Bromofluorobenzene (Surr)	92	%	75 - 120
Dibromofluoromethane	106	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-2B
Lab Sample ID: 500-17322-4

Date Sampled: 02/25/2009 1310
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1244		
Prep Method: 5030B		Date Prepared:	03/03/2009 1244		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	1.9	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-2B
Lab Sample ID: 500-17322-4

Date Sampled: 02/25/2009 1310
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	%	70 - 125
Toluene-d8 (Surr)	99	%	75 - 120
4-Bromofluorobenzene (Surr)	90	%	75 - 120
Dibromofluoromethane	109	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-3B
Lab Sample ID: 500-17322-5

Date Sampled: 02/26/2009 1215
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1308		
Prep Method: 5030B		Date Prepared:	03/03/2009 1308		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	4.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	3.1	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	2.5	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-3B
Lab Sample ID: 500-17322-5

Date Sampled: 02/26/2009 1215
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	106	%	70 - 125
Toluene-d8 (Surr)	99	%	75 - 120
4-Bromofluorobenzene (Surr)	89	%	75 - 120
Dibromofluoromethane	108	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-4A
Lab Sample ID: 500-17322-6

Date Sampled: 02/26/2009 0910
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1331		
Prep Method: 5030B		Date Prepared:	03/03/2009 1331		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	1.1	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	24	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	16	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-4A
Lab Sample ID: 500-17322-6

Date Sampled: 02/26/2009 0910
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	%	70 - 125
Toluene-d8 (Surr)	97	%	75 - 120
4-Bromofluorobenzene (Surr)	90	%	75 - 120
Dibromofluoromethane	108	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-4B
Lab Sample ID: 500-17322-7

Date Sampled: 02/26/2009 1020
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1355		
Prep Method: 5030B		Date Prepared:	03/03/2009 1355		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	3.7	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	1.8	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	52	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	81	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-4B
Lab Sample ID: 500-17322-7

Date Sampled: 02/26/2009 1020
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	109	%	70 - 125
Toluene-d8 (Surr)	100	%	75 - 120
4-Bromofluorobenzene (Surr)	91	%	75 - 120
Dibromofluoromethane	113	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-4B DUP
Lab Sample ID: 500-17322-8

Date Sampled: 02/26/2009 1020
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1442		
Prep Method: 5030B		Date Prepared:	03/03/2009 1442		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	3.9	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	2.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	57	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	91	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-4B DUP
Lab Sample ID: 500-17322-8

Date Sampled: 02/26/2009 1020
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	107	%	70 - 125
Toluene-d8 (Surr)	97	%	75 - 120
4-Bromofluorobenzene (Surr)	88	%	75 - 120
Dibromofluoromethane	106	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-6
Lab Sample ID: 500-17322-9

Date Sampled: 02/26/2009 1010
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1529		
Prep Method: 5030B		Date Prepared:	03/03/2009 1529		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	3.4	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	3.3	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-6
Lab Sample ID: 500-17322-9

Date Sampled: 02/26/2009 1010
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	108	%	70 - 125
Toluene-d8 (Surr)	98	%	75 - 120
4-Bromofluorobenzene (Surr)	88	%	75 - 120
Dibromofluoromethane	109	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-7
Lab Sample ID: 500-17322-10

Date Sampled: 02/25/2009 1335
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1552		
Prep Method: 5030B		Date Prepared:	03/03/2009 1552		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	5.1	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-7
Lab Sample ID: 500-17322-10

Date Sampled: 02/25/2009 1335
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	%	70 - 125
Toluene-d8 (Surr)	97	%	75 - 120
4-Bromofluorobenzene (Surr)	91	%	75 - 120
Dibromofluoromethane	110	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-9
Lab Sample ID: 500-17322-11

Date Sampled: 02/26/2009 1200
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1616		
Prep Method: 5030B		Date Prepared:	03/03/2009 1616		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	1.2	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	14	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	1.5	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	16	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	6.8	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-9
Lab Sample ID: 500-17322-11

Date Sampled: 02/26/2009 1200
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	107	%	70 - 125
Toluene-d8 (Surr)	99	%	75 - 120
4-Bromofluorobenzene (Surr)	88	%	75 - 120
Dibromofluoromethane	110	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-11B
Lab Sample ID: 500-17322-12

Date Sampled: 02/26/2009 1130
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1640		
Prep Method: 5030B		Date Prepared:	03/03/2009 1640		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	11	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-11B
Lab Sample ID: 500-17322-12

Date Sampled: 02/26/2009 1130
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	108	%	70 - 125
Toluene-d8 (Surr)	97	%	75 - 120
4-Bromofluorobenzene (Surr)	90	%	75 - 120
Dibromofluoromethane	110	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-12B
Lab Sample ID: 500-17322-13

Date Sampled: 02/26/2009 1030
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1703		
Prep Method: 5030B		Date Prepared:	03/03/2009 1703		
Benzene	<2.0	ug/L	0.32	2.0	2.0
Dichlorodifluoromethane	<2.0	ug/L	0.58	2.0	2.0
Chloromethane	<2.0	ug/L	0.66	2.0	2.0
Vinyl chloride	<2.0	ug/L	0.46	2.0	2.0
Bromomethane	<2.0	ug/L	0.88	2.0	2.0
Chloroethane	<2.0	ug/L	0.90	2.0	2.0
Trichlorofluoromethane	<2.0	ug/L	0.64	2.0	2.0
1,1-Dichloroethene	<2.0	ug/L	0.44	2.0	2.0
Carbon disulfide	<10	ug/L	0.78	10	2.0
Acetone	<10	ug/L	2.4	10	2.0
Methylene Chloride	<4.0	ug/L	2.0	4.0	2.0
trans-1,2-Dichloroethene	<2.0	ug/L	0.34	2.0	2.0
1,1-Dichloroethane	<2.0	ug/L	0.36	2.0	2.0
2,2-Dichloropropane	<2.0	ug/L	0.60	2.0	2.0
cis-1,2-Dichloroethene	2.9	ug/L	0.42	2.0	2.0
Methyl Ethyl Ketone	<10	ug/L	1.7	10	2.0
Bromochloromethane	<2.0	ug/L	0.66	2.0	2.0
Chloroform	<2.0	ug/L	0.26	2.0	2.0
1,1,1-Trichloroethane	<2.0	ug/L	0.46	2.0	2.0
1,1-Dichloropropene	<2.0	ug/L	0.34	2.0	2.0
Carbon tetrachloride	<2.0	ug/L	0.42	2.0	2.0
1,2-Dichloroethane	<2.0	ug/L	0.44	2.0	2.0
1,2-Dichloropropane	<2.0	ug/L	0.46	2.0	2.0
Dibromomethane	<2.0	ug/L	0.62	2.0	2.0
Bromodichloromethane	<2.0	ug/L	0.36	2.0	2.0
cis-1,3-Dichloropropene	<2.0	ug/L	0.32	2.0	2.0
methyl isobutyl ketone	<10	ug/L	1.2	10	2.0
Toluene	<2.0	ug/L	0.32	2.0	2.0
trans-1,3-Dichloropropene	<2.0	ug/L	0.26	2.0	2.0
1,1,2-Trichloroethane	<2.0	ug/L	0.64	2.0	2.0
Tetrachloroethene	44	ug/L	0.28	2.0	2.0
1,3-Dichloropropane	<2.0	ug/L	0.34	2.0	2.0
2-Hexanone	<10	ug/L	1.5	10	2.0
Dibromochloromethane	<2.0	ug/L	0.38	2.0	2.0
1,2-Dibromoethane	<2.0	ug/L	0.48	2.0	2.0
Chlorobenzene	<2.0	ug/L	0.34	2.0	2.0
1,1,1,2-Tetrachloroethane	<2.0	ug/L	0.36	2.0	2.0
Ethylbenzene	<2.0	ug/L	0.34	2.0	2.0
m&p-Xylene	<4.0	ug/L	0.46	4.0	2.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-12B
Lab Sample ID: 500-17322-13

Date Sampled: 02/26/2009 1030
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<2.0	ug/L	0.24	2.0	2.0
Styrene	<2.0	ug/L	0.30	2.0	2.0
Bromoform	<2.0	ug/L	0.60	2.0	2.0
Isopropylbenzene	<2.0	ug/L	0.28	2.0	2.0
Bromobenzene	<2.0	ug/L	0.30	2.0	2.0
1,1,2,2-Tetrachloroethane	<2.0	ug/L	0.50	2.0	2.0
1,2,3-Trichloropropane	<2.0	ug/L	0.78	2.0	2.0
N-Propylbenzene	<2.0	ug/L	0.22	2.0	2.0
2-Chlorotoluene	<2.0	ug/L	0.32	2.0	2.0
1,3,5-Trimethylbenzene	<2.0	ug/L	0.28	2.0	2.0
4-Chlorotoluene	<2.0	ug/L	0.28	2.0	2.0
tert-Butylbenzene	<2.0	ug/L	0.26	2.0	2.0
1,2,4-Trimethylbenzene	<2.0	ug/L	0.24	2.0	2.0
sec-Butylbenzene	<2.0	ug/L	0.28	2.0	2.0
1,3-Dichlorobenzene	<2.0	ug/L	0.38	2.0	2.0
p-Isopropyltoluene	<2.0	ug/L	0.24	2.0	2.0
1,4-Dichlorobenzene	<2.0	ug/L	0.30	2.0	2.0
n-Butylbenzene	<2.0	ug/L	0.26	2.0	2.0
1,2-Dichlorobenzene	<2.0	ug/L	0.30	2.0	2.0
1,2-Dibromo-3-Chloropropane	<4.0	ug/L	1.7	4.0	2.0
1,2,4-Trichlorobenzene	<2.0	ug/L	0.40	2.0	2.0
Hexachlorobutadiene	<2.0	ug/L	0.54	2.0	2.0
Naphthalene	<2.0	ug/L	0.64	2.0	2.0
1,2,3-Trichlorobenzene	<2.0	ug/L	0.40	2.0	2.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	109	%		70 - 125	
Toluene-d8 (Surr)	100	%		75 - 120	
4-Bromofluorobenzene (Surr)	88	%		75 - 120	
Dibromofluoromethane	117	%		75 - 120	
Method: 8260B Run Type: DL		Date Analyzed:		03/03/2009 1727	
Prep Method: 5030B		Date Prepared:		03/03/2009 1727	
Trichloroethene	450	ug/L	4.0	20	20
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	110	%		70 - 125	
Toluene-d8 (Surr)	100	%		75 - 120	
4-Bromofluorobenzene (Surr)	90	%		75 - 120	
Dibromofluoromethane	108	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-13
Lab Sample ID: 500-17322-14

Date Sampled: 02/25/2009 1445
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1750		
Prep Method: 5030B		Date Prepared:	03/03/2009 1750		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	4.4	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	20	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-13
Lab Sample ID: 500-17322-14

Date Sampled: 02/25/2009 1445
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	109	%	70 - 125
Toluene-d8 (Surr)	101	%	75 - 120
4-Bromofluorobenzene (Surr)	91	%	75 - 120
Dibromofluoromethane	111	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-17
Lab Sample ID: 500-17322-15

Date Sampled: 02/25/2009 1120
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1813		
Prep Method: 5030B		Date Prepared:	03/03/2009 1813		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: RFW-17
Lab Sample ID: 500-17322-15

Date Sampled: 02/25/2009 1120
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	%	70 - 125
Toluene-d8 (Surr)	98	%	75 - 120
4-Bromofluorobenzene (Surr)	89	%	75 - 120
Dibromofluoromethane	111	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: TRIP BLANK
Lab Sample ID: 500-17322-16

Date Sampled: 02/25/2009 0800
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1837		
Prep Method: 5030B		Date Prepared:	03/03/2009 1837		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: TRIP BLANK
Lab Sample ID: 500-17322-16

Date Sampled: 02/25/2009 0800
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	107	%	70 - 125
Toluene-d8 (Surr)	99	%	75 - 120
4-Bromofluorobenzene (Surr)	89	%	75 - 120
Dibromofluoromethane	113	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-2
Lab Sample ID: 500-17322-17

Date Sampled: 02/26/2009 1045
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/03/2009 1900		
Prep Method: 5030B		Date Prepared:	03/03/2009 1900		
Benzene	<2.0	ug/L	0.32	2.0	2.0
Dichlorodifluoromethane	<2.0	ug/L	0.58	2.0	2.0
Chloromethane	<2.0	ug/L	0.66	2.0	2.0
Vinyl chloride	<2.0	ug/L	0.46	2.0	2.0
Bromomethane	<2.0	ug/L	0.88	2.0	2.0
Chloroethane	<2.0	ug/L	0.90	2.0	2.0
Trichlorofluoromethane	<2.0	ug/L	0.64	2.0	2.0
1,1-Dichloroethene	<2.0	ug/L	0.44	2.0	2.0
Carbon disulfide	<10	ug/L	0.78	10	2.0
Acetone	<10	ug/L	2.4	10	2.0
Methylene Chloride	<4.0	ug/L	2.0	4.0	2.0
trans-1,2-Dichloroethene	<2.0	ug/L	0.34	2.0	2.0
1,1-Dichloroethane	<2.0	ug/L	0.36	2.0	2.0
2,2-Dichloropropane	<2.0	ug/L	0.60	2.0	2.0
cis-1,2-Dichloroethene	3.6	ug/L	0.42	2.0	2.0
Methyl Ethyl Ketone	<10	ug/L	1.7	10	2.0
Bromochloromethane	<2.0	ug/L	0.66	2.0	2.0
Chloroform	<2.0	ug/L	0.26	2.0	2.0
1,1,1-Trichloroethane	<2.0	ug/L	0.46	2.0	2.0
1,1-Dichloropropene	<2.0	ug/L	0.34	2.0	2.0
Carbon tetrachloride	<2.0	ug/L	0.42	2.0	2.0
1,2-Dichloroethane	<2.0	ug/L	0.44	2.0	2.0
1,2-Dichloropropane	<2.0	ug/L	0.46	2.0	2.0
Dibromomethane	<2.0	ug/L	0.62	2.0	2.0
Bromodichloromethane	<2.0	ug/L	0.36	2.0	2.0
cis-1,3-Dichloropropene	<2.0	ug/L	0.32	2.0	2.0
methyl isobutyl ketone	<10	ug/L	1.2	10	2.0
Toluene	<2.0	ug/L	0.32	2.0	2.0
trans-1,3-Dichloropropene	<2.0	ug/L	0.26	2.0	2.0
1,1,2-Trichloroethane	<2.0	ug/L	0.64	2.0	2.0
Tetrachloroethene	65	ug/L	0.28	2.0	2.0
1,3-Dichloropropane	<2.0	ug/L	0.34	2.0	2.0
2-Hexanone	<10	ug/L	1.5	10	2.0
Dibromochloromethane	<2.0	ug/L	0.38	2.0	2.0
1,2-Dibromoethane	<2.0	ug/L	0.48	2.0	2.0
Chlorobenzene	<2.0	ug/L	0.34	2.0	2.0
1,1,1,2-Tetrachloroethane	<2.0	ug/L	0.36	2.0	2.0
Ethylbenzene	<2.0	ug/L	0.34	2.0	2.0
m&p-Xylene	<4.0	ug/L	0.46	4.0	2.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-2
Lab Sample ID: 500-17322-17

Date Sampled: 02/26/2009 1045
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<2.0	ug/L	0.24	2.0	2.0
Styrene	<2.0	ug/L	0.30	2.0	2.0
Bromoform	<2.0	ug/L	0.60	2.0	2.0
Isopropylbenzene	<2.0	ug/L	0.28	2.0	2.0
Bromobenzene	<2.0	ug/L	0.30	2.0	2.0
1,1,2,2-Tetrachloroethane	<2.0	ug/L	0.50	2.0	2.0
1,2,3-Trichloropropane	<2.0	ug/L	0.78	2.0	2.0
N-Propylbenzene	<2.0	ug/L	0.22	2.0	2.0
2-Chlorotoluene	<2.0	ug/L	0.32	2.0	2.0
1,3,5-Trimethylbenzene	<2.0	ug/L	0.28	2.0	2.0
4-Chlorotoluene	<2.0	ug/L	0.28	2.0	2.0
tert-Butylbenzene	<2.0	ug/L	0.26	2.0	2.0
1,2,4-Trimethylbenzene	<2.0	ug/L	0.24	2.0	2.0
sec-Butylbenzene	<2.0	ug/L	0.28	2.0	2.0
1,3-Dichlorobenzene	<2.0	ug/L	0.38	2.0	2.0
p-Isopropyltoluene	<2.0	ug/L	0.24	2.0	2.0
1,4-Dichlorobenzene	<2.0	ug/L	0.30	2.0	2.0
n-Butylbenzene	<2.0	ug/L	0.26	2.0	2.0
1,2-Dichlorobenzene	<2.0	ug/L	0.30	2.0	2.0
1,2-Dibromo-3-Chloropropane	<4.0	ug/L	1.7	4.0	2.0
1,2,4-Trichlorobenzene	<2.0	ug/L	0.40	2.0	2.0
Hexachlorobutadiene	<2.0	ug/L	0.54	2.0	2.0
Naphthalene	<2.0	ug/L	0.64	2.0	2.0
1,2,3-Trichlorobenzene	<2.0	ug/L	0.40	2.0	2.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	106	%		70 - 125	
Toluene-d8 (Surr)	99	%		75 - 120	
4-Bromofluorobenzene (Surr)	90	%		75 - 120	
Dibromofluoromethane	111	%		75 - 120	
Method: 8260B Run Type: DL			Date Analyzed:	03/03/2009 1924	
Prep Method: 5030B			Date Prepared:	03/03/2009 1924	
Trichloroethene	420	ug/L	4.0	20	20
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	108	%		70 - 125	
Toluene-d8 (Surr)	99	%		75 - 120	
4-Bromofluorobenzene (Surr)	90	%		75 - 120	
Dibromofluoromethane	113	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-3
Lab Sample ID: 500-17322-18

Date Sampled: 02/26/2009 1050
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/05/2009 1351		
Prep Method: 5030B		Date Prepared:	03/05/2009 1351		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	2.3	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	3.4	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-3
Lab Sample ID: 500-17322-18

Date Sampled: 02/26/2009 1050
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	108	%		70 - 125	
Toluene-d8 (Surr)	100	%		75 - 120	
4-Bromofluorobenzene (Surr)	92	%		75 - 120	
Dibromofluoromethane	108	%		75 - 120	
Method: 8260B Run Type: DL		Date Analyzed:		03/05/2009 1415	
Prep Method: 5030B		Date Prepared:		03/05/2009 1415	
Trichloroethene	110	ug/L	2.0	10	10
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	109	%		70 - 125	
Toluene-d8 (Surr)	97	%		75 - 120	
4-Bromofluorobenzene (Surr)	91	%		75 - 120	
Dibromofluoromethane	107	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-4
Lab Sample ID: 500-17322-19

Date Sampled: 02/26/2009 1105
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/05/2009 1438		
Prep Method: 5030B		Date Prepared:	03/05/2009 1438		
Benzene	<10	ug/L	1.6	10	10
Dichlorodifluoromethane	<10	ug/L	2.9	10	10
Chloromethane	<10	ug/L	3.3	10	10
Vinyl chloride	<10	ug/L	2.3	10	10
Bromomethane	<10	ug/L	4.4	10	10
Chloroethane	<10	ug/L	4.5	10	10
Trichlorofluoromethane	<10	ug/L	3.2	10	10
1,1-Dichloroethene	<10	ug/L	2.2	10	10
Carbon disulfide	<50	ug/L	3.9	50	10
Acetone	<50	ug/L	12	50	10
Methylene Chloride	<20	ug/L	9.9	20	10
trans-1,2-Dichloroethene	<10	ug/L	1.7	10	10
1,1-Dichloroethane	<10	ug/L	1.8	10	10
2,2-Dichloropropane	<10	ug/L	3.0	10	10
cis-1,2-Dichloroethene	<10	ug/L	2.1	10	10
Methyl Ethyl Ketone	<50	ug/L	8.3	50	10
Bromochloromethane	<10	ug/L	3.3	10	10
Chloroform	<10	ug/L	1.3	10	10
1,1,1-Trichloroethane	<10	ug/L	2.3	10	10
1,1-Dichloropropene	<10	ug/L	1.7	10	10
Carbon tetrachloride	<10	ug/L	2.1	10	10
1,2-Dichloroethane	<10	ug/L	2.2	10	10
1,2-Dichloropropane	<10	ug/L	2.3	10	10
Dibromomethane	<10	ug/L	3.1	10	10
Bromodichloromethane	<10	ug/L	1.8	10	10
cis-1,3-Dichloropropene	<10	ug/L	1.6	10	10
methyl isobutyl ketone	<50	ug/L	5.8	50	10
Toluene	<10	ug/L	1.6	10	10
trans-1,3-Dichloropropene	<10	ug/L	1.3	10	10
1,1,2-Trichloroethane	<10	ug/L	3.2	10	10
Tetrachloroethene	21	ug/L	1.4	10	10
1,3-Dichloropropane	<10	ug/L	1.7	10	10
2-Hexanone	<50	ug/L	7.7	50	10
Dibromochloromethane	<10	ug/L	1.9	10	10
1,2-Dibromoethane	<10	ug/L	2.4	10	10
Chlorobenzene	<10	ug/L	1.7	10	10
1,1,1,2-Tetrachloroethane	<10	ug/L	1.8	10	10
Ethylbenzene	<10	ug/L	1.7	10	10
m&p-Xylene	<20	ug/L	2.3	20	10

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-4
Lab Sample ID: 500-17322-19

Date Sampled: 02/26/2009 1105
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<10	ug/L	1.2	10	10
Styrene	<10	ug/L	1.5	10	10
Bromoform	<10	ug/L	3.0	10	10
Isopropylbenzene	<10	ug/L	1.4	10	10
Bromobenzene	<10	ug/L	1.5	10	10
1,1,2,2-Tetrachloroethane	<10	ug/L	2.5	10	10
1,2,3-Trichloropropane	<10	ug/L	3.9	10	10
N-Propylbenzene	<10	ug/L	1.1	10	10
2-Chlorotoluene	<10	ug/L	1.6	10	10
1,3,5-Trimethylbenzene	<10	ug/L	1.4	10	10
4-Chlorotoluene	<10	ug/L	1.4	10	10
tert-Butylbenzene	<10	ug/L	1.3	10	10
1,2,4-Trimethylbenzene	<10	ug/L	1.2	10	10
sec-Butylbenzene	<10	ug/L	1.4	10	10
1,3-Dichlorobenzene	<10	ug/L	1.9	10	10
p-Isopropyltoluene	<10	ug/L	1.2	10	10
1,4-Dichlorobenzene	<10	ug/L	1.5	10	10
n-Butylbenzene	<10	ug/L	1.3	10	10
1,2-Dichlorobenzene	<10	ug/L	1.5	10	10
1,2-Dibromo-3-Chloropropane	<20	ug/L	8.5	20	10
1,2,4-Trichlorobenzene	<10	ug/L	2.0	10	10
Hexachlorobutadiene	<10	ug/L	2.7	10	10
Naphthalene	<10	ug/L	3.2	10	10
1,2,3-Trichlorobenzene	<10	ug/L	2.0	10	10
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	108	%		70 - 125	
Toluene-d8 (Surr)	99	%		75 - 120	
4-Bromofluorobenzene (Surr)	94	%		75 - 120	
Dibromofluoromethane	106	%		75 - 120	
Method: 8260B Run Type: DL			Date Analyzed:	03/05/2009 1502	
Prep Method: 5030B			Date Prepared:	03/05/2009 1502	
Trichloroethene	930	ug/L	20	100	100
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	108	%		70 - 125	
Toluene-d8 (Surr)	98	%		75 - 120	
4-Bromofluorobenzene (Surr)	90	%		75 - 120	
Dibromofluoromethane	106	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-5
Lab Sample ID: 500-17322-20

Date Sampled: 02/25/2009 1155
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/05/2009 1526		
Prep Method: 5030B		Date Prepared:	03/05/2009 1526		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	12	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-5
Lab Sample ID: 500-17322-20

Date Sampled: 02/25/2009 1155
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	106	%		70 - 125	
Toluene-d8 (Surr)	99	%		75 - 120	
4-Bromofluorobenzene (Surr)	92	%		75 - 120	
Dibromofluoromethane	109	%		75 - 120	
Method: 8260B Run Type: DL			Date Analyzed:	03/05/2009 1549	
Prep Method: 5030B			Date Prepared:	03/05/2009 1549	
Trichloroethene	200	ug/L	2.0	10	10
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	107	%		70 - 125	
Toluene-d8 (Surr)	99	%		75 - 120	
4-Bromofluorobenzene (Surr)	93	%		75 - 120	
Dibromofluoromethane	112	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-6
Lab Sample ID: 500-17322-21

Date Sampled: 02/25/2009 1450
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/05/2009 1613		
Prep Method: 5030B		Date Prepared:	03/05/2009 1613		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	13	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	21	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-6
Lab Sample ID: 500-17322-21

Date Sampled: 02/25/2009 1450
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	112	%	70 - 125
Toluene-d8 (Surr)	97	%	75 - 120
4-Bromofluorobenzene (Surr)	91	%	75 - 120
Dibromofluoromethane	111	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-7
Lab Sample ID: 500-17322-22

Date Sampled: 02/25/2009 1435
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/05/2009 1636		
Prep Method: 5030B		Date Prepared:	03/05/2009 1636		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	7.1	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	5.7	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	12	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-7
Lab Sample ID: 500-17322-22

Date Sampled: 02/25/2009 1435
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	107	%	70 - 125
Toluene-d8 (Surr)	96	%	75 - 120
4-Bromofluorobenzene (Surr)	92	%	75 - 120
Dibromofluoromethane	106	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-8
Lab Sample ID: 500-17322-23

Date Sampled: 02/25/2009 1415
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/05/2009 1659		
Prep Method: 5030B		Date Prepared:	03/05/2009 1659		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	1.1	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	28	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	13	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	81	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-8
Lab Sample ID: 500-17322-23

Date Sampled: 02/25/2009 1415
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	108	%	70 - 125
Toluene-d8 (Surr)	99	%	75 - 120
4-Bromofluorobenzene (Surr)	89	%	75 - 120
Dibromofluoromethane	104	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-9
Lab Sample ID: 500-17322-24

Date Sampled: 02/25/2009 1405
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/05/2009 1746		
Prep Method: 5030B		Date Prepared:	03/05/2009 1746		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	1.5	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-9
Lab Sample ID: 500-17322-24

Date Sampled: 02/25/2009 1405
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	110	%	70 - 125
Toluene-d8 (Surr)	100	%	75 - 120
4-Bromofluorobenzene (Surr)	93	%	75 - 120
Dibromofluoromethane	109	%	75 - 120

Method: 8260B Run Type: DL
Date Analyzed: 03/05/2009 1809
Prep Method: 5030B
Date Prepared: 03/05/2009 1809

Tetrachloroethene	170	ug/L	1.4	10	10

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	108	%	70 - 125
Toluene-d8 (Surr)	97	%	75 - 120
4-Bromofluorobenzene (Surr)	90	%	75 - 120
Dibromofluoromethane	114	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-9 DUP
Lab Sample ID: 500-17322-25

Date Sampled: 02/25/2009 1405
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/05/2009 1833		
Prep Method: 5030B		Date Prepared:	03/05/2009 1833		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	1.5	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-9 DUP
Lab Sample ID: 500-17322-25

Date Sampled: 02/25/2009 1405
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	108	%	70 - 125
Toluene-d8 (Surr)	96	%	75 - 120
4-Bromofluorobenzene (Surr)	93	%	75 - 120
Dibromofluoromethane	112	%	75 - 120

Method: 8260B Run Type: DL
Prep Method: 5030B
Date Analyzed: 03/05/2009 1856
Date Prepared: 03/05/2009 1856

Tetrachloroethene	190	ug/L	1.4	10	10

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	110	%	70 - 125
Toluene-d8 (Surr)	100	%	75 - 120
4-Bromofluorobenzene (Surr)	92	%	75 - 120
Dibromofluoromethane	111	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-10
Lab Sample ID: 500-17322-26

Date Sampled: 02/25/2009 1355
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	03/05/2009 1919		
Prep Method: 5030B		Date Prepared:	03/05/2009 1919		
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	1.7	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-17322-1

Client Sample ID: EW-10
Lab Sample ID: 500-17322-26

Date Sampled: 02/25/2009 1355
Date Received: 02/27/2009 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	111	%	70 - 125
Toluene-d8 (Surr)	99	%	75 - 120
4-Bromofluorobenzene (Surr)	91	%	75 - 120
Dibromofluoromethane	109	%	75 - 120

DATA REPORTING QUALIFIERS

Lab Section	Qualifier	Description

QUALITY CONTROL RESULTS

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-58988					
LCS 500-58988/5	Lab Control Spike	T	Water	8260B	
MB 500-58988/4	Method Blank	T	Water	8260B	
500-17322-1	RFW-1A	T	Water	8260B	
500-17322-2	RFW-1B	T	Water	8260B	
500-17322-3	RFW-2A	T	Water	8260B	
500-17322-4	RFW-2B	T	Water	8260B	
500-17322-5	RFW-3B	T	Water	8260B	
500-17322-6	RFW-4A	T	Water	8260B	
500-17322-7	RFW-4B	T	Water	8260B	
500-17322-8	RFW-4B DUP	T	Water	8260B	
500-17322-9	RFW-6	T	Water	8260B	
500-17322-10	RFW-7	T	Water	8260B	
500-17322-11	RFW-9	T	Water	8260B	
500-17322-12	RFW-11B	T	Water	8260B	
500-17322-13	RFW-12B	T	Water	8260B	
500-17322-13DL	RFW-12B	T	Water	8260B	
500-17322-14	RFW-13	T	Water	8260B	
500-17322-15	RFW-17	T	Water	8260B	
500-17322-16	TRIP BLANK	T	Water	8260B	
500-17322-17	EW-2	T	Water	8260B	
500-17322-17DL	EW-2	T	Water	8260B	
Analysis Batch:500-59173					
LCS 500-59173/5	Lab Control Spike	T	Water	8260B	
LCSD 500-59173/6	Lab Control Spike Duplicate	T	Water	8260B	
MB 500-59173/4	Method Blank	T	Water	8260B	
500-17322-18	EW-3	T	Water	8260B	
500-17322-18DL	EW-3	T	Water	8260B	
500-17322-19	EW-4	T	Water	8260B	
500-17322-19DL	EW-4	T	Water	8260B	
500-17322-20	EW-5	T	Water	8260B	
500-17322-20DL	EW-5	T	Water	8260B	
500-17322-21	EW-6	T	Water	8260B	
500-17322-22	EW-7	T	Water	8260B	
500-17322-23	EW-8	T	Water	8260B	
500-17322-24	EW-9	T	Water	8260B	
500-17322-24DL	EW-9	T	Water	8260B	
500-17322-25	EW-9 DUP	T	Water	8260B	
500-17322-25DL	EW-9 DUP	T	Water	8260B	
500-17322-26	EW-10	T	Water	8260B	

Report Basis
T = Total

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

Surrogate Recovery Report

8260B VOC

Client Matrix: Water

Lab Sample ID	Client Sample ID	12DCE %Rec	TOL %Rec	BFB %Rec	DBFM %Rec
500-17322-1	RFW-1A	103	100	92	106
500-17322-2	RFW-1B	106	100	89	109
500-17322-3	RFW-2A	106	97	92	106
500-17322-4	RFW-2B	104	99	90	109
500-17322-5	RFW-3B	106	99	89	108
500-17322-6	RFW-4A	104	97	90	108
500-17322-7	RFW-4B	109	100	91	113
500-17322-8	RFW-4B DUP	107	97	88	106
500-17322-9	RFW-6	108	98	88	109
500-17322-10	RFW-7	104	97	91	110
500-17322-11	RFW-9	107	99	88	110
500-17322-12	RFW-11B	108	97	90	110
500-17322-13	RFW-12B	109	100	88	117
500-17322-13 DL	RFW-12B DL	110	100	90	108
500-17322-14	RFW-13	109	101	91	111
500-17322-15	RFW-17	104	98	89	111
500-17322-16	TRIP BLANK	107	99	89	113
500-17322-17	EW-2	106	99	90	111
500-17322-17 DL	EW-2 DL	108	99	90	113
500-17322-18	EW-3	108	100	92	108
500-17322-18 DL	EW-3 DL	109	97	91	107
500-17322-19	EW-4	108	99	94	106
500-17322-19 DL	EW-4 DL	108	98	90	106
500-17322-20	EW-5	106	99	92	109
500-17322-20 DL	EW-5 DL	107	99	93	112
500-17322-21	EW-6	112	97	91	111
500-17322-22	EW-7	107	96	92	106
500-17322-23	EW-8	108	99	89	104
500-17322-24	EW-9	110	100	93	109

Surrogate	Acceptance Limits
12DCE = 1,2-Dichloroethane-d4 (Surr)	70-125
TOL = Toluene-d8 (Surr)	75-120
BFB = 4-Bromofluorobenzene (Surr)	75-120
DBFM = Dibromofluoromethane	75-120

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

Surrogate Recovery Report

8260B_VOC

Client Matrix: Water

Lab Sample ID	Client Sample ID	12DCE %Rec	TOL %Rec	BFB %Rec	DBFM %Rec
500-17322-24 DL	EW-9 DL	108	97	90	114
500-17322-25	EW-9 DUP	108	96	93	112
500-17322-25 DL	EW-9 DUP DL	110	100	92	111
500-17322-26	EW-10	111	99	91	109
MB 500-58988/4		98	98	88	100
MB 500-59173/4		104	97	92	106
LCS 500-58988/5		101	101	102	106
LCS 500-59173/5		104	99	103	107
LCSD 500-59173/6		106	98	104	114

Surrogate	Acceptance Limits
12DCE = 1,2-Dichloroethane-d4 (Surr)	70-125
TOL = Toluene-d8 (Surr)	75-120
BFB = 4-Bromofluorobenzene (Surr)	75-120
DBFM = Dibromofluoromethane	75-120

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

Method Blank - Batch: 500-58988

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-58988/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2009 0912
Date Prepared: 03/03/2009 0912

Analysis Batch: 500-58988
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2M0303.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.16	1.0
Dichlorodifluoromethane	<1.0		0.29	1.0
Chloromethane	<1.0		0.33	1.0
Vinyl chloride	<1.0		0.23	1.0
Bromomethane	<1.0		0.44	1.0
Chloroethane	<1.0		0.45	1.0
Trichlorofluoromethane	<1.0		0.32	1.0
1,1-Dichloroethene	<1.0		0.22	1.0
Carbon disulfide	<5.0		0.39	5.0
Acetone	<5.0		1.2	5.0
Methylene Chloride	<2.0		0.99	2.0
trans-1,2-Dichloroethene	<1.0		0.17	1.0
1,1-Dichloroethane	<1.0		0.18	1.0
2,2-Dichloropropane	<1.0		0.30	1.0
cis-1,2-Dichloroethene	<1.0		0.21	1.0
Methyl Ethyl Ketone	<5.0		0.83	5.0
Bromochloromethane	<1.0		0.33	1.0
Chloroform	<1.0		0.13	1.0
1,1,1-Trichloroethane	<1.0		0.23	1.0
1,1-Dichloropropene	<1.0		0.17	1.0
Carbon tetrachloride	<1.0		0.21	1.0
1,2-Dichloroethane	<1.0		0.22	1.0
Trichloroethene	<1.0		0.20	1.0
1,2-Dichloropropane	<1.0		0.23	1.0
Dibromomethane	<1.0		0.31	1.0
Bromodichloromethane	<1.0		0.18	1.0
cis-1,3-Dichloropropene	<1.0		0.16	1.0
methyl isobutyl ketone	<5.0		0.58	5.0
Toluene	<1.0		0.16	1.0
trans-1,3-Dichloropropene	<1.0		0.13	1.0
1,1,2-Trichloroethane	<1.0		0.32	1.0
Tetrachloroethene	<1.0		0.14	1.0
1,3-Dichloropropane	<1.0		0.17	1.0
2-Hexanone	<5.0		0.77	5.0
Dibromochloromethane	<1.0		0.19	1.0
1,2-Dibromoethane	<1.0		0.24	1.0
Chlorobenzene	<1.0		0.17	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.18	1.0
Ethylbenzene	<1.0		0.17	1.0
m&p-Xylene	<2.0		0.23	2.0
o-Xylene	<1.0		0.12	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

Method Blank - Batch: 500-58988

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-58988/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2009 0912
Date Prepared: 03/03/2009 0912

Analysis Batch: 500-58988
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2M0303.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Styrene	<1.0		0.15	1.0
Bromoform	<1.0		0.30	1.0
Isopropylbenzene	<1.0		0.14	1.0
Bromobenzene	<1.0		0.15	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.25	1.0
1,2,3-Trichloropropane	<1.0		0.39	1.0
N-Propylbenzene	<1.0		0.11	1.0
2-Chlorotoluene	<1.0		0.16	1.0
1,3,5-Trimethylbenzene	<1.0		0.14	1.0
4-Chlorotoluene	<1.0		0.14	1.0
tert-Butylbenzene	<1.0		0.13	1.0
1,2,4-Trimethylbenzene	<1.0		0.12	1.0
sec-Butylbenzene	<1.0		0.14	1.0
1,3-Dichlorobenzene	<1.0		0.19	1.0
p-Isopropyltoluene	<1.0		0.12	1.0
1,4-Dichlorobenzene	<1.0		0.15	1.0
n-Butylbenzene	<1.0		0.13	1.0
1,2-Dichlorobenzene	<1.0		0.15	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.85	2.0
1,2,4-Trichlorobenzene	<1.0		0.20	1.0
Hexachlorobutadiene	<1.0		0.27	1.0
Naphthalene	<1.0		0.32	1.0
1,2,3-Trichlorobenzene	<1.0		0.20	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	98	70 - 125
Toluene-d8 (Surr)	98	75 - 120
4-Bromofluorobenzene (Surr)	88	75 - 120
Dibromofluoromethane	100	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

Lab Control Spike - Batch: 500-58988

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-58988/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2009 0935
Date Prepared: 03/03/2009 0935

Analysis Batch: 500-58988
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S0303.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	21.0	84	74 - 120	
Dichlorodifluoromethane	25.0	32.0	128	20 - 171	
Chloromethane	25.0	23.4	94	38 - 148	
Vinyl chloride	25.0	29.3	117	49 - 140	
Bromomethane	25.0	28.2	113	56 - 157	
Chloroethane	25.0	26.0	104	56 - 140	
Trichlorofluoromethane	25.0	26.0	104	48 - 134	
1,1-Dichloroethene	25.0	21.5	86	55 - 121	
Carbon disulfide	25.0	18.7	75	38 - 135	
Acetone	25.0	24.1	96	10 - 175	
Methylene Chloride	25.0	22.7	91	65 - 126	
trans-1,2-Dichloroethene	25.0	20.8	83	69 - 120	
1,1-Dichloroethane	25.0	22.3	89	69 - 120	
2,2-Dichloropropane	25.0	24.6	99	57 - 127	
cis-1,2-Dichloroethene	25.0	23.2	93	76 - 124	
Methyl Ethyl Ketone	25.0	18.2	73	28 - 160	
Bromochloromethane	25.0	21.9	87	67 - 120	
Chloroform	25.0	22.6	90	70 - 120	
1,1,1-Trichloroethane	25.0	23.4	93	68 - 125	
1,1-Dichloropropene	25.0	21.8	87	68 - 120	
Carbon tetrachloride	25.0	22.0	88	61 - 128	
1,2-Dichloroethane	25.0	20.7	83	71 - 120	
Trichloroethene	25.0	21.4	85	69 - 120	
1,2-Dichloropropane	25.0	22.4	89	75 - 120	
Dibromomethane	25.0	19.8	79	73 - 120	
Bromodichloromethane	25.0	22.3	89	79 - 134	
cis-1,3-Dichloropropene	26.9	20.7	77	64 - 120	
methyl isobutyl ketone	25.0	17.0	68	38 - 172	
Toluene	25.0	21.2	85	78 - 120	
trans-1,3-Dichloropropene	24.3	18.8	77	65 - 120	
1,1,2-Trichloroethane	25.0	22.0	88	74 - 123	
Tetrachloroethene	25.0	19.7	79	65 - 120	
1,3-Dichloropropane	25.0	19.7	79	77 - 120	
2-Hexanone	25.0	16.5	66	39 - 158	
Dibromochloromethane	25.0	20.2	81	78 - 126	
1,2-Dibromoethane	25.0	20.6	83	77 - 120	
Chlorobenzene	25.0	20.0	80	78 - 120	
1,1,1,2-Tetrachloroethane	25.0	20.9	84	75 - 121	
Ethylbenzene	25.0	21.0	84	79 - 120	
m&p-Xylene	50.0	42.6	85	78 - 120	
o-Xylene	25.0	21.4	86	79 - 120	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

Lab Control Spike - Batch: 500-58988

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-58988/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/03/2009 0935
Date Prepared: 03/03/2009 0935

Analysis Batch: 500-58988
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S0303.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Styrene	25.0	21.0	84	80 - 121	
Bromoform	25.0	18.1	73	58 - 122	
Isopropylbenzene	25.0	18.5	74	67 - 120	
Bromobenzene	25.0	19.3	77	74 - 120	
1,1,2,2-Tetrachloroethane	25.0	18.0	72	71 - 120	
1,2,3-Trichloropropane	25.0	17.6	71	71 - 120	
N-Propylbenzene	25.0	21.3	85	70 - 122	
2-Chlorotoluene	25.0	20.3	81	72 - 121	
1,3,5-Trimethylbenzene	25.0	21.4	85	75 - 120	
4-Chlorotoluene	25.0	20.3	81	71 - 119	
tert-Butylbenzene	25.0	21.9	88	74 - 122	
1,2,4-Trimethylbenzene	25.0	22.0	88	76 - 120	
sec-Butylbenzene	25.0	22.1	88	66 - 124	
1,3-Dichlorobenzene	25.0	19.8	79	76 - 120	
p-Isopropyltoluene	25.0	20.8	83	70 - 120	
1,4-Dichlorobenzene	25.0	19.1	76	74 - 120	
n-Butylbenzene	25.0	22.5	90	73 - 127	
1,2-Dichlorobenzene	25.0	19.4	77	76 - 120	
1,2-Dibromo-3-Chloropropane	25.0	17.3	69	59 - 120	
1,2,4-Trichlorobenzene	25.0	18.4	74	49 - 126	
Hexachlorobutadiene	25.0	23.4	94	52 - 128	
Naphthalene	25.0	15.7	63	54 - 120	
1,2,3-Trichlorobenzene	25.0	18.1	73	57 - 121	

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	101	70 - 125
Toluene-d8 (Surr)	101	75 - 120
4-Bromofluorobenzene (Surr)	102	75 - 120
Dibromofluoromethane	106	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

Method Blank - Batch: 500-59173

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-59173/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/05/2009 1020
Date Prepared: 03/05/2009 1020

Analysis Batch: 500-59173
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2M0305.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.16	1.0
Dichlorodifluoromethane	<1.0		0.29	1.0
Chloromethane	<1.0		0.33	1.0
Vinyl chloride	<1.0		0.23	1.0
Bromomethane	<1.0		0.44	1.0
Chloroethane	<1.0		0.45	1.0
Trichlorofluoromethane	<1.0		0.32	1.0
1,1-Dichloroethene	<1.0		0.22	1.0
Carbon disulfide	<5.0		0.39	5.0
Acetone	<5.0		1.2	5.0
Methylene Chloride	<2.0		0.99	2.0
trans-1,2-Dichloroethene	<1.0		0.17	1.0
1,1-Dichloroethane	<1.0		0.18	1.0
2,2-Dichloropropane	<1.0		0.30	1.0
cis-1,2-Dichloroethene	<1.0		0.21	1.0
Methyl Ethyl Ketone	<5.0		0.83	5.0
Bromochloromethane	<1.0		0.33	1.0
Chloroform	<1.0		0.13	1.0
1,1,1-Trichloroethane	<1.0		0.23	1.0
1,1-Dichloropropene	<1.0		0.17	1.0
Carbon tetrachloride	<1.0		0.21	1.0
1,2-Dichloroethane	<1.0		0.22	1.0
Trichloroethene	<1.0		0.20	1.0
1,2-Dichloropropane	<1.0		0.23	1.0
Dibromomethane	<1.0		0.31	1.0
Bromodichloromethane	<1.0		0.18	1.0
cis-1,3-Dichloropropene	<1.0		0.16	1.0
methyl isobutyl ketone	<5.0		0.58	5.0
Toluene	<1.0		0.16	1.0
trans-1,3-Dichloropropene	<1.0		0.13	1.0
1,1,2-Trichloroethane	<1.0		0.32	1.0
Tetrachloroethene	<1.0		0.14	1.0
1,3-Dichloropropane	<1.0		0.17	1.0
2-Hexanone	<5.0		0.77	5.0
Dibromochloromethane	<1.0		0.19	1.0
1,2-Dibromoethane	<1.0		0.24	1.0
Chlorobenzene	<1.0		0.17	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.18	1.0
Ethylbenzene	<1.0		0.17	1.0
m&p-Xylene	<2.0		0.23	2.0
o-Xylene	<1.0		0.12	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

Method Blank - Batch: 500-59173

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-59173/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/05/2009 1020
Date Prepared: 03/05/2009 1020

Analysis Batch: 500-59173
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2M0305.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Styrene	<1.0		0.15	1.0
Bromoform	<1.0		0.30	1.0
Isopropylbenzene	<1.0		0.14	1.0
Bromobenzene	<1.0		0.15	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.25	1.0
1,2,3-Trichloropropane	<1.0		0.39	1.0
N-Propylbenzene	<1.0		0.11	1.0
2-Chlorotoluene	<1.0		0.16	1.0
1,3,5-Trimethylbenzene	<1.0		0.14	1.0
4-Chlorotoluene	<1.0		0.14	1.0
tert-Butylbenzene	<1.0		0.13	1.0
1,2,4-Trimethylbenzene	<1.0		0.12	1.0
sec-Butylbenzene	<1.0		0.14	1.0
1,3-Dichlorobenzene	<1.0		0.19	1.0
p-Isopropyltoluene	<1.0		0.12	1.0
1,4-Dichlorobenzene	<1.0		0.15	1.0
n-Butylbenzene	<1.0		0.13	1.0
1,2-Dichlorobenzene	<1.0		0.15	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.85	2.0
1,2,4-Trichlorobenzene	<1.0		0.20	1.0
Hexachlorobutadiene	<1.0		0.27	1.0
Naphthalene	<1.0		0.32	1.0
1,2,3-Trichlorobenzene	<1.0		0.20	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	70 - 125
Toluene-d8 (Surr)	97	75 - 120
4-Bromofluorobenzene (Surr)	92	75 - 120
Dibromofluoromethane	106	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 500-59173

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 500-59173/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/05/2009 1043
Date Prepared: 03/05/2009 1043

Analysis Batch: 500-59173
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S0305.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-59173/6
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/05/2009 2030
Date Prepared: 03/05/2009 2030

Analysis Batch: 500-59173
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973I
Lab File ID: 2T0305.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	87	85	74 - 120	2	20		
Dichlorodifluoromethane	103	104	20 - 171	1	20		
Chloromethane	85	90	38 - 148	5	20		
Vinyl chloride	103	107	49 - 140	3	20		
Bromomethane	93	95	56 - 157	2	20		
Chloroethane	89	94	56 - 140	5	20		
Trichlorofluoromethane	93	94	48 - 134	2	20		
1,1-Dichloroethene	80	78	55 - 121	2	20		
Carbon disulfide	67	66	38 - 135	2	20		
Acetone	101	98	10 - 175	3	20		
Methylene Chloride	93	96	65 - 126	3	20		
trans-1,2-Dichloroethene	83	80	69 - 120	3	20		
1,1-Dichloroethane	89	90	69 - 120	1	20		
2,2-Dichloropropane	92	80	57 - 127	14	20		
cis-1,2-Dichloroethene	92	94	76 - 124	3	20		
Methyl Ethyl Ketone	79	83	28 - 160	5	20		
Bromochloromethane	88	95	67 - 120	8	20		
Chloroform	93	93	70 - 120	0	20		
1,1,1-Trichloroethane	91	90	68 - 125	2	20		
1,1-Dichloropropene	89	86	68 - 120	4	20		
Carbon tetrachloride	84	80	61 - 128	5	20		
1,2-Dichloroethane	91	92	71 - 120	0	20		
Trichloroethene	90	87	69 - 120	4	20		
1,2-Dichloropropane	93	95	75 - 120	1	20		
Dibromomethane	89	88	73 - 120	1	20		
Bromodichloromethane	95	95	79 - 134	0	20		
cis-1,3-Dichloropropene	87	83	64 - 120	5	20		
methyl isobutyl ketone	86	83	38 - 172	4	20		
Toluene	90	85	78 - 120	7	20		
trans-1,3-Dichloropropene	88	84	65 - 120	4	20		
1,1,2-Trichloroethane	102	102	74 - 123	0	20		
Tetrachloroethene	88	84	65 - 120	4	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 500-59173

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 500-59173/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/05/2009 1043
Date Prepared: 03/05/2009 1043

Analysis Batch: 500-59173
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S0305.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-59173/6
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/05/2009 2030
Date Prepared: 03/05/2009 2030

Analysis Batch: 500-59173
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973I
Lab File ID: 2T0305.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,3-Dichloropropane	95	92	77 - 120	4	20		
2-Hexanone	84	79	39 - 158	6	20		
Dibromochloromethane	94	93	78 - 126	1	20		
1,2-Dibromoethane	95	94	77 - 120	1	20		
Chlorobenzene	91	87	78 - 120	4	20		
1,1,1,2-Tetrachloroethane	96	94	75 - 121	3	20		
Ethylbenzene	91	88	79 - 120	3	20		
m&p-Xylene	92	88	78 - 120	4	20		
o-Xylene	93	90	79 - 120	4	20		
Styrene	95	92	80 - 121	3	20		
Bromoform	90	89	58 - 122	2	20		
Isopropylbenzene	75	73	67 - 120	3	20		
Bromobenzene	86	84	74 - 120	2	20		
1,1,2,2-Tetrachloroethane	89	83	71 - 120	7	20		
1,2,3-Trichloropropane	90	89	71 - 120	0	20		
N-Propylbenzene	87	84	70 - 122	4	20		
2-Chlorotoluene	87	83	72 - 121	4	20		
1,3,5-Trimethylbenzene	90	87	75 - 120	3	20		
4-Chlorotoluene	87	83	71 - 119	6	20		
tert-Butylbenzene	90	87	74 - 122	4	20		
1,2,4-Trimethylbenzene	95	92	76 - 120	3	20		
sec-Butylbenzene	90	87	66 - 124	3	20		
1,3-Dichlorobenzene	89	87	76 - 120	3	20		
p-Isopropyltoluene	86	84	70 - 120	2	20		
1,4-Dichlorobenzene	87	84	74 - 120	3	20		
n-Butylbenzene	91	88	73 - 127	4	20		
1,2-Dichlorobenzene	90	90	76 - 120	1	20		
1,2-Dibromo-3-Chloropropane	94	89	59 - 120	5	20		
1,2,4-Trichlorobenzene	92	86	49 - 126	7	20		
Hexachlorobutadiene	93	94	52 - 128	1	20		
Naphthalene	88	86	54 - 120	3	20		
1,2,3-Trichlorobenzene	93	93	57 - 121	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 500-59173

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID:	LCS 500-59173/5	Analysis Batch:	500-59173	Instrument ID:	Agilent 6890N GC - 5973N
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	2S0305.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	03/05/2009 1043			Final Weight/Volume:	10 mL
Date Prepared:	03/05/2009 1043				

LCSD Lab Sample ID:	LCSD 500-59173/6	Analysis Batch:	500-59173	Instrument ID:	Agilent 6890N GC - 5973I
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	2T0305.D
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	10 mL
Date Analyzed:	03/05/2009 2030			Final Weight/Volume:	10 mL
Date Prepared:	03/05/2009 2030				

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	106	70 - 125
Toluene-d8 (Surr)	99	98	75 - 120
4-Bromofluorobenzene (Surr)	103	104	75 - 120
Dibromofluoromethane	107	114	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60466
Phone: 708.534.5200 Fax: 708.534.5211

Report To (optional)
Contact: Greg Flasinski
Company:
Address:
Address:
Phone: 610.701.3779
Fax:
E-Mail:

Bill To (optional)
Contact:
Company:
Address:
Address:
Phone:
Fax:
PO#/Reference#

Chain of Custody Record

Lab Job #: 500-17322

Chain of Custody Number:

Page 1 of 3

Temperature °C of Cooler: 2.5

Client: Weston
Client Project #:
Project Name: Black + Decker
Project Location/State: Hampstead, MD
Lab Project #:
Sampler: Greg Flasinski
Lab PM: Dick Wright

Preservative / Parameter: 8260B (Mod) w/MTBE

Lab ID	MS/MSD	Sample ID	Sampling Date	Sampling Time	# of Containers	Matrix	8260B (Mod) w/MTBE									Comments
1		RFW-1A	2/25/09	1145	3	W	✓									
2		RFW-1B	↓	1230	↓	↓	↓									
3		RFW-2A	↓	1300	↓	↓	↓									
4		RFW-2B	↓	1310	↓	↓	↓									
5		RFW-3B	2/26/09	1015	↓	↓	↓									
6		RFW-4A	↓	910	↓	↓	↓									
7		RFW-4B	↓	1020	↓	↓	↓									
8		RFW-4B Dup	↓	1020	↓	↓	↓									
9		RFW-6	↓	1010	↓	↓	↓									
10		RFW-7	2/25/09	1335	↓	↓	↓									

Preservative Key
1. HCL, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None
8. Other

Turnaround Time Required (Business Days)
__ 1 Day __ 2 Days __ 5 Days __ 10 days __ 15 Days ____ Other

Sample Disposal
☐ Return to Client ☐ Disposal by Lab ☐ Archive for ____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By	Company	Date	Time	Received By	Company	Date	Time
[signature]	Weston	2/26/09	1700	[signature]	TA	2/27/09	1030

Lab Courier:
Shipped: Fx
Hand Delivered:

Matrix Key
WW – Wastewater
W – Water
S – Soil
SL – Sludge
MS – Miscellaneous
OL – Oil
A – Air
SE – Sediment
SO – Soil
L – Leachate
WI – Wipe
DW – Drinking Water
O – Other

Client Comments:

Lab Comments:

TAL-4124-500 (1008)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60466
Phone: 708.534.5200 Fax: 708.534.5211

Report To (optional)
Contact: Greg Flasinski
Company:
Address:
Address:
Phone: 610.701.3779
Fax:
E-Mail

Bill To (optional)
Contact:
Company:
Address:
Address:
Phone:
Fax:
PO#/Reference#

Chain of Custody Record

Lab Job #: 500-17322
Chain of Custody Number:
Page 2 of 3
Temperature °C of Cooler:

03/10/2009

Client: Black & Decker
Client Project #:
Project Name:
Project Location/State: Hampstead MD
Lab Project #:
Sampler:
Lab PM: Dick Wright

Preservative:
Parameter: 8260B (MOD) w/MTBE

Lab ID	MS/MSD	Sample ID	Sampling Date	Sampling Time	# of Containers	Matrix	8260B (MOD) w/MTBE									Comments
11		RFW-9	2/26/09	1200	3	W										
12		RFW-11B		1130												
13		RFW-12B		1030												
14		RFW-13	2/25/09	1445												
15		RFW-17		1120												
16		Trip Blank		0800												

Preservative Key
1. HCL, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None
8. Other

Turnaround Time Required (Business Days)
___ 1 Day ___ 2 Days ___ 5 Days ___ 10 days ___ 15 Days ___ Other

Sample Disposal
☐ Return to Client ☐ Disposal by Lab ☐ Archive for ___ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By	Company	Date	Time	Received By	Company	Date	Time
[signature]	Weston	2/26/09	1700	[signature]	TA	2/27/09	1030
Relinquished By	Company	Date	Time	Received By	Company	Date	Time
Relinquished By	Company	Date	Time	Received By	Company	Date	Time

Lab Courier:
Shipped: FX
Hand Delivered:

Matrix Key
WW – Wastewater
W – Water
S – Soil
SL – Sludge
MS – Miscellaneous
OL – Oil
A – Air
SE – Sediment
SO – Soil
L – Leachate
WI – Wipe
DW – Drinking Water
O – Other

Client Comments:

Lab Comments:

TAL-4124-500 (1008)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60466
Phone: 708.534.5200 Fax: 708.534.5211

(optional)

Report To
Contact: Greg Flasiusk
Company:
Address:
Address:
Phone:
Fax:
E-Mail:

(optional)

Bill To
Contact:
Company:
Address:
Address:
Phone:
Fax:
PO#/Reference#

Chain of Custody Record

Lab Job #: 500-17322

Chain of Custody Number:

Page 3 of 3

Temperature °C of Cooler:

03/10/2009

Client: Western
Project Name: Black + Decker
Project Location/State: Hampstead MD
Sampler:
Client Project #:
Lab Project #:
Lab PM: Dick Wright
Preservative: HCl Isotube
Parameter: 8260B (MOD) w/ MTBE

Preservative Key
1. HCL, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None
8. Other

Lab ID	MS/MSD	Sample ID	Sampling Date	Sampling Time	# of Containers	Matrix	Comments
17		EW-2	2/26/09	1045	3	W	
18		EW-3		1050			
19		EW-4		1105			
20		EW-5	2/25/09	1455			
21		EW-6		1450			
22		EW-7		1435			
23		EW-8		1415			
24		EW-9		1405			
25		EW-9 Dup		1405			
26		EW-10		1355			

Page 78 of 79

Turnaround Time Required (Business Days):
___ 1 Day ___ 2 Days ___ 5 Days ___ 10 days ___ 15 Days _____ Other

Sample Disposal:
☐ Return to Client ☐ Disposal by Lab ☐ Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By	Company	Date	Time	Received By	Company	Date	Time
[signature]	Western	2/26/09	1700	[signature]	TA	2/27/09	1030
Relinquished By	Company	Date	Time	Received By	Company	Date	Time
Relinquished By	Company	Date	Time	Received By	Company	Date	Time

Lab Courier:
Shipped: FX
Hand Delivered:

Matrix Key

WW – Wastewater	SE – Sediment
W – Water	SO – Soil
S – Soil	L – Leachate
SL – Sludge	WI – Wipe
MS – Miscellaneous	DW – Drinking Water
OL – Oil	O – Other
A – Air	

Client Comments:

Lab Comments:

Login Sample Receipt Check List

Client: Weston Solutions, Inc.

Job Number: 500-17322-1

Login Number: 17322
Creator: Lunt, Jeff T
List Number: 1

List Source: TestAmerica Chicago

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	2.5
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 680-45082-1

Job Description: Black & Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Attention: Mr. Tom Cornuet

Kathryn Smith

Approved for release.
Kathryn Smith
Project Manager I
3/9/2009 4:01 PM

Designee for
Abbie Page
Project Manager I
abbie.page@testamericainc.com
03/09/2009

The test results in this report meet NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted. Results pertain only to samples listed in this report. This report may not be reproduced, except in full, without the written approval of the laboratory. Questions should be directed to the person who signed this report.

Savannah Certifications and ID #s: A2LA: 0399.01; AL: 41450; ARDEQ: 88-0692; ARDOH; CA: 03217CA; CO; CT: PH0161; DE; FL: E87052; GA: 803; Guam; HI; IL: 200022; IN; IA: 353; KS: E-10322; KY EPPC: 90084; KY UST; LA DEQ: 30690; LA DHH: LA080008; ME: 2008022; MD: 250; MA: M-GA006; MI: 9925; MS; NFESC: 249; NV: GA00006; NJ: GA769; NM; NY: 10842; NC DWQ: 269; NC DHHS: 13701; PA: 68-00474; PR: GA00006; RI: LAO00244; SC: 98001001; TN: TN0296; TX: T104704185; USEPA: GA00006; VT: VT-87052; VA: 00302; WA; WV DEP: 094; WV DHHR: 9950 C; WI DNR: 999819810; WY/EPAR8: 8TMS-Q

TestAmerica Laboratories, Inc.
TestAmerica Savannah 5102 LaRoche Avenue, Savannah, GA 31404
Tel (912) 354-7858 Fax (912) 352-0165 www.testamericainc.com

ACCREDITED IN ACCORDANCE WITH nelac

METHOD SUMMARY

Client: Weston Solutions, Inc. Job Number: 680-45082-1

Description	Lab Location	Method	Preparation Method
Matrix Water			
Volatile Organic Compounds (GC/MS)	TAL SAV	EPA-DW 524.2	

Lab References:

TAL SAV = TestAmerica Savannah

Method References:

EPA-DW = "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

SAMPLE SUMMARY

Client: Weston Solutions, Inc. Job Number: 680-45082-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
680-45082-1	RFW-20	Water	02/25/2009 1700	02/27/2009 1004
680-45082-2	RFW-21	Water	02/25/2009 0955	02/27/2009 1004
680-45082-3	HAMP-22	Water	02/25/2009 0940	02/27/2009 1004
680-45082-4	HAMP-23	Water	02/25/2009 0945	02/27/2009 1004
680-45082-5	Trip Blank	Water	02/25/2009 0900	02/27/2009 1004

Client: Weston Solutions, Inc. Job Number: 680-45082-1

Client Sample ID: **RFW-20**

Lab Sample ID: 680-45082-1 Date Sampled: 02/25/2009 1700
Client Matrix: Water Date Received: 02/27/2009 1004

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2 Analysis Batch: 680-131969 Instrument ID: GC/MS Volatiles - S
Preparation: N/A Lab File ID: s02405.d
Dilution: 1.0 Initial Weight/Volume: 5 mL
Date Analyzed: 03/05/2009 1739 Final Weight/Volume: 5 mL
Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		2.1	10
Benzene	<0.50		0.19	0.50
Bromobenzene	<0.50		0.13	0.50
Bromoform	<0.50		0.17	0.50
Bromomethane	<1.0		0.49	1.0
Carbon tetrachloride	<0.50		0.38	0.50
Chlorobenzene	<0.50		0.19	0.50
Chlorobromomethane	<0.50		0.27	0.50
Chlorodibromomethane	<0.50		0.16	0.50
Chloroethane	<1.0		0.36	1.0
Chloroform	<0.50		0.20	0.50
Chloromethane	<0.50		0.31	0.50
2-Chlorotoluene	<0.50		0.18	0.50
4-Chlorotoluene	<0.50		0.18	0.50
cis-1,2-Dichloroethene	<0.50		0.25	0.50
cis-1,3-Dichloropropene	<0.50		0.16	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.29	0.50
Dibromomethane	<0.50		0.18	0.50
1,2-Dichlorobenzene	<0.50		0.23	0.50
1,3-Dichlorobenzene	<0.50		0.19	0.50
1,4-Dichlorobenzene	<0.50		0.17	0.50
Dichlorobromomethane	<0.50		0.19	0.50
Dichlorodifluoromethane	<0.50		0.46	0.50
1,1-Dichloroethane	<0.50		0.23	0.50
1,2-Dichloroethane	<0.50		0.19	0.50
1,1-Dichloroethene	<0.50		0.24	0.50
1,2-Dichloropropane	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.19	0.50
2,2-Dichloropropane	<0.50		0.33	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.37	0.50
Diisopropyl ether	<0.50		0.16	0.50
Ethylbenzene	<0.50		0.18	0.50
Ethylene Dibromide	<0.50		0.27	0.50
Freon 113	<0.50		0.22	0.50
Hexachlorobutadiene	<0.50		0.20	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.15	0.50
Methylene Chloride	<0.50		0.21	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.34	0.50
Naphthalene	<1.0	*	0.43	1.0

Client: Weston Solutions, Inc. Job Number: 680-45082-1

Client Sample ID: **RFW-20**

Lab Sample ID: 680-45082-1 Date Sampled: 02/25/2009 1700
Client Matrix: Water Date Received: 02/27/2009 1004

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2 Analysis Batch: 680-131969 Instrument ID: GC/MS Volatiles - S
Preparation: N/A Lab File ID: s02405.d
Dilution: 1.0 Initial Weight/Volume: 5 mL
Date Analyzed: 03/05/2009 1739 Final Weight/Volume: 5 mL
Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
n-Butylbenzene	<0.50		0.14	0.50
N-Propylbenzene	<0.50		0.19	0.50
o-Xylene	<0.50		0.11	0.50
sec-Butylbenzene	<0.50		0.17	0.50
Styrene	<0.50		0.30	0.50
Tert-amyl methyl ether	<0.50		0.091	0.50
tert-Butyl alcohol	<2.0		1.1	2.0
tert-Butylbenzene	<0.50		0.17	0.50
Tert-butyl ethyl ether	<0.50		0.11	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.15	0.50
Tetrachloroethene	<0.50		0.22	0.50
Toluene	<0.50		0.21	0.50
trans-1,2-Dichloroethene	<0.50		0.22	0.50
trans-1,3-Dichloropropene	<0.50		0.21	0.50
1,2,3-Trichlorobenzene	<0.50	*	0.45	0.50
1,2,4-Trichlorobenzene	<0.50	*	0.38	0.50
1,1,1-Trichloroethane	<0.50		0.16	0.50
1,1,2-Trichloroethane	<0.50		0.25	0.50
Trichloroethene	0.67		0.20	0.50
Trichlorofluoromethane	<0.50		0.31	0.50
1,2,3-Trichloropropane	<0.50		0.22	0.50
Trihalomethanes, Total	<0.50		0.16	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.17	0.50
Vinyl chloride	<0.50		0.29	0.50
Xylenes, Total	<0.50		0.44	0.50

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	92	70 - 130
1,2-Dichlorobenzene-d4	99	70 - 130

Client: Weston Solutions, Inc. Job Number: 680-45082-1

Client Sample ID: **RFW-21**

Lab Sample ID: 680-45082-2 Date Sampled: 02/25/2009 0955
Client Matrix: Water Date Received: 02/27/2009 1004

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2 Analysis Batch: 680-131969 Instrument ID: GC/MS Volatiles - S
Preparation: N/A Lab File ID: s02406.d
Dilution: 1.0 Initial Weight/Volume: 5 mL
Date Analyzed: 03/05/2009 1800 Final Weight/Volume: 5 mL
Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		2.1	10
Benzene	<0.50		0.19	0.50
Bromobenzene	<0.50		0.13	0.50
Bromoform	<0.50		0.17	0.50
Bromomethane	<1.0		0.49	1.0
Carbon tetrachloride	<0.50		0.38	0.50
Chlorobenzene	<0.50		0.19	0.50
Chlorobromomethane	<0.50		0.27	0.50
Chlorodibromomethane	<0.50		0.16	0.50
Chloroethane	<1.0		0.36	1.0
Chloroform	<0.50		0.20	0.50
Chloromethane	<0.50		0.31	0.50
2-Chlorotoluene	<0.50		0.18	0.50
4-Chlorotoluene	<0.50		0.18	0.50
cis-1,2-Dichloroethene	<0.50		0.25	0.50
cis-1,3-Dichloropropene	<0.50		0.16	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.29	0.50
Dibromomethane	<0.50		0.18	0.50
1,2-Dichlorobenzene	<0.50		0.23	0.50
1,3-Dichlorobenzene	<0.50		0.19	0.50
1,4-Dichlorobenzene	<0.50		0.17	0.50
Dichlorobromomethane	<0.50		0.19	0.50
Dichlorodifluoromethane	<0.50		0.46	0.50
1,1-Dichloroethane	<0.50		0.23	0.50
1,2-Dichloroethane	<0.50		0.19	0.50
1,1-Dichloroethene	<0.50		0.24	0.50
1,2-Dichloropropane	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.19	0.50
2,2-Dichloropropane	<0.50		0.33	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.37	0.50
Diisopropyl ether	<0.50		0.16	0.50
Ethylbenzene	<0.50		0.18	0.50
Ethylene Dibromide	<0.50		0.27	0.50
Freon 113	<0.50		0.22	0.50
Hexachlorobutadiene	<0.50		0.20	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.15	0.50
Methylene Chloride	<0.50		0.21	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.34	0.50
Naphthalene	<1.0		0.43	1.0

Client: Weston Solutions, Inc. Job Number: 680-45082-1

Client Sample ID: **RFW-21**

Lab Sample ID: 680-45082-2 Date Sampled: 02/25/2009 0955
Client Matrix: Water Date Received: 02/27/2009 1004

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2 Analysis Batch: 680-131969 Instrument ID: GC/MS Volatiles - S
Preparation: N/A Lab File ID: s02406.d
Dilution: 1.0 Initial Weight/Volume: 5 mL
Date Analyzed: 03/05/2009 1800 Final Weight/Volume: 5 mL
Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
n-Butylbenzene	<0.50		0.14	0.50
N-Propylbenzene	<0.50		0.19	0.50
o-Xylene	<0.50		0.11	0.50
sec-Butylbenzene	<0.50		0.17	0.50
Styrene	<0.50		0.30	0.50
Tert-amyl methyl ether	<0.50		0.091	0.50
tert-Butyl alcohol	<2.0		1.1	2.0
tert-Butylbenzene	<0.50		0.17	0.50
Tert-butyl ethyl ether	<0.50		0.11	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.15	0.50
Tetrachloroethene	<0.50		0.22	0.50
Toluene	<0.50		0.21	0.50
trans-1,2-Dichloroethene	<0.50		0.22	0.50
trans-1,3-Dichloropropene	<0.50		0.21	0.50
1,2,3-Trichlorobenzene	<0.50	*	0.45	0.50
1,2,4-Trichlorobenzene	<0.50	*	0.38	0.50
1,1,1-Trichloroethane	<0.50		0.16	0.50
1,1,2-Trichloroethane	<0.50		0.25	0.50
Trichloroethene	<0.50		0.20	0.50
Trichlorofluoromethane	<0.50		0.31	0.50
1,2,3-Trichloropropane	<0.50		0.22	0.50
Trihalomethanes, Total	<0.50		0.16	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.17	0.50
Vinyl chloride	<0.50		0.29	0.50
Xylenes, Total	<0.50		0.44	0.50

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	91	70 - 130
1,2-Dichlorobenzene-d4	95	70 - 130

Client: Weston Solutions, Inc. Job Number: 680-45082-1

Client Sample ID: **HAMP-22**

Lab Sample ID: 680-45082-3 Date Sampled: 02/25/2009 0940
Client Matrix: Water Date Received: 02/27/2009 1004

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2 Analysis Batch: 680-131969 Instrument ID: GC/MS Volatiles - S
Preparation: N/A Lab File ID: s02407.d
Dilution: 1.0 Initial Weight/Volume: 5 mL
Date Analyzed: 03/05/2009 1821 Final Weight/Volume: 5 mL
Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		2.1	10
Benzene	<0.50		0.19	0.50
Bromobenzene	<0.50		0.13	0.50
Bromoform	<0.50		0.17	0.50
Bromomethane	<1.0		0.49	1.0
Carbon tetrachloride	<0.50		0.38	0.50
Chlorobenzene	<0.50		0.19	0.50
Chlorobromomethane	<0.50		0.27	0.50
Chlorodibromomethane	<0.50		0.16	0.50
Chloroethane	<1.0		0.36	1.0
Chloroform	0.33	J	0.20	0.50
Chloromethane	<0.50		0.31	0.50
2-Chlorotoluene	<0.50		0.18	0.50
4-Chlorotoluene	<0.50		0.18	0.50
cis-1,2-Dichloroethene	<0.50		0.25	0.50
cis-1,3-Dichloropropene	<0.50		0.16	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.29	0.50
Dibromomethane	<0.50		0.18	0.50
1,2-Dichlorobenzene	<0.50		0.23	0.50
1,3-Dichlorobenzene	<0.50		0.19	0.50
1,4-Dichlorobenzene	<0.50		0.17	0.50
Dichlorobromomethane	<0.50		0.19	0.50
Dichlorodifluoromethane	<0.50		0.46	0.50
1,1-Dichloroethane	<0.50		0.23	0.50
1,2-Dichloroethane	<0.50		0.19	0.50
1,1-Dichloroethene	<0.50		0.24	0.50
1,2-Dichloropropane	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.19	0.50
2,2-Dichloropropane	<0.50		0.33	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.37	0.50
Diisopropyl ether	<0.50		0.16	0.50
Ethylbenzene	<0.50		0.18	0.50
Ethylene Dibromide	<0.50		0.27	0.50
Freon 113	<0.50		0.22	0.50
Hexachlorobutadiene	<0.50		0.20	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.15	0.50
Methylene Chloride	<0.50		0.21	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.34	0.50
Naphthalene	<1.0		0.43	1.0

Client: Weston Solutions, Inc. Job Number: 680-45082-1

Client Sample ID: **HAMP-22**

Lab Sample ID: 680-45082-3 Date Sampled: 02/25/2009 0940
Client Matrix: Water Date Received: 02/27/2009 1004

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2 Analysis Batch: 680-131969 Instrument ID: GC/MS Volatiles - S
Preparation: N/A Lab File ID: s02407.d
Dilution: 1.0 Initial Weight/Volume: 5 mL
Date Analyzed: 03/05/2009 1821 Final Weight/Volume: 5 mL
Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
n-Butylbenzene	<0.50		0.14	0.50
N-Propylbenzene	<0.50		0.19	0.50
o-Xylene	<0.50		0.11	0.50
sec-Butylbenzene	<0.50		0.17	0.50
Styrene	<0.50		0.30	0.50
Tert-amyl methyl ether	<0.50		0.091	0.50
tert-Butyl alcohol	<2.0		1.1	2.0
tert-Butylbenzene	<0.50		0.17	0.50
Tert-butyl ethyl ether	<0.50		0.11	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.15	0.50
Tetrachloroethene	<0.50		0.22	0.50
Toluene	<0.50		0.21	0.50
trans-1,2-Dichloroethene	<0.50		0.22	0.50
trans-1,3-Dichloropropene	<0.50		0.21	0.50
1,2,3-Trichlorobenzene	<0.50	*	0.45	0.50
1,2,4-Trichlorobenzene	<0.50	*	0.38	0.50
1,1,1-Trichloroethane	<0.50		0.16	0.50
1,1,2-Trichloroethane	<0.50		0.25	0.50
Trichloroethene	<0.50		0.20	0.50
Trichlorofluoromethane	<0.50		0.31	0.50
1,2,3-Trichloropropane	<0.50		0.22	0.50
Trihalomethanes, Total	0.33	J	0.16	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.17	0.50
Vinyl chloride	<0.50		0.29	0.50
Xylenes, Total	<0.50		0.44	0.50

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	90	70 - 130
1,2-Dichlorobenzene-d4	94	70 - 130

Client: Weston Solutions, Inc. Job Number: 680-45082-1

Client Sample ID: **HAMP-23**

Lab Sample ID: 680-45082-4 Date Sampled: 02/25/2009 0945
Client Matrix: Water Date Received: 02/27/2009 1004

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2 Analysis Batch: 680-131969 Instrument ID: GC/MS Volatiles - S
Preparation: N/A Lab File ID: s02408.d
Dilution: 1.0 Initial Weight/Volume: 5 mL
Date Analyzed: 03/05/2009 1843 Final Weight/Volume: 5 mL
Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		2.1	10
Benzene	<0.50		0.19	0.50
Bromobenzene	<0.50		0.13	0.50
Bromoform	0.26	J	0.17	0.50
Bromomethane	<1.0		0.49	1.0
Carbon tetrachloride	<0.50		0.38	0.50
Chlorobenzene	<0.50		0.19	0.50
Chlorobromomethane	<0.50		0.27	0.50
Chlorodibromomethane	0.36	J	0.16	0.50
Chloroethane	<1.0		0.36	1.0
Chloroform	0.44	J	0.20	0.50
Chloromethane	<0.50		0.31	0.50
2-Chlorotoluene	<0.50		0.18	0.50
4-Chlorotoluene	<0.50		0.18	0.50
cis-1,2-Dichloroethene	<0.50		0.25	0.50
cis-1,3-Dichloropropene	<0.50		0.16	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.29	0.50
Dibromomethane	<0.50		0.18	0.50
1,2-Dichlorobenzene	<0.50		0.23	0.50
1,3-Dichlorobenzene	<0.50		0.19	0.50
1,4-Dichlorobenzene	<0.50		0.17	0.50
Dichlorobromomethane	0.33	J	0.19	0.50
Dichlorodifluoromethane	<0.50		0.46	0.50
1,1-Dichloroethane	<0.50		0.23	0.50
1,2-Dichloroethane	<0.50		0.19	0.50
1,1-Dichloroethene	<0.50		0.24	0.50
1,2-Dichloropropane	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.19	0.50
2,2-Dichloropropane	<0.50		0.33	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.37	0.50
Diisopropyl ether	<0.50		0.16	0.50
Ethylbenzene	<0.50		0.18	0.50
Ethylene Dibromide	<0.50		0.27	0.50
Freon 113	<0.50		0.22	0.50
Hexachlorobutadiene	<0.50		0.20	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.15	0.50
Methylene Chloride	0.26	J	0.21	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.34	0.50
Naphthalene	<1.0	*	0.43	1.0

Client: Weston Solutions, Inc. Job Number: 680-45082-1

Client Sample ID: **HAMP-23**

Lab Sample ID: 680-45082-4 Date Sampled: 02/25/2009 0945
Client Matrix: Water Date Received: 02/27/2009 1004

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2 Analysis Batch: 680-131969 Instrument ID: GC/MS Volatiles - S
Preparation: N/A Lab File ID: s02408.d
Dilution: 1.0 Initial Weight/Volume: 5 mL
Date Analyzed: 03/05/2009 1843 Final Weight/Volume: 5 mL
Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
n-Butylbenzene	<0.50		0.14	0.50
N-Propylbenzene	<0.50		0.19	0.50
o-Xylene	<0.50		0.11	0.50
sec-Butylbenzene	<0.50		0.17	0.50
Styrene	<0.50		0.30	0.50
Tert-amyl methyl ether	<0.50		0.091	0.50
tert-Butyl alcohol	<2.0		1.1	2.0
tert-Butylbenzene	<0.50		0.17	0.50
Tert-butyl ethyl ether	<0.50		0.11	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.15	0.50
Tetrachloroethene	<0.50		0.22	0.50
Toluene	<0.50		0.21	0.50
trans-1,2-Dichloroethene	<0.50		0.22	0.50
trans-1,3-Dichloropropene	<0.50		0.21	0.50
1,2,3-Trichlorobenzene	<0.50	*	0.45	0.50
1,2,4-Trichlorobenzene	<0.50	*	0.38	0.50
1,1,1-Trichloroethane	<0.50		0.16	0.50
1,1,2-Trichloroethane	<0.50		0.25	0.50
Trichloroethene	<0.50		0.20	0.50
Trichlorofluoromethane	<0.50		0.31	0.50
1,2,3-Trichloropropane	<0.50		0.22	0.50
Trihalomethanes, Total	1.4		0.16	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.17	0.50
Vinyl chloride	<0.50		0.29	0.50
Xylenes, Total	<0.50		0.44	0.50

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	91	70 - 130
1,2-Dichlorobenzene-d4	98	70 - 130

Client: Weston Solutions, Inc. Job Number: 680-45082-1

Client Sample ID: **Trip Blank**

Lab Sample ID: 680-45082-5 Date Sampled: 02/25/2009 0900
Client Matrix: Water Date Received: 02/27/2009 1004

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2 Analysis Batch: 680-131969 Instrument ID: GC/MS Volatiles - S
Preparation: N/A Lab File ID: s02404.d
Dilution: 1.0 Initial Weight/Volume: 5 mL
Date Analyzed: 03/05/2009 1718 Final Weight/Volume: 5 mL
Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		2.1	10
Benzene	<0.50		0.19	0.50
Bromobenzene	<0.50		0.13	0.50
Bromoform	<0.50		0.17	0.50
Bromomethane	<1.0		0.49	1.0
Carbon tetrachloride	<0.50		0.38	0.50
Chlorobenzene	<0.50		0.19	0.50
Chlorobromomethane	<0.50		0.27	0.50
Chlorodibromomethane	<0.50		0.16	0.50
Chloroethane	<1.0		0.36	1.0
Chloroform	<0.50		0.20	0.50
Chloromethane	<0.50		0.31	0.50
2-Chlorotoluene	<0.50		0.18	0.50
4-Chlorotoluene	<0.50		0.18	0.50
cis-1,2-Dichloroethene	<0.50		0.25	0.50
cis-1,3-Dichloropropene	<0.50		0.16	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.29	0.50
Dibromomethane	<0.50		0.18	0.50
1,2-Dichlorobenzene	<0.50		0.23	0.50
1,3-Dichlorobenzene	<0.50		0.19	0.50
1,4-Dichlorobenzene	<0.50		0.17	0.50
Dichlorobromomethane	<0.50		0.19	0.50
Dichlorodifluoromethane	<0.50		0.46	0.50
1,1-Dichloroethane	<0.50		0.23	0.50
1,2-Dichloroethane	<0.50		0.19	0.50
1,1-Dichloroethene	<0.50		0.24	0.50
1,2-Dichloropropane	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.19	0.50
2,2-Dichloropropane	<0.50		0.33	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.37	0.50
Diisopropyl ether	<0.50		0.16	0.50
Ethylbenzene	<0.50		0.18	0.50
Ethylene Dibromide	<0.50		0.27	0.50
Freon 113	<0.50		0.22	0.50
Hexachlorobutadiene	<0.50		0.20	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.15	0.50
Methylene Chloride	<0.50		0.21	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.34	0.50
Naphthalene	<1.0	*	0.43	1.0

Client: Weston Solutions, Inc. Job Number: 680-45082-1

Client Sample ID: **Trip Blank**

Lab Sample ID: 680-45082-5 Date Sampled: 02/25/2009 0900
Client Matrix: Water Date Received: 02/27/2009 1004

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2 Analysis Batch: 680-131969 Instrument ID: GC/MS Volatiles - S
Preparation: N/A Lab File ID: s02404.d
Dilution: 1.0 Initial Weight/Volume: 5 mL
Date Analyzed: 03/05/2009 1718 Final Weight/Volume: 5 mL
Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
n-Butylbenzene	<0.50		0.14	0.50
N-Propylbenzene	<0.50		0.19	0.50
o-Xylene	<0.50		0.11	0.50
sec-Butylbenzene	<0.50		0.17	0.50
Styrene	<0.50		0.30	0.50
Tert-amyl methyl ether	<0.50		0.091	0.50
tert-Butyl alcohol	<2.0		1.1	2.0
tert-Butylbenzene	<0.50		0.17	0.50
Tert-butyl ethyl ether	<0.50		0.11	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.15	0.50
Tetrachloroethene	<0.50		0.22	0.50
Toluene	<0.50		0.21	0.50
trans-1,2-Dichloroethene	<0.50		0.22	0.50
trans-1,3-Dichloropropene	<0.50		0.21	0.50
1,2,3-Trichlorobenzene	<0.50	*	0.45	0.50
1,2,4-Trichlorobenzene	<0.50	*	0.38	0.50
1,1,1-Trichloroethane	<0.50		0.16	0.50
1,1,2-Trichloroethane	<0.50		0.25	0.50
Trichloroethene	<0.50		0.20	0.50
Trichlorofluoromethane	<0.50		0.31	0.50
1,2,3-Trichloropropane	<0.50		0.22	0.50
Trihalomethanes, Total	<0.50		0.16	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.17	0.50
Vinyl chloride	<0.50		0.29	0.50
Xylenes, Total	<0.50		0.44	0.50

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	91	70 - 130
1,2-Dichlorobenzene-d4	96	70 - 130

DATA REPORTING QUALIFIERS

Client: Weston Solutions, Inc. Job Number: 680-45082-1

Lab Section	Qualifier	Description
GC/MS VOA		
	*	LCS or LCSD exceeds the control limits
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Client: Weston Solutions, Inc.

Job Number: 680-45082-1

Surrogate Recovery Report

524.2 Volatile Organic Compounds (GC/MS)

Client Matrix: Water

Lab Sample ID	Client Sample ID	BFB %Rec	12DCB %Rec
680-45082-1	RFW-20	92	99
680-45082-2	RFW-21	91	95
680-45082-3	HAMP-22	90	94
680-45082-4	HAMP-23	91	98
680-45082-5	Trip Blank	91	96
MB 680-131969/22		88	79
LCS 680-131969/20		95	95
LCSD 680-131969/21		95	95

Surrogate	Acceptance Limits
BFB = 4-Bromofluorobenzene	70-130
12DCB = 1,2-Dichlorobenzene-d4	70-130

Client: Weston Solutions, Inc.

Job Number: 680-45082-1

Method Blank - Batch: 680-131969

Method: 524.2
Preparation: N/A

Lab Sample ID: MB 680-131969/22
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/05/2009 1313
Date Prepared: N/A

Analysis Batch: 680-131969
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - S
Lab File ID: sq206.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Acetone	<10		2.1	10
Benzene	<0.50		0.19	0.50
Bromobenzene	<0.50		0.13	0.50
Bromoform	<0.50		0.17	0.50
Bromomethane	<1.0		0.49	1.0
Carbon tetrachloride	<0.50		0.38	0.50
Chlorobenzene	<0.50		0.19	0.50
Chlorobromomethane	<0.50		0.27	0.50
Chlorodibromomethane	<0.50		0.16	0.50
Chloroethane	<1.0		0.36	1.0
Chloroform	<0.50		0.20	0.50
Chloromethane	<0.50		0.31	0.50
2-Chlorotoluene	<0.50		0.18	0.50
4-Chlorotoluene	<0.50		0.18	0.50
cis-1,2-Dichloroethene	<0.50		0.25	0.50
cis-1,3-Dichloropropene	<0.50		0.16	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.29	0.50
Dibromomethane	<0.50		0.18	0.50
1,2-Dichlorobenzene	<0.50		0.23	0.50
1,3-Dichlorobenzene	<0.50		0.19	0.50
1,4-Dichlorobenzene	<0.50		0.17	0.50
Dichlorobromomethane	<0.50		0.19	0.50
Dichlorodifluoromethane	<0.50		0.46	0.50
1,1-Dichloroethane	<0.50		0.23	0.50
1,2-Dichloroethane	<0.50		0.19	0.50
1,1-Dichloroethene	<0.50		0.24	0.50
1,2-Dichloropropane	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.19	0.50
2,2-Dichloropropane	<0.50		0.33	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.37	0.50
Diisopropyl ether	<0.50		0.16	0.50
Ethylbenzene	<0.50		0.18	0.50
Ethylene Dibromide	<0.50		0.27	0.50
Freon 113	<0.50		0.22	0.50
Hexachlorobutadiene	<0.50		0.20	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.15	0.50
Methylene Chloride	<0.50		0.21	0.50
2-Butanone (MEK)	<10		5.0	10

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 680-45082-1

Method Blank - Batch: 680-131969

Method: 524.2
Preparation: N/A

Lab Sample ID: MB 680-131969/22
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 03/05/2009 1313
Date Prepared: N/A

Analysis Batch: 680-131969
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - S
Lab File ID: sq206.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.34	0.50
Naphthalene	<1.0		0.43	1.0
n-Butylbenzene	<0.50		0.14	0.50
N-Propylbenzene	<0.50		0.19	0.50
o-Xylene	<0.50		0.11	0.50
sec-Butylbenzene	<0.50		0.17	0.50
Styrene	<0.50		0.30	0.50
Tert-amyl methyl ether	<0.50		0.091	0.50
tert-Butyl alcohol	<2.0		1.1	2.0
tert-Butylbenzene	<0.50		0.17	0.50
Tert-butyl ethyl ether	<0.50		0.11	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.15	0.50
Tetrachloroethene	<0.50		0.22	0.50
Toluene	<0.50		0.21	0.50
trans-1,2-Dichloroethene	<0.50		0.22	0.50
trans-1,3-Dichloropropene	<0.50		0.21	0.50
1,2,3-Trichlorobenzene	<0.50		0.45	0.50
1,2,4-Trichlorobenzene	<0.50		0.38	0.50
1,1,1-Trichloroethane	<0.50		0.16	0.50
1,1,2-Trichloroethane	<0.50		0.25	0.50
Trichloroethene	<0.50		0.20	0.50
Trichlorofluoromethane	<0.50		0.31	0.50
1,2,3-Trichloropropane	<0.50		0.22	0.50
Trihalomethanes, Total	<0.50		0.16	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.17	0.50
Vinyl chloride	<0.50		0.29	0.50
Xylenes, Total	<0.50		0.44	0.50

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	88	70 - 130
1,2-Dichlorobenzene-d4	79	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 680-45082-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 680-131969

Method: 524.2
Preparation: N/A

LCS Lab Sample ID:	LCS 680-131969/20	Analysis Batch:	680-131969	Instrument ID:	GC/MS Volatiles - S
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	sq204.d
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	5 mL
Date Analyzed:	03/05/2009 1148			Final Weight/Volume:	5 mL
Date Prepared:	N/A				

LCSD Lab Sample ID:	LCSD 680-131969/21	Analysis Batch:	680-131969	Instrument ID:	GC/MS Volatiles - S
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	sq205.d
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	5 mL
Date Analyzed:	03/05/2009 1209			Final Weight/Volume:	5 mL
Date Prepared:	N/A				

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Acetone	99	102	70 - 130	3	30		
Benzene	98	99	70 - 130	1	30		
Bromobenzene	91	92	70 - 130	2	30		
Bromoform	90	86	70 - 130	4	30		
Bromomethane	87	85	70 - 130	2	30		
Carbon tetrachloride	96	96	70 - 130	0	30		
Chlorobenzene	95	98	70 - 130	3	30		
Chlorobromomethane	106	105	70 - 130	2	30		
Chlorodibromomethane	91	93	70 - 130	2	30		
Chloroethane	99	99	70 - 130	0	30		
Chloroform	97	97	70 - 130	0	30		
Chloromethane	83	81	70 - 130	2	30		
2-Chlorotoluene	94	95	70 - 130	1	30		
4-Chlorotoluene	95	96	70 - 130	2	30		
cis-1,2-Dichloroethene	98	98	70 - 130	1	30		
cis-1,3-Dichloropropene	99	97	70 - 130	1	30		
1,2-Dibromo-3-Chloropropane	70	77	70 - 130	8	30		
Dibromomethane	92	93	70 - 130	1	30		
1,2-Dichlorobenzene	90	91	70 - 130	1	30		
1,3-Dichlorobenzene	91	92	70 - 130	2	30		
1,4-Dichlorobenzene	93	92	70 - 130	1	30		
Dichlorobromomethane	96	96	70 - 130	0	30		
Dichlorodifluoromethane	89	89	70 - 130	1	30		
1,1-Dichloroethane	102	101	70 - 130	1	30		
1,2-Dichloroethane	91	94	70 - 130	3	30		
1,1-Dichloroethene	100	101	70 - 130	1	30		
1,2-Dichloropropane	100	98	70 - 130	2	30		
1,3-Dichloropropane	92	95	70 - 130	3	30		
2,2-Dichloropropane	99	98	70 - 130	0	30		
1,1-Dichloropropene	96	98	70 - 130	2	30		
1,3-Dichloropropene, Total	97	97	70 - 130	0	30		
Diisopropyl ether	108	109	70 - 130	1	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 680-45082-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 680-131969

Method: 524.2
Preparation: N/A

LCS Lab Sample ID:	LCS 680-131969/20	Analysis Batch:	680-131969	Instrument ID:	GC/MS Volatiles - S
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	sq204.d
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	5 mL
Date Analyzed:	03/05/2009 1148			Final Weight/Volume:	5 mL
Date Prepared:	N/A				

LCSD Lab Sample ID:	LCSD 680-131969/21	Analysis Batch:	680-131969	Instrument ID:	GC/MS Volatiles - S
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	sq205.d
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	5 mL
Date Analyzed:	03/05/2009 1209			Final Weight/Volume:	5 mL
Date Prepared:	N/A				

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Ethylbenzene	99	101	70 - 130	2	30		
Ethylene Dibromide	94	96	70 - 130	2	30		
Freon 113	101	101	70 - 130	1	30		
Hexachlorobutadiene	85	85	70 - 130	1	30		
2-Hexanone	94	97	70 - 130	2	30		
Isopropylbenzene	99	101	70 - 130	1	30		
4-Isopropyltoluene	98	99	70 - 130	1	30		
Methylene Chloride	94	94	70 - 130	1	30		
2-Butanone (MEK)	95	100	70 - 130	5	30		
4-Methyl-2-pentanone (MIBK)	97	102	70 - 130	5	30		
m-Xylene & p-Xylene	98	101	70 - 130	3	30		
Naphthalene	63	68	70 - 130	8	30	*	*
n-Butylbenzene	100	101	70 - 130	2	30		
N-Propylbenzene	101	102	70 - 130	1	30		
o-Xylene	99	98	70 - 130	1	30		
sec-Butylbenzene	98	99	70 - 130	1	30		
Styrene	98	96	70 - 130	2	30		
Tert-amyl methyl ether	105	106	70 - 130	1	30		
tert-Butyl alcohol	89	93	70 - 130	4	30		
tert-Butylbenzene	96	98	70 - 130	2	30		
Tert-butyl ethyl ether	106	108	70 - 130	2	30		
1,1,1,2-Tetrachloroethane	93	92	70 - 130	1	30		
1,1,2,2-Tetrachloroethane	90	91	70 - 130	1	30		
Tetrachloroethene	96	97	70 - 130	1	30		
Toluene	98	100	70 - 130	2	30		
trans-1,2-Dichloroethene	98	98	70 - 130	0	30		
trans-1,3-Dichloropropene	95	96	70 - 130	1	30		
1,2,3-Trichlorobenzene	66	72	70 - 130	8	30	*	
1,2,4-Trichlorobenzene	66	70	70 - 130	5	30	*	
1,1,1-Trichloroethane	95	99	70 - 130	4	30		
1,1,2-Trichloroethane	94	95	70 - 130	1	30		
Trichloroethene	97	98	70 - 130	2	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 680-45082-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 680-131969

Method: 524.2
Preparation: N/A

LCS Lab Sample ID:	LCS 680-131969/20	Analysis Batch:	680-131969	Instrument ID:	GC/MS Volatiles - S
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	sq204.d
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	5 mL
Date Analyzed:	03/05/2009 1148			Final Weight/Volume:	5 mL
Date Prepared:	N/A				

LCSD Lab Sample ID:	LCSD 680-131969/21	Analysis Batch:	680-131969	Instrument ID:	GC/MS Volatiles - S
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	sq205.d
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	5 mL
Date Analyzed:	03/05/2009 1209			Final Weight/Volume:	5 mL
Date Prepared:	N/A				

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Trichlorofluoromethane	112	115	70 - 130	3	30		
1,2,3-Trichloropropane	81	86	70 - 130	6	30		
1,2,4-Trimethylbenzene	94	96	70 - 130	1	30		
1,3,5-Trimethylbenzene	94	95	70 - 130	1	30		
Vinyl chloride	99	94	70 - 130	5	30		
Xylenes, Total	99	100	70 - 130	1	30		

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
4-Bromofluorobenzene	95	95	70 - 130
1,2-Dichlorobenzene-d4	95	95	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60466
Phone: 708.534.5200 Fax: 708.534.5211

Chain of Custody Record

Report To (optional)		Bill To (optional)	
Contact:	Greg Flasiuski	Contact:	
Company:		Company:	
Address:		Address:	
Address:		Address:	
Phone:	610.701.3779	Phone:	
Fax:		Fax:	
E-Mail:		PO#/Reference#	

Lab Job #:
Chain of Custody Number:
Page ____ of ____
Temperature °C of Cooler:

Client: Blue WESTON
Client Project #: 02501.002.
Project Name: Black + Decker
Project Location/State: Hampstead, MD
Lab Project #:
Sampler: Greg Flasiuski
Lab PM: Abbie Paige

Preservative: Acetone HCl
Parameter: 524.2

Preservative Key
1. HCL, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None
8. Other

Lab ID	MS/MSD	Sample ID	Sampling Date	Sampling Time	# of Containers	Matrix	Comments
		RFW-20	2/25/09	1700	3	W	✓
		RFW-21	2/25/09	955			✓
		Hamp-22	2/26/09	940			✓
		Hamp-23	2/26/09	945			✓
		Trip Blank	2/25/09	900	2		✓

Page 21 of 21

680-45086

Turnaround Time Required (Business Days)
1 Day 2 Days 5 Days 10 days 15 Days Other

Sample Disposal
Return to Client Disposal by Lab Archive for ____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By	Company	Date	Time	Received By	Company	Date	Time
	Weston	2/26/09	1700	Beth A Daughtry	TASAV	2-27-9	1004
Relinquished By	Company	Date	Time	Received By	Company	Date	Time
Relinquished By	Company	Date	Time	Received By	Company	Date	Time

Lab Courier
Shipped
Hand Delivered

Matrix Key
W – Wastewater SE – Sediment
– Water SO – Soil
– Soil L – Leachate
– Sludge WI – Wipe
S – Miscellaneous DW – Drinking Water
– Oil O – Other
– Air

Client Comments

Lab Comments:
TEMPERATURE 1.2

Weston Solutions, Inc.
1400 Weston Way
P.O. Box 2653
West Chester, Pennsylvania 19380
610-701-3000 • Fax 610-701-3186
www.westonsolutions.com

29 April 2009

Mr. Charlie Zeleski
Carroll County Health Department
Bureau of Environmental Health
P.O. Box 845
290 S. Center St.
Westminster, MD 21158

Re: Black & Decker Hampstead Facility

Dear Mr. Zeleski:

On behalf of our client, Black & Decker (U.S.) Inc. (Black & Decker), Weston Solutions, Inc. (WESTON®) provides enclosed with this letter a copy of the Quarterly Groundwater Monitoring Report for the period of January through March 2009.

If you have any questions regarding the enclosure, please contact me at (610) 701-3776.

Very truly yours,

WESTON SOLUTIONS, INC.

Thomas Cornuet

Thomas Cornuet, P.G.
Project Manager

Enclosure
cc: L. Biagioni, B&D
J. Freed, B&D
T. Lynch III, M&S
L. Bove, WESTON (w/o encl.)

Weston Solutions, Inc.
1400 Weston Way
P.O. Box 2653
West Chester, Pennsylvania 19380
610-701-3000 • Fax 610-701-3186
www.westonsolutions.com

29 April 2009

Mr. Arthur O'Connell
Waste Management Administration
Maryland Department of the Environment
1800 Washington Blvd
Baltimore, MD 21230

Re: Black & Decker Hampstead Facility

Dear Mr. O'Connell

On behalf of our client, Black & Decker (U.S.) Inc. (Black & Decker), Weston Solutions, Inc. (WESTON®) provides enclosed with this letter two copies of the Quarterly Groundwater Monitoring Report for the period of January through March 2009. This report has been drafted for your review pursuant to the Administrative Consent Order of 13 April 1995.

If you have any questions regarding the enclosure, please contact me at (610) 701-3776.

Very truly yours,

WESTON SOLUTIONS, INC.

Thomas Cornuet, P.G.
Project Manager

Enclosure
cc: L. Biagioni, B&D
J. Freed, B&D
T. Lynch III, M&S
K. Decker, Town of Hampstead
L. Bove, WESTON (w/o encl.)
B. Dietz, MDE (w/o encl.)