

ANNUAL REPORT

Prepared for

STANLEY BLACK & DECKER (U.S.), INC.

Hampstead, Maryland

July 2012

Prepared by

WESTON SOLUTIONS, INC.

West Chester, Pennsylvania 19380-1499

W.O. No. 02501.004.004.0700

TABLE OF CONTENTS

Section	Page
1. INTRODUCTION.....	1-1
2. SITE CHARACTERISTICS.....	2-1
2.1 HYDRAULIC PROPERTIES	2-1
2.2 EFFLUENT CHARACTERISTICS	2-1
2.3 GROUNDWATER QUALITY DATA	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. TREATMENT SYSTEM PERFORMANCE EVALUATION.....	4-1
5. RECOMMENDATIONS.....	5-1

LIST OF APPENDICES

APPENDIX A – WITHDRAWAL REPORTS

APPENDIX B – DISCHARGE MONITORING REPORTS

APPENDIX C – GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE (MAY 2012)

LIST OF FIGURES

Figure	Page
Figure 2-1 Groundwater Elevation Contour Map Under Pumping Conditions (June 2012).....	2-6

LIST OF TABLES

Table	Page
Table 2-1 Treatment System Pumping Records (July 2011 through June 2012)	2-2
Table 2-2 Groundwater Elevation Data (July 2011 through June 2012)	2-3
Table 2-3 Effluent Characteristics Summary (July 2011 through June 2012).....	2-7
Table 2-4 Summary of Groundwater Analytical Results – August 2011	2-10
Table 2-5 Summary of Groundwater Analytical Results – November 2011	2-13
Table 2-6 Summary of Groundwater Analytical Results – February 2012	2-16
Table 2-7 Summary of Groundwater Analytical Results – May 2012	2-19
Table 3-1 Treatment System Maintenance Activities (July 2011 through June 2012).....	3-2

1. INTRODUCTION

This Annual Report has been prepared to meet the requirements of Condition IV.L of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order) and the Addendum to Administrative Consent Order dated 29 June 1995. Specifically, Condition IV.L calls for preparation of an Annual Report containing a summary of the information contained in the Discharge Monitoring Reports (Table 2-3), a summary of all analyses of water samples (Tables 2-4 to 2-7), an explanation of all problems encountered and the manner in which they were resolved (Table 3-1), a performance evaluation of the treatment system (Section 4), and recommendations for continuation of, or changes to, the treatment system (Section 5). This document is one of several that are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black & Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of July 2011 through June 2012.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. Copies of the Withdrawal Reports, for the periods of July through December 2011 and January through June 2012, are included in Appendix A.

Water levels (Water Level Monitoring Report) for wells included in the water level monitoring plan are presented in Table 2-2. Based on the June 2012 water levels, a representative groundwater elevation contour map under pumping conditions is presented in Figure 2-1. At the time the data were collected, the extraction wells were pumping at a combined rate of approximately 183 gpm.

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of July 2011 through June 2012 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of July 2011 through June 2012, approximately 49.7 pounds (lbs) of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs were comprised of trichloroethene (TCE) (83.8%) and tetrachloroethene (PCE) (16.2%). Analytical results for the air stripper discharge for the period of July 2011 through June 2012 are included in Appendix C.

Table 2-1
Treatment System Pumping Records
(July 2011 through June 2012)

Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
July 2011	6,548,053
August 2011	6,654,014
September 2011	5,361,690
October 2011	6,695,740
November 2011	7,261,636
December 2011	7,622,161
January 2012	7,785,318
February 2012	7,319,653
March 2012	7,752,273
April 2012	7,541,394
May 2012	7,485,014
June 2012	7,361,950

Table 2-2
Groundwater Elevation Data (July 2011 through June 2012)
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV	TOTAL DEPTH	7/16/2011		8/24/2011		9/27/2011		10/22/2011	
			DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	91.43	757.78	91.86	757.35	91.23	757.98	91.41	757.80
EW-3	846.64	118	88.43	758.21	88.82	757.82	88.76	757.88	88.80	757.84
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	90.50	773.67	89.87	774.30	90.43	773.74	89.84	774.33
EW-6	831.98	115	103.00	728.98	100.33	731.65	103.21	728.77	101.00	730.98
EW-7	818.38	78	71.60	746.78	71.34	747.04	70.77	747.61	71.60	746.78
EW-8	811.13	98	91.50	719.63	93.00	718.13	30.66*	811.13	43.20*	811.13
EW-9	811.35	141	102.50	708.85	102.62	708.73	103.00	708.35	102.50	708.85
EW-10	807.74	NA	46.22	761.52	52.26	755.48	47.48	760.26	53.61	754.13
RFW-1A	864.37	78	51.15	813.22	52.81	811.56	52.68	811.69	51.96	812.41
RFW-1B	864.23	200	51.18	813.05	52.86	811.37	52.73	811.50	51.97	812.26
RFW-2A	857.41	35	13.10	844.31	17.32	840.09	16.94	840.47	15.26	842.15
RFW-2B	857.73	75	13.65	844.08	17.98	839.75	17.28	840.45	15.61	842.12
RFW-3B	839.21	153	37.41	801.80	37.26	801.95	34.32	804.89	37.83	801.38
RFW-4A	830.37	62	36.12	794.25	38.57	791.80	36.92	793.45	37.04	793.33
RFW-4B	830.37	120	36.05	794.32	38.52	791.85	36.85	793.52	36.90	793.47
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	4.10	780.94	4.89	780.15	3.90	781.14	3.64	781.40
RFW-7	805.14	29	7.94	797.20	7.10	798.04	6.98	798.16	8.19	796.95
RFW-8	860.07	53	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	25.47	836.55	27.97	834.05	25.26	836.76	26.23	835.79
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	64.23	785.39	64.58	785.04	64.08	785.54	64.35	785.27
RFW-12B	844.87	264	51.87	793.00	51.11	793.76	51.34	793.53	51.64	793.23
RFW-13	849.11	150	65.43	783.68	65.78	783.33	65.70	783.41	65.66	783.45
RFW-14B	812.39	281	58.47	753.92	49.77	762.62	52.63	759.76	53.60	758.79
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	26.41	808.25	27.43	807.23	27.58	807.08	26.94	807.72
RFW-20	842.29	142	33.13	809.16	35.03	807.26	36.71	805.58	33.08	809.21
RFW-21	832.65	102	20.68	811.97	22.22	810.43	22.63	810.02	21.43	811.22
PH-7	805.94	89	33.30	772.64	34.26	771.68	24.22	781.72	34.02	771.92
PH-9	814.94	98	51.02	763.92	54.71	760.23	51.30	763.64	50.62	764.32
PH-11	820.68	78	49.62	771.06	47.60	773.08	43.22	777.46	52.73	767.95
PH-12	828.35	87	49.83	778.52	53.63	774.72	51.51	776.84	48.11	780.24
B-3	803.02	83	10.40	792.62	10.60	792.42	10.38	792.64	9.61	793.41
Amoco	842.29	NA	NA	NC	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	NA	0.96	804.00	2.34	802.62	3.31	801.65	2.16	802.80
Pembroke #1	NA	NA	11.36	NC	10.96	NC	10.87	NC	11.26	NC
Pembroke #2	NA	NA	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	NA	NA	11.43	NC	10.88	NC	10.98	NC	10.08	NC
E. Century St.	NA	NA	19.24	NC	19.24	NC	19.21	NC	19.21	NC
Lwr. Beckleys. Rd.	NA	NA	55.67	NC	56.13	NC	55.48	NC	55.87	NC

Table 2-2
Groundwater Elevation Data (July 2011 through June 2012)
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV	TOTAL DEPTH	11/17/2011		12/22/2011		1/23/2012		2/16/2012	
			DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	91.73	757.48	91.64	757.57	91.58	757.63	90.78	758.43
EW-3	846.64	118	88.78	757.86	85.67	760.97	81.70	764.94	86.11	760.53
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	90.25	773.92	90.27	773.90	90.36	773.81	90.26	773.91
EW-6	831.98	115	102.00	729.98	101.57	730.41	94.27	737.71	101.74	730.24
EW-7	818.38	78	68.26	750.12	66.84	751.54	62.43	755.95	71.00	747.38
EW-8	811.13	98	91.45	719.68	91.47	719.66	91.42	719.71	93.00	718.13
EW-9	811.35	141	103.00	708.35	103.00	708.35	103.00	708.35	104.00	707.35
EW-10	807.74	NA	46.98	760.76	46.63	761.11	44.76	762.98	74.08	733.66
RFW-1A	864.37	78	49.16	815.21	49.36	815.01	50.11	814.26	47.51	816.86
RFW-1B	864.23	200	49.23	815.00	49.38	814.85	50.18	814.05	47.61	816.62
RFW-2A	857.41	35	12.71	844.70	13.96	843.45	12.37	845.04	12.59	844.82
RFW-2B	857.73	75	13.38	844.35	14.24	843.49	12.88	844.85	13.33	844.40
RFW-3B	839.21	153	37.41	801.80	35.43	803.78	29.79	809.42	29.36	809.85
RFW-4A	830.37	62	36.92	793.45	36.40	793.97	35.15	795.22	36.17	794.20
RFW-4B	830.37	120	36.89	793.48	36.31	794.06	35.03	795.34	35.83	794.54
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	4.03	781.01	3.84	781.20	2.84	782.20	3.08	781.96
RFW-7	805.14	29	5.92	799.22	7.12	798.02	6.13	799.01	5.09	800.05
RFW-8	860.07	53	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	24.97	837.05	25.13	836.89	24.80	837.22	24.38	837.64
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	63.89	785.73	63.36	786.26	62.09	787.53	63.36	786.26
RFW-12B	844.87	264	50.08	794.79	50.42	794.45	50.26	794.61	50.89	793.98
RFW-13	849.11	150	64.72	784.39	64.23	784.88	63.02	786.09	62.27	786.84
RFW-14B	812.39	281	53.49	758.90	53.37	759.02	52.94	759.45	53.61	758.78
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	26.03	808.63	26.10	808.56	26.31	808.35	24.55	810.11
RFW-20	842.29	142	32.81	809.48	32.11	810.18	32.47	809.82	31.58	810.71
RFW-21	832.65	102	20.52	812.13	21.26	811.39	20.47	812.18	19.81	812.84
PH-7	805.94	89	25.07	780.87	24.86	781.08	21.31	784.63	20.61	785.33
PH-9	814.94	98	52.04	762.90	50.22	764.72	50.42	764.52	50.60	764.34
PH-11	820.68	78	51.71	768.97	51.63	769.05	50.21	770.47	50.42	770.26
PH-12	828.35	87	47.84	780.51	46.27	782.08	42.47	785.88	43.59	784.76
B-3	803.02	83	10.11	792.91	10.20	792.82	10.12	792.90	9.96	793.06
Amoco	842.29	NA	NA	NC	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	NA	4.88	800.08	4.19	800.77	2.12	802.84	1.92	803.04
Pembroke #1	NA	NA	10.98	NC	11.18	NC	10.43	NC	10.89	NC
Pembroke #2	NA	NA	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	NA	NA	10.27	NC	10.94	NC	10.07	NC	10.58	NC
E. Century St.	NA	NA	19.20	NC	19.19	NC	19.23	NC	19.21	NC
Lwr. Beckleys. Rd.	NA	NA	55.42	NC	55.12	NC	54.89	NC	54.80	NC

Table 2-2
Groundwater Elevation Data (July 2011 through June 2012)
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV	TOTAL DEPTH	3/23/2012		4/18/2012		5/24/2012		6/7/2012	
			DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	91.10	758.11	91.40	757.81	93.67	755.54	93.48	755.73
EW-3	846.64	118	87.42	759.22	87.50	759.14	87.30	759.34	87.08	759.56
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	90.31	773.86	90.27	773.90	90.01	774.16	89.87	774.30
EW-6	831.98	115	102.02	729.96	102.19	729.79	102.00	729.98	102.50	729.48
EW-7	818.38	78	71.00	747.38	71.00	747.38	71.00	747.38	71.00	747.38
EW-8	811.13	98	93.00	718.13	93.00	718.13	95.80	715.33	93.00	718.13
EW-9	811.35	141	103.50	707.85	103.50	707.85	103.50	707.85	103.00	708.35
EW-10	807.74	NA	73.98	733.76	74.14	733.60	48.50	759.24	49.94	757.80
RFW-1A	864.37	78	48.19	816.18	48.73	815.64	50.23	814.14	50.31	814.06
RFW-1B	864.23	200	48.23	816.00	48.77	815.46	50.36	813.87	50.38	813.85
RFW-2A	857.41	35	13.12	844.29	14.21	843.20	13.11	844.30	13.17	844.24
RFW-2B	857.73	75	13.71	844.02	14.56	843.17	13.92	843.81	13.99	843.74
RFW-3B	839.21	153	29.70	809.51	29.83	809.38	31.34	807.87	31.41	807.80
RFW-4A	830.37	62	36.43	793.94	36.83	793.54	37.02	793.35	38.10	792.27
RFW-4B	830.37	120	36.19	794.18	36.99	793.38	37.83	792.54	38.82	791.55
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	4.11	780.93	4.97	780.07	3.18	781.86	4.17	780.87
RFW-7	805.14	29	7.57	797.57	7.87	797.27	5.36	799.78	7.83	797.31
RFW-8	860.07	53	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	25.67	836.35	26.04	835.98	25.33	836.69	25.82	836.20
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	63.40	786.22	63.47	786.15	63.71	785.91	64.03	785.59
RFW-12B	844.87	264	50.49	794.38	50.51	794.36	49.88	794.99	50.10	794.77
RFW-13	849.11	150	64.73	784.38	64.83	784.28	61.70	787.41	61.88	787.23
RFW-14B	812.39	281	52.91	759.48	53.66	758.73	52.98	759.41	53.59	758.80
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	26.51	808.15	27.02	807.64	26.00	808.66	26.13	808.53
RFW-20	842.29	142	32.39	809.90	32.44	809.85	33.26	809.03	33.34	808.95
RFW-21	832.65	102	21.74	810.91	21.83	810.82	20.35	812.30	20.42	812.23
PH-7	805.94	89	25.17	780.77	26.60	779.34	20.20	785.74	20.48	785.46
PH-9	814.94	98	50.70	764.24	51.04	763.90	52.43	762.51	52.62	762.32
PH-11	820.68	78	51.53	769.15	51.59	769.09	52.64	768.04	52.99	767.69
PH-12	828.35	87	46.41	781.94	47.02	781.33	49.83	778.52	50.67	777.68
B-3	803.02	83	9.83	793.19	8.96	794.06	9.26	793.76	9.41	793.61
Amoco	842.29	NA	NA	NC	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	NA	1.48	803.48	1.69	803.27	1.42	NC	1.17	803.79
Pembroke #1	NA	NA	11.08	NC	10.87	NC	10.94	NC	11.13	NC
Pembroke #2	NA	NA	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	NA	NA	10.41	NC	10.38	NC	10.22	NC	10.42	NC
E. Century St.	NA	NA	19.26	NC	19.27	NC	19.29	NC	19.26	NC
Lwr. Beckleys. Rd.	NA	NA	55.23	NC	56.42	NC	55.81	NC	55.67	NC




Table 2-3
Effluent Characteristics Summary (July 2011 through June 2012)
Black & Decker
Hampstead, Maryland

Discharge Number	Parameter	Units	Permit Limits	DMR DATE					
				July 2011	August 2011	September 2011	October 2011	November 2011	December 2011
001	FLOW average	MGD	NA	0.111	0.166	0.288	0.140	0.225	0.212
	FLOW maximum	MGD	NA	0.133	0.410	1.470	0.276	0.970	1.040
	1,1,1-Trichloroethane	ug/l	5	<1	<1	<1	<1	<1	<1
	Tetrachloroethylene	ug/l	5	<1	<1	<1	<1	<1	<1
	Trichloroethylene	ug/l	5	<1	<1	<1	<1	<1	<1
	Total Residual Chlorine	mg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
	Oil & Grease maximum	mg/l	15	<5	<5	<5	<5	<5	<5
	Oil & Grease monthly average	mg/l	10	<5	<5	<5	<5	<5	<5
	pH minimum	STD	6.0	6.6	6.3	6.1	6.3	6.5	6.4
	pH maximum	STD	8.5	7.0	8.5	7.3	6.9	7.0	7.4
BOD	mg/l	15	4.0	5.0	0.0	2.0	3.0	<1	
TSS maximum	mg/l	30	9.0	20.0	5.0	0.0	<1	<1	
TSS monthly average	mg/l	20	9.0	20.0	5.0	0.0	<1	<1	
101 (Monitoring Point)	FLOW average	MGD	NA	0.178	0.208	0.208	0.213	0.246	0.293
	FLOW maximum	MGD	NA	0.223	0.325	0.255	0.240	0.305	0.345
	Fecal Coliform	MPN/100ml	200	2.0	1.0	5.0	5.0	1.0	1.0
201 (Monitoring Point)	FLOW average	MGD	NA	NR	NR	0.202	NR	NR	0.235
	FLOW maximum	MGD	NA	NR	NR	0.268	NR	NR	0.300
	1,1,1-Trichloroethane	ug/l	NA	NR	NR	<1	NR	NR	<1
	Tetrachloroethylene	ug/l	NA	NR	NR	<1	NR	NR	<1
Trichloroethylene	ug/l	NA	NR	NR	<1	NR	NR	<1	

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

Table 2-3
 Effluent Characteristics Summary (July 2011 through June 2012)
 Black & Decker
 Hampstead, Maryland

Discharge Number	Parameter	Units	Permit Limits	DMR DATE					
				January 2012	February 2012	March 2012	April 2012	May 2012	June 2012
001	FLOW average	MGD	NA	0.187	0.140	0.222	0.177	0.176	0.180
	maximum	MGD	NA	0.668	0.238	0.703	0.350	0.100	1.103
	1,1,1-Trichloroethane	ug/l	5	< 1	< 1	< 1	< 1	< 1	< 1
	Tetrachloroethylene	ug/l	5	< 1	< 1	< 1	< 1	< 1	< 1
	Trichloroethylene	ug/l	5	< 1	< 1	< 1	< 1	< 1	< 1
	Total Residual Chlorine	mg/l	<0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease maximum	mg/l	15	< 5	< 5	< 5	< 5	< 5	< 5
	monthly average	mg/l	10	< 5	< 5	< 5	< 5	< 5	< 5
	pH minimum	STD	6.0	6.4	6.20	6.60	6.7	6.4	6.9
	maximum	STD	8.5	6.9	8.00	7.50	7.5	8.2	7.6
BOD	mg/l	15	3.0	< 2	2.0	2.0	< 2	7.0	
TSS maximum	mg/l	30	< 4	4.0	4.0	0.0	0.0	12.0	
monthly average	mg/l	20	< 4	4.0	4.0	0.0	0.0	12.0	
101 (Monitoring Point)	FLOW average	MGD	NA	0.308	0.286	0.363	0.320	0.247	0.195
	maximum	MGD	NA	0.382	0.407	0.452	0.401	0.322	0.262
	Fecal Coliform	MPN/100ml	200	2.0	2.0	< 1.8	8.0	130.0	13.0
201 (Monitoring Point)	FLOW average	MGD	NA	NR	NR	0.251	NR	NR	0.246
	maximum	MGD	NA	NR	NR	0.297	NR	NR	0.392
	1,1,1-Trichloroethane	ug/l	NA	NR	NR	< 1	NR	NR	< 1
	Tetrachloroethylene	ug/l	NA	NR	NR	< 1	NR	NR	< 1
	Trichloroethylene	ug/l	NA	NR	NR	< 1	NR	NR	< 1

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

2012 are included in Tables 2-4, 2-5, 2-6, and 2-7, respectively. As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the primary VOCs detected at the highest concentrations in the groundwater samples. The highest concentrations of TCE were detected in the groundwater samples collected from wells EW-2 and EW-4 and the highest concentrations of PCE were detected in the groundwater samples collected from well EW-9. The remainder of the detected VOCs, were detected at levels well below the Federal Maximum Concentration Levels (MCLs). The second quarter 2012 (May 2012) analytical data package is included in Appendix D. Analytical data packages for the remaining quarters are included in the respective Quarterly Groundwater Monitoring Reports.

Table 2-4

Summary of Groundwater Analytical Results - August 2011
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	0.9 J	0.9 J	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	4.5	1 U	1 U	1 U	1 U	9	25	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	280	73	770	120	6.7	6.6	9.1	0.8	0.8	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	55	2.3	13	3.4	13	14	62	100	110	1 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

Table 2-4
 Summary of Groundwater Analytical Results - August 2011
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1.1	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	2.5	0.7 J	1 U	3.4	NS	1 U	1 U	NS	11	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	0.8 J	1 U	1.7	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	0.9	1	1 U	28	27	50	NS	3	3.7	NS	12	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	0.8 J	21	20	78	NS	2.9	1 U	NS	4.7	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Table 2-4
Summary of Groundwater Analytical Results - August 2011
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	2.7	0.9 J	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.32 J	0.3 J	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	1 U	120	3.2	NS	1 U	ABD	ABD	ABD	1 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	1.5	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	8.9	18	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

Table 2-5

Summary of Groundwater Analytical Results - November 2011
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 J	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	4.3	2.3	1 U	1 U	1 U	5.3	30	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	280	64	970	120	6.5	4.2	10	1	0.7	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	61	2.1	17	4	12	8.5	62	130	120	1 J
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

Table 2-5

Summary of Groundwater Analytical Results - November 2011
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.9 J	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	2.2	0.8 J	0.8 J	3.4	NS	0.9 J	1 U	NS	14	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	0.9 J	0.8 J	1.6	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1 U	0.9	1 U	28	28	48	NS	3.5	2.9	NS	1 U	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	0.5	22	22	80	NS	3.9	1 U	NS	5.9	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.

Table 2-5

Summary of Groundwater Analytical Results - November 2011
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	2.9	0.9 J	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	4	110	3.1	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	3.5	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	8.8	18	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	0.7	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

Table 2-6
 Summary of Groundwater Analytical Results - February 2012
 Stanley Black & Decker
 Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	0.8 J	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.5	2	1 U	1 U	1 U	5.5	23	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	210	57	730	110	6.5	3.8	7.4	0.7	0.6	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	48	1.8	21	3.3	11	8.1	52	83	84	0.6 J
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.
 NS = Not Sampled

Table 2-6

Summary of Groundwater Analytical Results - February 2012
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.9 J	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.2	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	2.5	0.9 J	1	3.6	NS	1 U	1 U	NS	24	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1.6	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	0.4 J	0.4 J	0.5	31	30	44	NS	0.6	2.1	NS	10	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	0.3 J	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	22	22	66	NS	0.7 J	1 U	NS	6.6	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.

Table 2-6
Summary of Groundwater Analytical Results - February 2012
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	2.4	1.1	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	3.8	82	3	NS	1 U	ABD	ABD	ABD	1 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	0.3 J	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	6.1	16	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.
Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

Table 2-7
 Summary of Groundwater Analytical Results - May 2012
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.8	1.7	1 U	1 U	1 U	4.5	22	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	270	56	1100	110	6.7	4.1	9.2	0.7	0.6	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	55	1.8	19	3.6	12	9.1	75	95	99	0.8 J
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.
 NS = Not Sampled

Table 2-7
 Summary of Groundwater Analytical Results - May 2012
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.9 J	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.9 J	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	2.1	0.8 J	0.9 J	3.5	NS	1 U	1 U	NS	17	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	0.6 J	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.1	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	0.60	0.8	0.5	30	30	12	NS	2.9	1.1	NS	11	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	1 U	5 U	5 U	5 U	NS	5 U	1 U	NS	1 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	1 J	24	23	31	NS	2.6	1 U	NS	6.4	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Table 2-7
 Summary of Groundwater Analytical Results - May 2012
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	2.2	0.8 J	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	3.7	97	2.6	NS	1 U	ABD	ABD	ABD	1 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	1	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	1 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1.8	7.4	15	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.
 Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities that were performed on the extraction and treatment system during the reporting period (July 2011 through June 2012) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts, as appropriate, or other routine activities).

Table 3-1
Treatment System Maintenance Activities (July 2011 through June 2012)
Black Decker
Hampstead, Maryland

Date	Event/Corrective Action
Jul-11	Alarm at the air stripper due to a loss of the air compressors to the pumping valve. The system is back online.
Jul-11	Alarm at the air stripper due to a high column blower failure, reset the system is back online.
Jul-11	Alarm at the air stripper due to a bad Moore controller, the controller was repaired and the system is back online.
Jul-11	Alarm at the air stripper due to a series of power outages caused by severe weather.
Aug-11	Alarm at the air stripper, due to a high wet well. Reset the system, the stripper is back online.
Aug-11	Alarm at the air stripper, high column and blower failure. Reset the system, the stripper is back online.
Aug-11	Alarm at the air stripper due to a power outage caused by Hurricane Irene. A temporary electrical feed was run from old well house #2. The system is up and running wells EW-8 and EW-10 are still down. EW-8 was damaged by a downed tree, a new well house and replacement parts were ordered. EW-10 is still down so we don't trip the temporary breaker.
Sep-11	The temporary electric feed is moved to a larger breaker at the boiler room. Well EW-10 is back online after it was down for 2 weeks.
Sep-11	Alarm at the air stripper, EW-3 is down due to a bad control relay. The control relay is replaced the well is back online.
Oct-11	Air stripper was off for 3 hours while Micro-Tech installed the new PLC that replaced the old Moore Controllers.
Oct-11	Installed a new well house on EW-8, which was damaged from a fallen tree during the hurricane.

Table 3-1
Treatment System Maintenance Activities (July 2011 through June 2012)
Black Decker
Hampstead, Maryland

Date	Event/Corrective Action
Oct-11	EW-8 kept tripping the main breaker in the well house. The pump was damaged when the tree fell on the well house. A new pump is installed and EW-8 is back online.
Oct-11	Alarm at the stripper due to a power outage. Reset the system, the system is back online.
Dec-11	Alarm at the stripper. EW-7 tripped off due to a bad relay. The relay was replaced and EW-7 is back online.
Jan-12	Alarm at air stripper due to high wet well. System reset everything okay.
Jan-12	Alarm at air stripper due to a low hydro tank. An electrical problem was found in old well house #2 that feeds the alarms and the hydro tank. Repairs were made to the electrical system. System is back online.
Jan-12	A leak was detected in EW-6. Wells EW-6 through EW-10 were shut down for two hours while the leak was repaired. All wells back online.
Feb-12	Alarm at stripper, EW-9 went down due to a faulty heater. A temporary heater was installed and the well is back online.
Feb-12	The heating elements were replaced in EW-9.
Apr-12	Alarm at the stripper due to a power outage due to a thunderstorm. System reset and stripper is back online.
May-12	Alarm at the stripper due to a power outage due to a thunderstorm. System reset and stripper is back online.
Jun-12	Alarm at the stripper due to a power outage due to a thunderstorm. System reset and stripper is back online.

4. TREATMENT SYSTEM PERFORMANCE EVALUATION

During the reporting period of July 2011 to June 2012, depth-to-water measurements were collected in all site monitor wells on a monthly basis. A groundwater elevation contour map was constructed each month to verify that the groundwater extraction system was providing a hydraulic barrier to prevent any groundwater contamination from migrating off-site. Pumping rates were adjusted as necessary to ensure that hydraulic control was being maintained across the site. Significant drawdown has been observed in both shallow and deeper monitor wells throughout the long-term pumping of the extraction well system, indicating that considerable interconnection exists between the shallow and deeper groundwater.

The groundwater elevation data collected in June 2012 were contoured using KT3D (Tonkin and Larson, 2002), a software program designed to contour groundwater elevation data while taking into account one or more pumping centers. As discussed in *A Systematic Approach for Evaluation of Capture Zones at Pump and Treat System* (USEPA, 2009), KT3D uses a linear-log kriging method that accounts for more tightly spaced groundwater elevation contours around pumping centers. Traditional computer-contouring packages utilize linear kriging methods that can overestimate predicted capture zones around pumping centers.

As shown in Figure 2-1, the groundwater elevation contour map generated by KT3D using groundwater elevation and pumping rate data for June 2012 shows a large depression in the groundwater surface in the vicinity of the pumping well networks at the site. The groundwater pathlines show that the direction of groundwater flow is toward the extraction wells and the pumping well network is establishing an effective hydraulic barrier along the site property boundaries. The predicted groundwater capture zones for the pumping wells extend across the site property.

The system as presently configured is successful in meeting the objective of capturing on-site groundwater, thereby reducing the potential off-site migration of contaminated groundwater. The system is also successful in treating the collected groundwater to remove the VOCs from the water. The laboratory analytical results of the treated discharge water indicate that no VOCs are present.

5. RECOMMENDATIONS

As discussed in Section 4, the treatment system has created a hydraulic boundary that prevents the off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
WITHDRAWAL REPORTS

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, Anthony Phillips 3001, James Elliott 3738, Martin Whitt 0666, David Smith 9153

Permit Number: 02-DP-0022
Superintendent: Earle Villarreal

Certification # 1017

Month: April
Year: 2012

Date	Appearance	Discharge MGD	pH		Final Effluent outfall 001						Outfall 101						Outfall 201			Operator	
			su	mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l		Discharge mgd
1	Clear	0.33400																	0.229874	A.Phillips	
2	Clear	0.35000																	0.262101	D.Jones	
3	Clear	0.34800	6.95	0.00	< 1.00	< 1.00	< 1.00	2.0	< 4.0	< 5.0	0.329000	< 1.8	0"	1.0	0.5	5.0			0.250210	D.Jones	
4	Clear	0.32800									0.325000		0"	1.0	0.5	5.0			0.243648	M.Whitt	
5	Clear	0.31300	6.72	0.00							0.285000		0"	1.0	0.5	5.0			0.234735	D.Jones	
6	Clear	0.20900									0.331000		0"	1.0	0.5	5.0			0.260452	D.Smith	
7	Clear	0.21100									0.296000		0"	1.0	0.5	5.0			0.250535	D.Smith	
8	Clear	0.19700									0.319000		0"	1.0	0.5	5.0			0.241444	M.Whitt	
9	Clear	0.20800									0.241000		0"	1.0	0.5	5.0			0.250446	M.Whitt	
10	Clear	0.17600									0.401000	< 1.8	0"	1.0	0.5	3.4	< 1.0	< 1.0	< 1.0	0.229472	M.Whitt
11	Clear	0.15200									0.332000		0"	1.0	0.5	5.0			0.258061	M.Whitt	
12	Clear	0.12500	7.45	0.00							0.341000		0"	1.0	0.5	5.0			0.241235	A.Phillips	
13	Clear	0.13300	7.03	0.00							0.365000		0"	1.0	0.5	5.0			0.251560	D.Jones	
14	Clear	0.13500									0.331000		0"	1.0	0.5	5.0			0.261400	D.Jones	
15	Clear	0.12800									0.326000		0"	1.0	0.5	5.0			0.238793	A.Phillips	
16	Clear	0.13100									0.358000		0"	1.0	0.5	5.0			0.234412	A.Phillips	
17	Clear	0.13800	6.97	0.00							0.345000	< 1.8	0"	1.0	0.5	5.0			0.253702	A.Phillips	
18	Clear	0.14200	7.33	0.00							0.326000		0.0	1.0	0.5	5.0			0.255989	A.Phillips	
19	Clear	0.13200									0.310000		0.0	1.0	0.5	5.0			0.223638	Aphillips	
20	Clear	0.12800									0.328000		0.0	1.0	0.5	5.0			0.262617	Jelliott	
21	Clear	0.14800									0.362000		0.0	1.0	0.5	5.0			0.391905	Aphillips	
22	Clear	0.13000									0.325000		0.0	1.0	0.5	5.0			0.248125	Aphillips	
23	Clear	0.13000									0.299000		0.0	1.0	0.5	5.0			0.256233	Djones	
24	Clear	0.13000	7.12	0.00							0.351000	7.8	0.0	1.0	0.5	5.0			0.250171	Djones	
25	Clear	0.13200									0.262000		0.0	1.0	1.0	5.0			0.229593	Mwhitt	
26	Clear	0.12300	7.37	0.00							0.303000		0.0	1.0	1.0	5.0			0.236480	Djones	
27	Clear	0.13400									0.340000		0.0	1.0	1.0	5.0			0.251144	Djones	
28	Clear	0.13400									0.285000		0.0	1.0	1.0	5.0			0.258155	Mwhitt	
29	Clear	0.12100									0.265000		0.0	1.0	1.0	5.0			0.239454	Mwhitt	
30	Clear	0.11500									0.317000		0.0	1.0	1.0	5.0			0.245810	Djones	
31																					
Total		5.31500									9.606000								7.541394		
Average		0.17717	7.1	<0.10	0	0	0	2	0	0	0.320200	3	0.0	1.0	0.6	4.9	0	0	0	0.251380	
Minimum		0.11500	6.7	0.00	0	0	0	2	0	0	0.241000	1	0.0	1.0	0.5	3.4	0	0	0	0.223638	
Maximum		0.35000	7.5	<0.10	0	0	0	2	0	0	0.401000	8	0.0	1.0	1.0	5.0	0	0	0	0.391905	MOR 5-11-09

COMMENTS:

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:

Facility: BTR Capital Group

Permit Number: 02-DP-0022

Month: May

Maryland Environmental Service

Address: 626 Hanover Pike, Hampstead Maryland

Superintendent: Earle Villarreal

Certification # 1017

Year: 2012

259 Najoles Road, Millersville MD

Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, Anthony Phillips 3001, Jamaal Downs 2775, Philip Pitts 2999, James Elliott 3738, Martin Whitt 0666

Date	Appearance	Final Effluent outfall 001			Outfall 101							Outfall 201			Operator						
		Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd		Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	Discharge mgd
1	Clear	0.14300						< 2.0	< 4.0	< 5.5	0.286000	< 1.8	0.0	1.0	1.0	5.0				0.258014	Djones
2	Clear	0.12000	7.87	0.00							0.283000		0.0	1.0	1.0	5.0				0.246554	Djones
3	Clear	0.12500	7.60	0.00							0.296000		0.0	1.0	1.0	5.0				0.215489	Djones
4	Clear	0.13200									0.316000		0.0	1.0	1.0	5.0				0.260780	Djones
5	Clear	0.12600									0.289000		0.0	1.0	1.0	5.0				0.242540	Djones
6	Clear	0.12300									0.283000		0.0	1.0	1.0	5.0				0.243718	Djones
7	Clear	0.11800									0.252000		0.0	1.0	1.0	5.0				0.235493	APhillips
8	Clear	0.10600	7.08	0.00							0.322000	< 1.8	0.0	1.0	1.0	5.0				0.255037	Ppitts
9	Clear	0.14800									0.284000		0.0	1.0	1.0	5.0				0.253643	Djones
10	Clear	0.12200	7.20	0.00							0.299000		0.0	1.0	1.0	5.0				0.221659	Djones
11	Clear	0.12700									0.314000		0.0	1.0	1.0	5.0				0.249241	Djones
12	Clear	0.12900									0.295000		0.0	1.0	1.0	5.0				0.245067	Jdowns
13	Clear	0.12100									0.277000		0.0	1.0	1.0	5.0				0.241298	Jdowns
14	Clear	0.11500									0.285000		0.0	1.0	1.0	5.0				0.253232	Djones
15	Clear	0.13600	8.15	0.00	< 1.00	< 1.00	< 1.00				0.261000	130.0	0.0	1.0	1.0	5.0				0.253167	Djones
16	Clear	0.12000	7.61	0.00							0.283000		0.0	1.0	1.0	5.0				0.247835	Djones
17	Clear	0.12200									0.179000		0.0	1.0	1.0	5.0				0.247325	Djones
18	Clear	0.12400									0.156000		0.0	1.0	1.0	5.0				0.210338	Dbrenk
19	Clear	0.12600									0.151000		0.0	1.0	1.0	5.0				0.226694	Mwhitt
20	Clear	0.12300									0.140000		0.0	1.0	1.0	5.0				0.239375	Mwhitt
21	Clear	0.13700									0.191000		0.0	1.0	1.0	5.0				0.245994	Djones
22	Clear	0.13300	7.90	0.00							0.214000	27.0	0.0	1.0	1.0	5.0				0.253969	Djones
23	Clear	0.13000	6.87	0.00							0.222000		0.0	1.0	1.0	5.0				0.217244	Djones
24	Clear	1.00300	6.35	0.00							0.199000		0.0	1.0	1.0	5.0				0.250675	Gdickerson
25	Clear	0.26300									0.285000		0.0	1.0	1.0	5.0				0.215534	Jelliott
26	Clear	0.17900									0.218000		0.0	1.0	1.0	5.0				0.280964	Jelliott
27	Clear	0.14500									0.239000		0.0	1.0	1.0	5.0				0.229622	Gdickerson
28	Clear	0.16200									0.222000		0.0	1.0	1.0	5.0				0.240628	Gdickerson
29	Clear	0.16300	6.95	0.00							0.215000		0.0	1.0	1.0	5.0				0.238571	APhillips
30	Clear	0.44200									0.187000	17.0	0.0	1.0	1.0	5.0				0.181328	Djones
31	Clear	0.19200	7.33	0.00							0.214000		0.0	1.0	1.0	5.0				0.283986	Djones
Total		5.45500									7.657000									7.485014	
Average		0.17597	7.4	<0.10	0	0	0	2	0	0	0.247000	35	0.0	1.0	1.0	5.0	#DIV/0!	#DIV/0!	#####	0.241452	
Minimum		0.10600	6.4	0.00	0	0	0	2	0	0	0.140000	1	0.0	1.0	1.0	5.0	0	0	0	0.181328	
Maximum		1.00300	8.2	<0.10	0	0	0	0	0	0	0.322000	130	0.0	1.0	1.0	5.0	0	0	0	0.283986	MOR 5-11-09

COMMENTS:

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Cp's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, Anthony Phillips, 3001

Permit Number: 02-DP-0022
Superintendent: Earle Villarreal

Certification # 1017

Month: June
Year: 2012

Final Effluent outfall 001											Outfall 101					Outfall 201			Operator		
Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l		Trichloroethene ug/l	Discharge mgd
1	Clear	0.16300									0.213000		0.0	1.0	1.0	5.0				0.241523	Djones
2	Clear	1.10300									0.202000		0.0	1.0	1.0	5.0				0.236106	Djones
3	Clear	0.30100									0.212000		0.0	1.0	1.0	5.0				0.243076	Djones
4	Clear	0.19200	6.86	0.00							0.207000		0.0	1.0	1.0	5.0				0.235437	APhillips
5	Clear	0.17100	7.60	0.00							0.192000	< 1.8	0.0	1.0	1.0	5.0				0.262812	Gdickerson
6	Clear	0.14000									0.206000		0.0	1.0	1.0	5.0				0.239682	Gdickerson
7	Clear	0.15500									0.209000		0.0	1.0	1.0	5.0				0.249158	Djones
8	Clear	0.14600									0.257000		0.0	1.0	1.0	5.0				0.247717	Djones
9	Clear	0.15700									0.229000		0.0	1.0	1.0	5.0				0.246912	Jelliott
10	Clear	0.12300									0.262000		0.0	1.0	1.0	5.0				0.229792	Jelliott
11	Clear	0.12600	7.05	0.00							0.243000		0.0	1.0	1.0	5.0				0.259922	Djones
12	Clear	0.12400			< 1.00	< 1.00	< 1.00	7.0	11.6	< 5.0	0.240000	13.0	0.0	1.0	1.0	5.0				0.255119	Djones
13	Clear	0.25500	7.35	0.00							0.190000		0.0	1.0	1.0	5.0				0.240113	Djones
14	Clear	0.17100									0.185000		0.0	1.0	1.0	5.0				0.241497	Djones
15	Clear	0.13600									0.187000		0.0	1.0	1.0	5.0				0.247683	Djones
16	Clear	0.13800									0.169000		0.0	1.0	1.0	5.0				0.249329	APhillips
17	Clear	0.12200									0.160000		0.0	1.0	1.0	5.0				0.234475	APhillips
18	Clear	0.12000	7.04	0.00							0.163000		0.0	1.0	1.0	5.0				0.260873	Djones
19	Clear	0.14500									0.195000	13.0	0.0	1.0	1.0	5.0				0.249666	Djones
20	Clear	0.11300	7.42	0.00							0.181000		0.0	1.0	1.0	5.0				0.222827	Djones
21	Clear	0.12300									0.171000		0.0	1.0	1.0	5.0				0.241652	Gdickerson
22	Clear	0.12900									0.199000		0.0	1.0	1.0	5.0				0.257492	Djones
23	Clear	0.15100									0.168000		0.0	1.0	1.0	5.0				0.264241	Dsmith
24	Clear	0.13600									0.168000		0.0	1.0	1.0	5.0				0.235188	Dsmith
25	Clear	0.11700	6.95	0.00							0.156000		0.0	1.0	1.0	5.0				0.260476	Djones
26	Clear	0.12000	7.07	0.00							0.191000	13.0	0.0	1.0	1.0	5.0				0.244685	Djones
27	Clear	0.12500									0.163000		0.0	1.0	1.0	5.0				0.250716	Djones
28	Clear	0.12500									0.176000		0.0	1.0	1.0	5.0				0.224905	Djones
29	Clear	0.13300	7.10	0.00							0.196000		0.0	1.0	1.0	5.0				0.248516	Djones
30	Clear	0.14700									0.170000		0.0	1.0	1.0	5.0				0.240360	Djones
31																					
Total		5.40700									5.860000									7.361950	
Average		0.18023	7.2	<0.10	0	0	0	7	12	0	0.195333	10	0.0	1.0	1.0	5.0	#DIV/0!	#DIV/0!	#####	0.245398	
Minimum		0.11300	6.9	0.00	0	0	0	7	12	0	0.156000	1	0.0	1.0	1.0	5.0	0	0	0	0.222827	
Maximum		1.10300	7.6	<0.10	0	0	0	7	12	0	0.262000	13	0.0	1.0	1.0	5.0	0	0	0	0.264241	MOR 5-11-09

COMMENTS:

APPENDIX B
DISCHARGE MONITORING REPORTS

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
12	04	01	12	04	30
(20-21)		(22-23)	(24-25)	(26-27)	
(28-29)		(30-31)			

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	2	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	6.7	*****	7.5	(12)	0	TWICE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	6.0 DAILY MN	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	177,167	350,000	(07)	*****	*****	*****	****	0	Measured	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)					TELEPHONE		DATE			
James M. Harkins MES Director						410 729-8350		12	05	22	
TYPED OR PRINTED						AREA CODE	NUMBER	YEAR	MONTH	DAY	
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)						SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Name AG/GFI Hampstead, Inc.
 Address 626 Hanover Pike
Hampstead, MD 21074

Facility Black and Decker WWTP
 Location 626 Hanover Pike
 Attn: _____

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) MD0001881 (17-19) 101
 PERMIT NUMBER DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires


*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 12	04	01	TO 12	04	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit
 02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53)		UNITS	(48-53)		UNITS				
		AVERAGE	MAXIMUM		MINIMUM	AVERAGE		MAXIMUM			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	320,200	401,000	GPD	*****	*****	*****	****	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	REPORT	REPORT		*****	*****	*****				
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	8	(30)	0	ONCE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY MX				
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER James M. Harkins MES Director TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TFL PHONE		DATE				
			410	729-8350	12	05	22	AREA CODE	NUMBER	YFAR

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD						
YEAR	MO	DAY	YEAR	MO	DAY	
12	05	01	12	05	31	
FROM			TO			
(20-21)		(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)		
		(3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM				UNITS	
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(19)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15	MG/L		ONCE/ MONTH	GRAB	
								DAILY MX				
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	6.4	*****	8.2	(12)	0	TWICE/ WEEK	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	8.5	SU		TWICE/ WEEK	GRAB	
								DAILY MN				
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	20	30	MG/L		ONCE/ MONTH	GRAB	
								30DA AVG				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	175,968	1,003,000	(07)	*****	*****	*****	****	0	Measured	RECORD	
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	RECORD	
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011	0.019	MG/L		ONCE/ MONTH	GRAB	
								30DA AVG				
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	UG/L		ONCE/ MONTH	GRAB	
								DAILY MX				
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	UG/L		ONCE/ MONTH	GRAB	
								DAILY MX				
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			410	729-8350	12	07	24
James M. Harkins MES Director								AREA CODE	NUMBER	YEAR	MONTH	DAY
TYPED OR PRINTED												

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	12	05	01		12	05	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING			QUALITY OR CONCENTRATION			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM					
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB	
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TELEPHONE		DATE		
James M. Harkins MES Director TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							410	729-8350	12	06	21
								AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Name AG/GFI Hampstead, Inc.
 Address 626 Hanover Pike
Hampstead, MD 21074

Facility Black and Decker WWTP
 Location 626 Hanover Pike
 Attn: _____

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) MD0001881 (17-19) 101
 PERMIT NUMBER DISCHARGE NUMBER

Form Approved.
 OMB No.
 Approval expires

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
12	05	01	12	05	31
(20-21)	(22-23)	(24-25)	(28-27)	(28-29)	(30-31)

State Discharge Permit
 02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	247,000	322,000	(07)	*****	*****	*****	****	0	ONCE/MONTH	GRAB	
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/MONTH	GRAB	
COLIFORM, FECAL GENERAL 74055 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	130	(30)	0	ONCE/WEEK	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY MX	MPN		ONCE/WEEK	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 551001 AND 33 U.S.C. 55 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 6 YEARS.)							TELEPHONE		DATE		
James M. Harkins MES Director TYPED OR PRINTED								410	729-8350	12	06	21
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc
 Address 626 Hanover Pike
 Hampstead, MD 21074

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) MD0001881 PERMIT NUMBER
 (17-19) 001 DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE: ***

NOTE: Read instructions before completing this form

Facility Black and Decker WWTP
 Location 626 Hanover Pike
 Attn:

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 12	06	01	TO 12	06	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(45-53) AVERAGE	(54-51) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	7	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15	MG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						DAILY MX				
pH 00400 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	6.9	*****	7.6	(12)	0	TWICE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	8.5	SU		TWICE/ WEEK	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT				DAILY MN		DAILY MX				
SOLIDS, TOTAL SUSPENDED 00530 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	12	12	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20	30	MG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT					30DA AVG	DAILY MX				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	180,233	1,103,000	(07)	*****	*****	*****	****	0	Measured	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	RECORD
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
CHLORINE, TOTAL RESIDUAL 50060 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011	0.019	MG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT					30DA AVG	DAILY MX				
TETRACHLOROETHYLENE 34475 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	UG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						DAILY MX				
1,1,1-TRICHLOROETHANE 34506 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	UG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						DAILY MX				

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER James M. Harkins MES Director TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TFI PHONE		DATE		
		410	729-8350	12	07	23
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name AG/GFI Hampstead, Inc

(2-16)

(17-19)

OMB No.

Address 626 Hanover Pike

MD0001881

001

Approval expires

Hampstead, MD 21074

PERMIT NUMBER

DISCHARGE NUMBER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Black and Decker WWTP

MONITORING PERIOD

Location 626 Hanover Pike

YEAR	MO	DAY	YEAR	MO	DAY
12	06	01	12	06	30

Attn:

FROM TO

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-66)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (28-45)	AVERAGE (46-53)	MAXIMUM (54-51)	UNITS			
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	UG/L		ONCE/ MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER James M. Harkins MES Director TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TELEPHONE		DATE		
		410	729-8350	12	07	23
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc.

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

201

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 12	04	01	TO 12	06	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION		NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	246,026	391,905	(07)	*****	*****	*****	*****	*****	0	Measured	Record
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	*****	*****		Measured	Record
TETRACHLOROETHYLENE 34475 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	0	One/ Quarter	Grab
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L			One/ Quarter	Grab
1,1,1-TRICHLOROETHANE 34506 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	0	One/ Quarter	Grab
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L			One/ Quarter	Grab
TRICHLOROETHENE 79141 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	0	One/ Quarter	Grab
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L			One/ Quarter	Grab
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND/OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TFI PHONE		DATE		
James M. Harkins MES Director TYPED OR PRINTED								410	729-8350	12	07	24
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							AREA CODE	NUMBER	YFAR	MONTH	DAY

COMMENT AND EXPANATION OF ANY VIOLATIONS (Reference all attachments here)

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS



Maryland Environmental Services (A)

Order Number: A12040139

Sample # A12040139-01

Sample Date: 4/3/2012 9:26

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

Test	Result	Qualifier	RL	Units	Method	Analysis Date	Analyst
BOD-5	2	B YL	2	mg/L	SM 5210 B	4/4/2012 7:50:00 AM	Ythomas
Total Suspended Solids	< 4		4	mg/L	SM 2540D	4/6/2012 10:30:00 AM	Kplatt

Sample # A12040139-02

Sample Date: 4/3/2012 9:28

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

Test	Result	Qualifier	RL	Units	Method	Analysis Date	Analyst
Oil and Grease (HEM)	< 5		5	mg/L	EPA 1664	4/9/2012 12:50:00 PM	JMcGuire

Sample # A12040139-03

Sample Date: 4/3/2012 9:30

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

Test	Result	Qualifier	RL	Units	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	< 1		1	ug/L	EPA 624	4/5/2012 4:09:00 AM	JKozlowski
Tetrachloroethene	< 1		1	ug/L	EPA 624	4/5/2012 4:09:00 AM	JKozlowski
Trichloroethene	< 1		1	ug/L	EPA 624	4/5/2012 4:09:00 AM	JKozlowski

Approved:

Keith A. Hauslober
General Manager/Technical Director

Reported:

4/16/2012 2:24:33 PM



ATLANTIC COAST Laboratories

A Division of QC Laboratories

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A12050267

Sample # A12050267-01

Sample Date: 4/24/2012 9:05

Site: Black & Decker 101

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Fecal Coliform, MPN	7.8		N/A	MPN/100 mL	SM 9221 E	4/24/2012 1:49:00 PM	ChesapeakeEnvironmentalL

Approved:

Keith A. Handkecht

General Manager/Technical Director

Reported:

5/4/2012 9:17:44 AM



ATLANTIC COAST Laboratories
A Division of QC Laboratories

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A12050062

Sample # A12050062-01

Sample Date: 5/1/2012 9:35

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
BOD-5	< 2	YL	2	mg/L	SM 5210 B	5/2/2012 7:50:00 AM	Ythomas
Total Suspended Solids	< 4		4	mg/L	SM 2540D	5/2/2012 3:15:00 PM	FTatis

Sample # A12050062-02

Sample Date: 5/1/2012 9:39

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Oil and Grease (HEM)	< 5.5		5.5	mg/L	EPA 1664	5/7/2012 1:15:00 PM	JMcGuire

Approved:

Keith A. Hauskrecht
General Manager/Technical Director

Reported:

5/15/2012 7:04:24 AM



Maryland Environmental Services (A)

Order Number: A12050950

Sample # A12050950-01

Sample Date: 5/15/2012 9:35

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
1,1,1-Trichloroethane	<1		1	ug/L	EPA 624	5/18/2012 9:42:00 AM	JKozlowski
Tetrachloroethene	<1		1	ug/L	EPA 624	5/18/2012 9:42:00 AM	JKozlowski
Trichloroethene	<1		1	ug/L	EPA 624	5/18/2012 9:42:00 AM	JKozlowski

Approved:

Keith A. Hanskrecht

General Manager/Technical Director

Reported:

5/21/2012 6:57:21 AM



ATLANTIC COAST Laboratories
A Division of QC Laboratories

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A12051536

Sample # A12051536-01

Sample Date: 5/15/2012 9:25

Site: Black & Decker 101

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Fecal Coliform, MPN	130		N/A	MPN/100 mL	SM 9221 E	5/15/2012 1:45:00 PM	ChesapeakeEnvironmentalL

Approved:

Keith A. Hanselrecht
General Manager/Technical Director

Reported:

5/30/2012 3:37:21 PM



Maryland Environmental Services (A)

Order Number: A12060627

Sample # A12060627-01 **Sample Date: 6/12/2012 9:25**

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
BOD-5	7	YL	2	mg/L	SM 5210 B	6/13/2012 7:50:00 AM	Ythomas
Total Suspended Solids	11.6		4	mg/L	SM 2540D	6/15/2012 12:07:00 PM	Jsantiago

Sample # A12060627-02 **Sample Date: 6/12/2012 9:27**

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Oil and Grease (HEM)	< 5		5	mg/L	EPA 1664	6/28/2012 1:00:00 PM	QCLaboratories

Sample # A12060627-03 **Sample Date: 6/12/2012 9:29**

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
1,1-Dichloroethane	< 1		1	ug/L	EPA 624	6/16/2012 12:53:00 AM	JKozlowski
Tetrachloroethene	< 1		1	ug/L	EPA 624	6/16/2012 12:53:00 AM	JKozlowski
Trichloroethene	< 1		1	ug/L	EPA 624	6/16/2012 12:53:00 AM	JKozlowski

Approved:

Keith A. Hansbrock

General Manager/Technical Director

Reported:

7/6/2012 2:21:25 PM



ATLANTIC COAST Laboratories
A Division of QC Laboratories

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A12051184

Sample # A12051184-01

Sample Date: 5/8/2012 9:30

Site: Black & Decker 101

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Fecal Coliform, MPN	<1.8		N/A	MPN/100 mL	SM 9221 E	5/8/2012 2:39:00 PM	ChesapeakeEnvironmentalL

Approved:

Keith A. Hausler

General Manager/Technical Director

Reported:

5/22/2012 7:38:07 AM



ATLANTIC COAST Laboratories

A Division of QC Laboratories

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A12060575

Sample # A12060575-01

Sample Date: 5/30/2012 9:05

Site: Black & Decker 101

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Fecal Coliform, MPN	17		N/A	MPN/100 mL	SM 9221 E	5/30/2012 2:34:00 PM	ChesapeakeEnvironmentalL

Approved:

Keith A. Handwerker

General Manager/Technical Director

Reported:

6/14/2012 1:15:11 PM



ATLANTIC COAST Laboratories
A Division of QC Laboratories

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A12040554

Sample # A12040554-01

Sample Date: 4/10/2012 9:00

Site: Black & Decker 201

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
1,1,1-Trichloroethane	<1		1	ug/L	EPA 624	4/12/2012 10:53:00 PM	JKozlowski
Tetrachloroethene	<1		1	ug/L	EPA 624	4/12/2012 10:53:00 PM	JKozlowski
Trichloroethene	<1		1	ug/L	EPA 624	4/12/2012 10:53:00 PM	JKozlowski

Approved:

Keith A. Hausenrecht
General Manager/Technical Director

Reported:

4/16/2012 7:49:11 AM

APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE (MAY 2012)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-46773-1
Client Project/Site: Black and Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Mr. Tom Cornuet



Authorized for release by:
6/7/2012 10:46:42 AM

Richard Wright
Project Manager II
richard.wright@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

**Ask
The
Expert**

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	7
Sample Summary	8
Client Sample Results	9
Definitions	61
QC Association	62
Surrogate Summary	63
QC Sample Results	64
Chronicle	76
Certification Summary	80
Chain of Custody	81
Receipt Checklists	84



Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Job ID: 500-46773-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative
500-46773-1

Comments

No additional comments.

Receipt

The samples were received on 5/26/2012 9:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice.
The temperature of the cooler at receipt was 2.0° C.

GC/MS VOA

No analytical or quality issues were noted.



Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-46773-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.60		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-2B

Lab Sample ID: 500-46773-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.75		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-1A

Lab Sample ID: 500-46773-3

No Detections

Client Sample ID: RFW-1B

Lab Sample ID: 500-46773-4

No Detections

Client Sample ID: RFW-7

Lab Sample ID: 500-46773-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	1.1		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-17

Lab Sample ID: 500-46773-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	0.95		0.50	0.074	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-6

Lab Sample ID: 500-46773-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	2.9		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	2.6		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-13

Lab Sample ID: 500-46773-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.80	J	1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	2.6		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	15		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-3B

Lab Sample ID: 500-46773-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.1		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	0.54		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.95	J	1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-12B

Lab Sample ID: 500-46773-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.2		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	97		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	7.4		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A

Lab Sample ID: 500-46773-11

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-4A (Continued)

Lab Sample ID: 500-46773-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.77	J	1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	0.58	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	30		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	24		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-46773-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.88	J	1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	30		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	23		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4B

Lab Sample ID: 500-46773-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.5		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	12		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	31		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-9

Lab Sample ID: 500-46773-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	0.88	J	1.0	0.31	ug/L	1		8260B	Total/NA
1,1-Dichloroethane	0.86	J	1.0	0.19	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	17		1.0	0.12	ug/L	1		8260B	Total/NA
1,1,1-Trichloroethane	1.1		1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	11		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	6.4		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-11B

Lab Sample ID: 500-46773-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	3.7		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.8		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: Trip Blank

Lab Sample ID: 500-46773-16

No Detections

Client Sample ID: EW-2

Lab Sample ID: 500-46773-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.8		1.0	0.12	ug/L	1		8260B	Total/NA
Tetrachloroethene	55		1.0	0.17	ug/L	1		8260B	Total/NA
Trichloroethene - DL	270		5.0	1.9	ug/L	10		8260B	Total/NA

Client Sample ID: EW-3

Lab Sample ID: 500-46773-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.7		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	56		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.8		1.0	0.17	ug/L	1		8260B	Total/NA

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-4

Lab Sample ID: 500-46773-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	19		1.0	0.17	ug/L	1		8260B	Total/NA
Trichloroethene - DL	1100		5.0	1.9	ug/L	10		8260B	Total/NA

Client Sample ID: EW-5

Lab Sample ID: 500-46773-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	110		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	3.6		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-6

Lab Sample ID: 500-46773-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	6.7		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	12		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-7

Lab Sample ID: 500-46773-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	4.5		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	4.1		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	9.1		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-8

Lab Sample ID: 500-46773-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	22		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	9.2		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	75		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9

Lab Sample ID: 500-46773-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.72		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	95		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-46773-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.61		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	99		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-10

Lab Sample ID: 500-46773-26

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	0.77	J	1.0	0.17	ug/L	1		8260B	Total/NA

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method	Method Description	Protocol	Laboratory
8260B	VOC	SW846	TAL CHI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200



Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-46773-1	RFW-2A	Water	05/24/12 07:40	05/26/12 09:30
500-46773-2	RFW-2B	Water	05/24/12 08:10	05/26/12 09:30
500-46773-3	RFW-1A	Water	05/24/12 08:50	05/26/12 09:30
500-46773-4	RFW-1B	Water	05/24/12 17:00	05/26/12 09:30
500-46773-5	RFW-7	Water	05/24/12 09:50	05/26/12 09:30
500-46773-6	RFW-17	Water	05/24/12 14:25	05/26/12 09:30
500-46773-7	RFW-6	Water	05/24/12 10:55	05/26/12 09:30
500-46773-8	RFW-13	Water	05/24/12 16:35	05/26/12 09:30
500-46773-9	RFW-3B	Water	05/24/12 15:30	05/26/12 09:30
500-46773-10	RFW-12B	Water	05/25/12 06:45	05/26/12 09:30
500-46773-11	RFW-4A	Water	05/25/12 07:50	05/26/12 09:30
500-46773-12	RFW-4A DUP	Water	05/25/12 07:50	05/26/12 09:30
500-46773-13	RFW-4B	Water	05/25/12 08:30	05/26/12 09:30
500-46773-14	RFW-9	Water	05/25/12 10:25	05/26/12 09:30
500-46773-15	RFW-11B	Water	05/25/12 11:40	05/26/12 09:30
500-46773-16	Trip Blank	Water	05/24/12 07:00	05/26/12 09:30
500-46773-17	EW-2	Water	05/24/12 17:15	05/26/12 09:30
500-46773-18	EW-3	Water	05/25/12 08:50	05/26/12 09:30
500-46773-19	EW-4	Water	05/25/12 12:00	05/26/12 09:30
500-46773-20	EW-5	Water	05/24/12 08:45	05/26/12 09:30
500-46773-21	EW-6	Water	05/24/12 14:30	05/26/12 09:30
500-46773-22	EW-7	Water	05/24/12 11:10	05/26/12 09:30
500-46773-23	EW-8	Water	05/24/12 11:00	05/26/12 09:30
500-46773-24	EW-9	Water	05/24/12 10:50	05/26/12 09:30
500-46773-25	EW-9 DUP	Water	05/24/12 10:50	05/26/12 09:30
500-46773-26	EW-10	Water	05/24/12 10:40	05/26/12 09:30

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-46773-1

Date Collected: 05/24/12 07:40

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 15:59	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 15:59	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 15:59	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 15:59	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 15:59	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 15:59	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 15:59	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 15:59	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 15:59	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 15:59	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 15:59	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 15:59	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 15:59	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 15:59	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 15:59	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 15:59	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 15:59	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 15:59	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 15:59	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 15:59	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 15:59	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 15:59	1
Trichloroethene	0.60		0.50	0.19	ug/L			06/04/12 15:59	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 15:59	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 15:59	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 15:59	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 15:59	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 15:59	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 15:59	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 15:59	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 15:59	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			06/04/12 15:59	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 15:59	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 15:59	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 15:59	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 15:59	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 15:59	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 15:59	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 15:59	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 15:59	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 15:59	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 15:59	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 15:59	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 15:59	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 15:59	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 15:59	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 15:59	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 15:59	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 15:59	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 15:59	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 15:59	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-46773-1

Date Collected: 05/24/12 07:40

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 15:59	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 15:59	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 15:59	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 15:59	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 15:59	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 15:59	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 15:59	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 15:59	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 15:59	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 15:59	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 15:59	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 15:59	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 15:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		75 - 131					06/04/12 15:59	1
Toluene-d8 (Surr)	108		80 - 120					06/04/12 15:59	1
4-Bromofluorobenzene (Surr)	91		79 - 120					06/04/12 15:59	1
Dibromofluoromethane	95		74 - 123					06/04/12 15:59	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-46773-2

Date Collected: 05/24/12 08:10

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 16:23	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 16:23	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 16:23	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 16:23	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 16:23	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 16:23	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 16:23	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 16:23	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 16:23	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 16:23	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 16:23	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 16:23	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 16:23	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 16:23	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 16:23	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 16:23	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 16:23	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 16:23	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 16:23	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 16:23	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 16:23	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 16:23	1
Trichloroethene	0.75		0.50	0.19	ug/L			06/04/12 16:23	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 16:23	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 16:23	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 16:23	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 16:23	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 16:23	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 16:23	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 16:23	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 16:23	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			06/04/12 16:23	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 16:23	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 16:23	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 16:23	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 16:23	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 16:23	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 16:23	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 16:23	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 16:23	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 16:23	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 16:23	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 16:23	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 16:23	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 16:23	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 16:23	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 16:23	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 16:23	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 16:23	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 16:23	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 16:23	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-46773-2

Date Collected: 05/24/12 08:10

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 16:23	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 16:23	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 16:23	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 16:23	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 16:23	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 16:23	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 16:23	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 16:23	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 16:23	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 16:23	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 16:23	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 16:23	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 16:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		75 - 131					06/04/12 16:23	1
Toluene-d8 (Surr)	105		80 - 120					06/04/12 16:23	1
4-Bromofluorobenzene (Surr)	89		79 - 120					06/04/12 16:23	1
Dibromofluoromethane	92		74 - 123					06/04/12 16:23	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-46773-3

Date Collected: 05/24/12 08:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 16:46	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 16:46	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 16:46	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 16:46	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 16:46	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 16:46	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 16:46	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 16:46	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 16:46	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 16:46	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 16:46	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 16:46	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 16:46	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 16:46	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 16:46	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 16:46	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 16:46	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 16:46	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 16:46	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 16:46	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 16:46	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 16:46	1
Trichloroethene	<0.50		0.50	0.19	ug/L			06/04/12 16:46	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 16:46	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 16:46	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 16:46	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 16:46	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 16:46	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 16:46	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 16:46	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 16:46	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			06/04/12 16:46	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 16:46	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 16:46	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 16:46	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 16:46	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 16:46	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 16:46	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 16:46	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 16:46	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 16:46	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 16:46	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 16:46	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 16:46	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 16:46	1
1,1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 16:46	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 16:46	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 16:46	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 16:46	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 16:46	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 16:46	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-46773-3

Date Collected: 05/24/12 08:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 16:46	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 16:46	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 16:46	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 16:46	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 16:46	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 16:46	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 16:46	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 16:46	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.88	ug/L			06/04/12 16:46	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 16:46	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 16:46	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 16:46	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 16:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 131					06/04/12 16:46	1
Toluene-d8 (Surr)	103		80 - 120					06/04/12 16:46	1
4-Bromofluorobenzene (Surr)	90		79 - 120					06/04/12 16:46	1
Dibromofluoromethane	92		74 - 123					06/04/12 16:46	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-46773-4

Date Collected: 05/24/12 17:00

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 17:10	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 17:10	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 17:10	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 17:10	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 17:10	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 17:10	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 17:10	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 17:10	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 17:10	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 17:10	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 17:10	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 17:10	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 17:10	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 17:10	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 17:10	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 17:10	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 17:10	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 17:10	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 17:10	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 17:10	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 17:10	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 17:10	1
Trichloroethene	<0.50		0.50	0.19	ug/L			06/04/12 17:10	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 17:10	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 17:10	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 17:10	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 17:10	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 17:10	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 17:10	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 17:10	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 17:10	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			06/04/12 17:10	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 17:10	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 17:10	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 17:10	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 17:10	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 17:10	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 17:10	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 17:10	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 17:10	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 17:10	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 17:10	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 17:10	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 17:10	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 17:10	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 17:10	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 17:10	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 17:10	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 17:10	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 17:10	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 17:10	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-46773-4

Date Collected: 05/24/12 17:00

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 17:10	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 17:10	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 17:10	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 17:10	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 17:10	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 17:10	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 17:10	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 17:10	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 17:10	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 17:10	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 17:10	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 17:10	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 17:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		75 - 131		06/04/12 17:10	1
Toluene-d8 (Surr)	108		80 - 120		06/04/12 17:10	1
4-Bromofluorobenzene (Surr)	90		79 - 120		06/04/12 17:10	1
Dibromofluoromethane	94		74 - 123		06/04/12 17:10	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-7

Lab Sample ID: 500-46773-5

Date Collected: 05/24/12 09:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 17:32	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 17:32	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 17:32	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 17:32	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 17:32	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 17:32	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 17:32	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 17:32	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 17:32	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 17:32	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 17:32	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 17:32	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 17:32	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 17:32	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 17:32	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 17:32	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 17:32	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 17:32	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 17:32	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 17:32	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 17:32	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 17:32	1
Trichloroethene	1.1		0.50	0.19	ug/L			06/04/12 17:32	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 17:32	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 17:32	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 17:32	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 17:32	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 17:32	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 17:32	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 17:32	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 17:32	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			06/04/12 17:32	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 17:32	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 17:32	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 17:32	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 17:32	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 17:32	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 17:32	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 17:32	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 17:32	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 17:32	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 17:32	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 17:32	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 17:32	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 17:32	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 17:32	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 17:32	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 17:32	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 17:32	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 17:32	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 17:32	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-7

Lab Sample ID: 500-46773-5

Date Collected: 05/24/12 09:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 17:32	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 17:32	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 17:32	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 17:32	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 17:32	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 17:32	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 17:32	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 17:32	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 17:32	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 17:32	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 17:32	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 17:32	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 17:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		75 - 131		06/04/12 17:32	1
Toluene-d8 (Surr)	103		80 - 120		06/04/12 17:32	1
4-Bromofluorobenzene (Surr)	89		79 - 120		06/04/12 17:32	1
Dibromofluoromethane	92		74 - 123		06/04/12 17:32	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-17

Lab Sample ID: 500-46773-6

Date Collected: 05/24/12 14:25

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.95		0.50	0.074	ug/L			06/04/12 17:55	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 17:55	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 17:55	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 17:55	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 17:55	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 17:55	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 17:55	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 17:55	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 17:55	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 17:55	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 17:55	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 17:55	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 17:55	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 17:55	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 17:55	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 17:55	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 17:55	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 17:55	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 17:55	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 17:55	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 17:55	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 17:55	1
Trichloroethene	<0.50		0.50	0.19	ug/L			06/04/12 17:55	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 17:55	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 17:55	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 17:55	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 17:55	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 17:55	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 17:55	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 17:55	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 17:55	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			06/04/12 17:55	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 17:55	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 17:55	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 17:55	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 17:55	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 17:55	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 17:55	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 17:55	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 17:55	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 17:55	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 17:55	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 17:55	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 17:55	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 17:55	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 17:55	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 17:55	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 17:55	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 17:55	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 17:55	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 17:55	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-17

Lab Sample ID: 500-46773-6

Date Collected: 05/24/12 14:25

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 17:55	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 17:55	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 17:55	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 17:55	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 17:55	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 17:55	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 17:55	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 17:55	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 17:55	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 17:55	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 17:55	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 17:55	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 17:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 131		06/04/12 17:55	1
Toluene-d8 (Surr)	106		80 - 120		06/04/12 17:55	1
4-Bromofluorobenzene (Surr)	89		79 - 120		06/04/12 17:55	1
Dibromofluoromethane	95		74 - 123		06/04/12 17:55	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-6

Lab Sample ID: 500-46773-7

Date Collected: 05/24/12 10:55

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 18:18	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 18:18	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 18:18	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 18:18	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 18:18	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 18:18	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 18:18	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 18:18	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 18:18	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 18:18	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 18:18	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 18:18	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 18:18	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 18:18	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 18:18	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 18:18	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 18:18	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 18:18	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 18:18	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 18:18	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 18:18	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 18:18	1
Trichloroethene	2.9		0.50	0.19	ug/L			06/04/12 18:18	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 18:18	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 18:18	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 18:18	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 18:18	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 18:18	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 18:18	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 18:18	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 18:18	1
Tetrachloroethene	2.6		1.0	0.17	ug/L			06/04/12 18:18	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 18:18	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 18:18	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 18:18	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 18:18	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 18:18	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 18:18	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 18:18	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 18:18	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 18:18	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 18:18	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 18:18	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 18:18	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 18:18	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 18:18	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 18:18	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 18:18	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 18:18	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 18:18	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 18:18	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-13

Lab Sample ID: 500-46773-8

Date Collected: 05/24/12 16:35

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 18:41	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 18:41	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 18:41	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 18:41	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 18:41	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 18:41	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 18:41	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 18:41	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 18:41	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 18:41	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 18:41	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 18:41	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 18:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		75 - 131		06/04/12 18:41	1
Toluene-d8 (Surr)	99		80 - 120		06/04/12 18:41	1
4-Bromofluorobenzene (Surr)	92		79 - 120		06/04/12 18:41	1
Dibromofluoromethane	95		74 - 123		06/04/12 18:41	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-46773-9

Date Collected: 05/24/12 15:30

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 19:04	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 19:04	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 19:04	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 19:04	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 19:04	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 19:04	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 19:04	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 19:04	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 19:04	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 19:04	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 19:04	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 19:04	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 19:04	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 19:04	1
cis-1,2-Dichloroethene	2.1		1.0	0.12	ug/L			06/04/12 19:04	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 19:04	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 19:04	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 19:04	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 19:04	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 19:04	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 19:04	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 19:04	1
Trichloroethene	0.54		0.50	0.19	ug/L			06/04/12 19:04	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 19:04	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 19:04	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 19:04	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 19:04	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 19:04	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 19:04	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 19:04	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 19:04	1
Tetrachloroethene	0.95	J	1.0	0.17	ug/L			06/04/12 19:04	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 19:04	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 19:04	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 19:04	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 19:04	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 19:04	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 19:04	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 19:04	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 19:04	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 19:04	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 19:04	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 19:04	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 19:04	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 19:04	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 19:04	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 19:04	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 19:04	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 19:04	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 19:04	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 19:04	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-46773-9

Date Collected: 05/24/12 15:30

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 19:04	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 19:04	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 19:04	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 19:04	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 19:04	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 19:04	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 19:04	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 19:04	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 19:04	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 19:04	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 19:04	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 19:04	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 19:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		75 - 131					06/04/12 19:04	1
Toluene-d8 (Surr)	105		80 - 120					06/04/12 19:04	1
4-Bromofluorobenzene (Surr)	90		79 - 120					06/04/12 19:04	1
Dibromofluoromethane	95		74 - 123					06/04/12 19:04	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-46773-10

Date Collected: 05/25/12 06:45

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 19:27	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 19:27	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 19:27	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 19:27	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 19:27	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 19:27	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 19:27	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 19:27	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 19:27	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 19:27	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 19:27	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 19:27	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 19:27	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 19:27	1
cis-1,2-Dichloroethene	2.2		1.0	0.12	ug/L			06/04/12 19:27	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 19:27	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 19:27	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 19:27	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 19:27	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 19:27	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 19:27	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 19:27	1
Trichloroethene	97		0.50	0.19	ug/L			06/04/12 19:27	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 19:27	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 19:27	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 19:27	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 19:27	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 19:27	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 19:27	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 19:27	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 19:27	1
Tetrachloroethene	7.4		1.0	0.17	ug/L			06/04/12 19:27	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 19:27	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 19:27	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 19:27	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 19:27	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 19:27	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 19:27	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 19:27	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 19:27	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 19:27	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 19:27	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 19:27	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 19:27	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 19:27	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 19:27	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 19:27	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 19:27	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 19:27	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 19:27	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 19:27	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-46773-10

Date Collected: 05/25/12 06:45

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 19:27	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 19:27	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 19:27	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 19:27	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 19:27	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 19:27	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 19:27	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 19:27	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 19:27	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 19:27	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 19:27	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 19:27	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 19:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 131					06/04/12 19:27	1
Toluene-d8 (Surr)	109		80 - 120					06/04/12 19:27	1
4-Bromofluorobenzene (Surr)	86		79 - 120					06/04/12 19:27	1
Dibromofluoromethane	95		74 - 123					06/04/12 19:27	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-46773-11

Date Collected: 05/25/12 07:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 19:51	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 19:51	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 19:51	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 19:51	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 19:51	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 19:51	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 19:51	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 19:51	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 19:51	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 19:51	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 19:51	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 19:51	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 19:51	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 19:51	1
cis-1,2-Dichloroethene	0.77	J	1.0	0.12	ug/L			06/04/12 19:51	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 19:51	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 19:51	1
Chloroform	0.58	J	1.0	0.20	ug/L			06/04/12 19:51	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 19:51	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 19:51	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 19:51	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 19:51	1
Trichloroethene	30		0.50	0.19	ug/L			06/04/12 19:51	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 19:51	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 19:51	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 19:51	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 19:51	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 19:51	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 19:51	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 19:51	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 19:51	1
Tetrachloroethene	24		1.0	0.17	ug/L			06/04/12 19:51	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 19:51	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 19:51	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 19:51	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 19:51	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 19:51	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 19:51	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 19:51	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 19:51	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 19:51	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 19:51	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 19:51	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 19:51	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 19:51	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 19:51	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 19:51	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 19:51	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 19:51	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 19:51	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 19:51	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-46773-11

Date Collected: 05/25/12 07:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 19:51	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 19:51	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 19:51	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 19:51	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 19:51	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 19:51	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 19:51	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 19:51	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 19:51	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 19:51	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 19:51	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 19:51	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 19:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		75 - 131		06/04/12 19:51	1
Toluene-d8 (Surr)	99		80 - 120		06/04/12 19:51	1
4-Bromofluorobenzene (Surr)	88		79 - 120		06/04/12 19:51	1
Dibromofluoromethane	92		74 - 123		06/04/12 19:51	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-46773-12

Date Collected: 05/25/12 07:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 20:14	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 20:14	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 20:14	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 20:14	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 20:14	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 20:14	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 20:14	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 20:14	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 20:14	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 20:14	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 20:14	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 20:14	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 20:14	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 20:14	1
cis-1,2-Dichloroethene	0.88	J	1.0	0.12	ug/L			06/04/12 20:14	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 20:14	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 20:14	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 20:14	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 20:14	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 20:14	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 20:14	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 20:14	1
Trichloroethene	30		0.50	0.19	ug/L			06/04/12 20:14	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 20:14	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 20:14	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 20:14	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 20:14	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 20:14	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 20:14	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 20:14	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 20:14	1
Tetrachloroethene	23		1.0	0.17	ug/L			06/04/12 20:14	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 20:14	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 20:14	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 20:14	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 20:14	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 20:14	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 20:14	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 20:14	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 20:14	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 20:14	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 20:14	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 20:14	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 20:14	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 20:14	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 20:14	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 20:14	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 20:14	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 20:14	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 20:14	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 20:14	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-46773-12

Date Collected: 05/25/12 07:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 20:14	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 20:14	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 20:14	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 20:14	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 20:14	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 20:14	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 20:14	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 20:14	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 20:14	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 20:14	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 20:14	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 20:14	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 20:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 131					06/04/12 20:14	1
Toluene-d8 (Surr)	100		80 - 120					06/04/12 20:14	1
4-Bromofluorobenzene (Surr)	91		79 - 120					06/04/12 20:14	1
Dibromofluoromethane	97		74 - 123					06/04/12 20:14	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-46773-13

Date Collected: 05/25/12 08:30

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 20:37	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 20:37	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 20:37	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 20:37	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 20:37	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 20:37	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 20:37	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 20:37	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 20:37	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 20:37	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 20:37	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 20:37	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 20:37	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 20:37	1
cis-1,2-Dichloroethene	3.5		1.0	0.12	ug/L			06/04/12 20:37	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 20:37	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 20:37	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 20:37	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 20:37	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 20:37	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 20:37	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 20:37	1
Trichloroethene	12		0.50	0.19	ug/L			06/04/12 20:37	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 20:37	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 20:37	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 20:37	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 20:37	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 20:37	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 20:37	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 20:37	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 20:37	1
Tetrachloroethene	31		1.0	0.17	ug/L			06/04/12 20:37	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 20:37	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 20:37	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 20:37	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 20:37	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 20:37	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 20:37	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 20:37	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 20:37	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 20:37	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 20:37	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 20:37	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 20:37	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 20:37	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 20:37	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 20:37	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 20:37	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 20:37	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 20:37	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 20:37	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-46773-13

Date Collected: 05/25/12 08:30

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 20:37	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 20:37	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 20:37	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 20:37	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 20:37	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 20:37	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 20:37	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 20:37	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 20:37	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 20:37	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 20:37	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 20:37	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 20:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		75 - 131		06/04/12 20:37	1
Toluene-d8 (Surr)	108		80 - 120		06/04/12 20:37	1
4-Bromofluorobenzene (Surr)	89		79 - 120		06/04/12 20:37	1
Dibromofluoromethane	97		74 - 123		06/04/12 20:37	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-9

Lab Sample ID: 500-46773-14

Date Collected: 05/25/12 10:25

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 21:00	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 21:00	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 21:00	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 21:00	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 21:00	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 21:00	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 21:00	1
1,1-Dichloroethene	0.88	J	1.0	0.31	ug/L			06/04/12 21:00	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 21:00	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 21:00	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 21:00	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 21:00	1
1,1-Dichloroethane	0.86	J	1.0	0.19	ug/L			06/04/12 21:00	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 21:00	1
cis-1,2-Dichloroethene	17		1.0	0.12	ug/L			06/04/12 21:00	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 21:00	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 21:00	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 21:00	1
1,1,1-Trichloroethane	1.1		1.0	0.20	ug/L			06/04/12 21:00	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 21:00	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 21:00	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 21:00	1
Trichloroethene	11		0.50	0.19	ug/L			06/04/12 21:00	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 21:00	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 21:00	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 21:00	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 21:00	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 21:00	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 21:00	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 21:00	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 21:00	1
Tetrachloroethene	6.4		1.0	0.17	ug/L			06/04/12 21:00	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 21:00	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 21:00	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 21:00	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 21:00	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:00	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 21:00	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 21:00	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 21:00	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 21:00	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 21:00	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 21:00	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:00	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 21:00	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 21:00	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 21:00	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 21:00	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 21:00	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 21:00	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 21:00	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-9

Lab Sample ID: 500-46773-14

Date Collected: 05/25/12 10:25

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:00	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:00	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 21:00	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 21:00	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 21:00	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 21:00	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 21:00	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 21:00	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 21:00	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 21:00	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 21:00	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 21:00	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 21:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 131					06/04/12 21:00	1
Toluene-d8 (Surr)	105		80 - 120					06/04/12 21:00	1
4-Bromofluorobenzene (Surr)	91		79 - 120					06/04/12 21:00	1
Dibromofluoromethane	101		74 - 123					06/04/12 21:00	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-46773-15

Date Collected: 05/25/12 11:40

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 21:23	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 21:23	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 21:23	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 21:23	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 21:23	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 21:23	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 21:23	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 21:23	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 21:23	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 21:23	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 21:23	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 21:23	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 21:23	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 21:23	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 21:23	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 21:23	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 21:23	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 21:23	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 21:23	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 21:23	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 21:23	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 21:23	1
Trichloroethene	3.7		0.50	0.19	ug/L			06/04/12 21:23	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 21:23	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 21:23	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 21:23	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 21:23	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 21:23	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 21:23	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 21:23	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 21:23	1
Tetrachloroethene	1.8		1.0	0.17	ug/L			06/04/12 21:23	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 21:23	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 21:23	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 21:23	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 21:23	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:23	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 21:23	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 21:23	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 21:23	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 21:23	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 21:23	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 21:23	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:23	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 21:23	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 21:23	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 21:23	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 21:23	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 21:23	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 21:23	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 21:23	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-46773-15

Date Collected: 05/25/12 11:40

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:23	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:23	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 21:23	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 21:23	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 21:23	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 21:23	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 21:23	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 21:23	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 21:23	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 21:23	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 21:23	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 21:23	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 21:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		75 - 131		06/04/12 21:23	1
Toluene-d8 (Surr)	101		80 - 120		06/04/12 21:23	1
4-Bromofluorobenzene (Surr)	86		79 - 120		06/04/12 21:23	1
Dibromofluoromethane	95		74 - 123		06/04/12 21:23	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-46773-16

Date Collected: 05/24/12 07:00

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 21:46	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 21:46	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 21:46	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 21:46	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 21:46	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 21:46	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 21:46	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 21:46	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 21:46	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 21:46	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 21:46	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 21:46	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 21:46	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 21:46	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 21:46	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 21:46	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 21:46	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 21:46	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 21:46	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 21:46	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 21:46	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 21:46	1
Trichloroethene	<0.50		0.50	0.19	ug/L			06/04/12 21:46	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 21:46	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 21:46	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 21:46	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 21:46	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 21:46	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 21:46	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 21:46	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 21:46	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			06/04/12 21:46	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 21:46	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 21:46	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 21:46	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 21:46	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:46	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 21:46	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 21:46	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 21:46	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 21:46	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 21:46	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 21:46	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:46	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 21:46	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 21:46	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 21:46	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 21:46	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 21:46	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 21:46	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 21:46	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-46773-16

Date Collected: 05/24/12 07:00

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:46	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:46	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 21:46	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 21:46	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 21:46	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 21:46	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 21:46	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 21:46	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 21:46	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 21:46	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 21:46	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 21:46	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 21:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 131		06/04/12 21:46	1
Toluene-d8 (Surr)	101		80 - 120		06/04/12 21:46	1
4-Bromofluorobenzene (Surr)	91		79 - 120		06/04/12 21:46	1
Dibromofluoromethane	98		74 - 123		06/04/12 21:46	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-2
Date Collected: 05/24/12 17:15
Date Received: 05/26/12 09:30

Lab Sample ID: 500-46773-17
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 22:09	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 22:09	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 22:09	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 22:09	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 22:09	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 22:09	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 22:09	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 22:09	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 22:09	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 22:09	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 22:09	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 22:09	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 22:09	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 22:09	1
cis-1,2-Dichloroethene	3.8		1.0	0.12	ug/L			06/04/12 22:09	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 22:09	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 22:09	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 22:09	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 22:09	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 22:09	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 22:09	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 22:09	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 22:09	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 22:09	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 22:09	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 22:09	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 22:09	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 22:09	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 22:09	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 22:09	1
Tetrachloroethene	55		1.0	0.17	ug/L			06/04/12 22:09	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 22:09	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 22:09	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 22:09	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 22:09	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:09	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 22:09	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 22:09	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 22:09	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 22:09	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 22:09	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 22:09	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:09	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 22:09	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 22:09	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 22:09	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 22:09	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 22:09	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 22:09	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 22:09	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:09	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-2

Lab Sample ID: 500-46773-17

Date Collected: 05/24/12 17:15

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:09	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 22:09	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 22:09	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 22:09	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 22:09	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 22:09	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 22:09	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 22:09	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 22:09	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 22:09	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 22:09	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 22:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 131		06/04/12 22:09	1
Toluene-d8 (Surr)	104		80 - 120		06/04/12 22:09	1
4-Bromofluorobenzene (Surr)	90		79 - 120		06/04/12 22:09	1
Dibromofluoromethane	96		74 - 123		06/04/12 22:09	1

Method: 8260B - VOC - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	270		5.0	1.9	ug/L			06/04/12 22:32	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		75 - 131		06/04/12 22:32	10
Toluene-d8 (Surr)	102		80 - 120		06/04/12 22:32	10
4-Bromofluorobenzene (Surr)	87		79 - 120		06/04/12 22:32	10
Dibromofluoromethane	91		74 - 123		06/04/12 22:32	10

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-3

Lab Sample ID: 500-46773-18

Date Collected: 05/25/12 08:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 20:45	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 20:45	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 20:45	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 20:45	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 20:45	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 20:45	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 20:45	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 20:45	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 20:45	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 20:45	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 20:45	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 20:45	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 20:45	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 20:45	1
cis-1,2-Dichloroethene	1.7		1.0	0.12	ug/L			06/04/12 20:45	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 20:45	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 20:45	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 20:45	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 20:45	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 20:45	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 20:45	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 20:45	1
Trichloroethene	56		0.50	0.19	ug/L			06/04/12 20:45	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 20:45	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 20:45	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 20:45	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 20:45	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 20:45	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 20:45	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 20:45	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 20:45	1
Tetrachloroethene	1.8		1.0	0.17	ug/L			06/04/12 20:45	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 20:45	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 20:45	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 20:45	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 20:45	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 20:45	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 20:45	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 20:45	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 20:45	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 20:45	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 20:45	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 20:45	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 20:45	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 20:45	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 20:45	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 20:45	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 20:45	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 20:45	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 20:45	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 20:45	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-3

Lab Sample ID: 500-46773-18

Date Collected: 05/25/12 08:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 20:45	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 20:45	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 20:45	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 20:45	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 20:45	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 20:45	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 20:45	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 20:45	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 20:45	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 20:45	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 20:45	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 20:45	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 20:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 131		06/04/12 20:45	1
Toluene-d8 (Surr)	99		80 - 120		06/04/12 20:45	1
4-Bromofluorobenzene (Surr)	94		79 - 120		06/04/12 20:45	1
Dibromofluoromethane	82		74 - 123		06/04/12 20:45	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-4

Lab Sample ID: 500-46773-19

Date Collected: 05/25/12 12:00

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 21:11	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 21:11	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 21:11	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 21:11	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 21:11	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 21:11	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 21:11	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 21:11	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 21:11	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 21:11	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 21:11	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 21:11	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 21:11	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 21:11	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 21:11	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 21:11	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 21:11	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 21:11	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 21:11	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 21:11	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 21:11	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 21:11	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 21:11	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 21:11	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 21:11	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 21:11	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 21:11	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 21:11	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 21:11	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 21:11	1
Tetrachloroethene	19		1.0	0.17	ug/L			06/04/12 21:11	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 21:11	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 21:11	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 21:11	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 21:11	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:11	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 21:11	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 21:11	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 21:11	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 21:11	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 21:11	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 21:11	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:11	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 21:11	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 21:11	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 21:11	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 21:11	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 21:11	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 21:11	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 21:11	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:11	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-4

Lab Sample ID: 500-46773-19

Date Collected: 05/25/12 12:00

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 21:11	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 21:11	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 21:11	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 21:11	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 21:11	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 21:11	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 21:11	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 21:11	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 21:11	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 21:11	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 21:11	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 21:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		75 - 131		06/04/12 21:11	1
Toluene-d8 (Surr)	98		80 - 120		06/04/12 21:11	1
4-Bromofluorobenzene (Surr)	93		79 - 120		06/04/12 21:11	1
Dibromofluoromethane	83		74 - 123		06/04/12 21:11	1

Method: 8260B - VOC - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	1100		5.0	1.9	ug/L			06/04/12 21:37	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		75 - 131		06/04/12 21:37	10
Toluene-d8 (Surr)	96		80 - 120		06/04/12 21:37	10
4-Bromofluorobenzene (Surr)	91		79 - 120		06/04/12 21:37	10
Dibromofluoromethane	80		74 - 123		06/04/12 21:37	10

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-5
Date Collected: 05/24/12 08:45
Date Received: 05/26/12 09:30

Lab Sample ID: 500-46773-20
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 22:04	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 22:04	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 22:04	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 22:04	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 22:04	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 22:04	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 22:04	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 22:04	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 22:04	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 22:04	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 22:04	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 22:04	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 22:04	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 22:04	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 22:04	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 22:04	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 22:04	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 22:04	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 22:04	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 22:04	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 22:04	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 22:04	1
Trichloroethene	110		0.50	0.19	ug/L			06/04/12 22:04	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 22:04	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 22:04	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 22:04	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 22:04	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 22:04	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 22:04	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 22:04	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 22:04	1
Tetrachloroethene	3.6		1.0	0.17	ug/L			06/04/12 22:04	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 22:04	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 22:04	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 22:04	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 22:04	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:04	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 22:04	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 22:04	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 22:04	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 22:04	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 22:04	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 22:04	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:04	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 22:04	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 22:04	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 22:04	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 22:04	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 22:04	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 22:04	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 22:04	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-5

Lab Sample ID: 500-46773-20

Date Collected: 05/24/12 08:45

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:04	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:04	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 22:04	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 22:04	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 22:04	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 22:04	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 22:04	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 22:04	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 22:04	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 22:04	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 22:04	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 22:04	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 22:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		75 - 131					06/04/12 22:04	1
Toluene-d8 (Surr)	99		80 - 120					06/04/12 22:04	1
4-Bromofluorobenzene (Surr)	95		79 - 120					06/04/12 22:04	1
Dibromofluoromethane	85		74 - 123					06/04/12 22:04	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-6
Date Collected: 05/24/12 14:30
Date Received: 05/26/12 09:30

Lab Sample ID: 500-46773-21
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 22:30	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 22:30	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 22:30	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 22:30	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 22:30	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 22:30	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 22:30	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 22:30	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 22:30	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 22:30	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 22:30	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 22:30	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 22:30	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 22:30	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 22:30	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 22:30	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 22:30	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 22:30	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 22:30	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 22:30	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 22:30	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 22:30	1
Trichloroethene	6.7		0.50	0.19	ug/L			06/04/12 22:30	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 22:30	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 22:30	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 22:30	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 22:30	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 22:30	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 22:30	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 22:30	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 22:30	1
Tetrachloroethene	12		1.0	0.17	ug/L			06/04/12 22:30	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 22:30	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 22:30	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 22:30	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 22:30	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:30	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 22:30	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 22:30	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 22:30	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 22:30	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 22:30	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 22:30	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:30	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 22:30	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 22:30	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 22:30	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 22:30	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 22:30	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 22:30	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 22:30	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-6

Lab Sample ID: 500-46773-21

Date Collected: 05/24/12 14:30

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:30	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:30	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 22:30	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 22:30	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 22:30	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 22:30	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 22:30	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 22:30	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 22:30	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 22:30	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 22:30	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 22:30	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 22:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		75 - 131		06/04/12 22:30	1
Toluene-d8 (Surr)	98		80 - 120		06/04/12 22:30	1
4-Bromofluorobenzene (Surr)	94		79 - 120		06/04/12 22:30	1
Dibromofluoromethane	82		74 - 123		06/04/12 22:30	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-7

Lab Sample ID: 500-46773-22

Date Collected: 05/24/12 11:10

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 22:56	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 22:56	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 22:56	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 22:56	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 22:56	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 22:56	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 22:56	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 22:56	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 22:56	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 22:56	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 22:56	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 22:56	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 22:56	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 22:56	1
cis-1,2-Dichloroethene	4.5		1.0	0.12	ug/L			06/04/12 22:56	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 22:56	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 22:56	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 22:56	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 22:56	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 22:56	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 22:56	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 22:56	1
Trichloroethene	4.1		0.50	0.19	ug/L			06/04/12 22:56	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 22:56	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 22:56	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 22:56	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 22:56	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 22:56	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 22:56	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 22:56	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 22:56	1
Tetrachloroethene	9.1		1.0	0.17	ug/L			06/04/12 22:56	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 22:56	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 22:56	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 22:56	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 22:56	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:56	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 22:56	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 22:56	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 22:56	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 22:56	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 22:56	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 22:56	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:56	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 22:56	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 22:56	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 22:56	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 22:56	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 22:56	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 22:56	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 22:56	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-7

Lab Sample ID: 500-46773-22

Date Collected: 05/24/12 11:10

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:56	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 22:56	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 22:56	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 22:56	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 22:56	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 22:56	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 22:56	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 22:56	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 22:56	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 22:56	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 22:56	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 22:56	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 22:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 131					06/04/12 22:56	1
Toluene-d8 (Surr)	100		80 - 120					06/04/12 22:56	1
4-Bromofluorobenzene (Surr)	94		79 - 120					06/04/12 22:56	1
Dibromofluoromethane	84		74 - 123					06/04/12 22:56	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-8

Lab Sample ID: 500-46773-23

Date Collected: 05/24/12 11:00

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 23:22	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 23:22	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 23:22	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 23:22	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 23:22	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 23:22	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 23:22	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 23:22	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 23:22	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 23:22	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 23:22	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 23:22	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 23:22	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 23:22	1
cis-1,2-Dichloroethene	22		1.0	0.12	ug/L			06/04/12 23:22	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 23:22	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 23:22	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 23:22	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 23:22	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 23:22	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 23:22	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 23:22	1
Trichloroethene	9.2		0.50	0.19	ug/L			06/04/12 23:22	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 23:22	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 23:22	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 23:22	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 23:22	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 23:22	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 23:22	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 23:22	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 23:22	1
Tetrachloroethene	75		1.0	0.17	ug/L			06/04/12 23:22	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 23:22	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 23:22	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 23:22	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 23:22	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 23:22	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 23:22	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 23:22	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 23:22	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 23:22	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 23:22	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 23:22	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 23:22	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 23:22	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 23:22	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 23:22	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 23:22	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 23:22	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 23:22	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 23:22	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-8

Lab Sample ID: 500-46773-23

Date Collected: 05/24/12 11:00

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 23:22	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 23:22	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 23:22	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 23:22	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 23:22	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 23:22	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 23:22	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 23:22	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 23:22	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 23:22	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 23:22	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 23:22	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 23:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 131					06/04/12 23:22	1
Toluene-d8 (Surr)	101		80 - 120					06/04/12 23:22	1
4-Bromofluorobenzene (Surr)	96		79 - 120					06/04/12 23:22	1
Dibromofluoromethane	85		74 - 123					06/04/12 23:22	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-9

Lab Sample ID: 500-46773-24

Date Collected: 05/24/12 10:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 23:48	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 23:48	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 23:48	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 23:48	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 23:48	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 23:48	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 23:48	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 23:48	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 23:48	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 23:48	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 23:48	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 23:48	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 23:48	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 23:48	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 23:48	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 23:48	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 23:48	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 23:48	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 23:48	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 23:48	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 23:48	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 23:48	1
Trichloroethene	0.72		0.50	0.19	ug/L			06/04/12 23:48	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 23:48	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 23:48	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 23:48	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 23:48	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 23:48	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 23:48	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 23:48	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 23:48	1
Tetrachloroethene	95		1.0	0.17	ug/L			06/04/12 23:48	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 23:48	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 23:48	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 23:48	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 23:48	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 23:48	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 23:48	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 23:48	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 23:48	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 23:48	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 23:48	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 23:48	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 23:48	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 23:48	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 23:48	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 23:48	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 23:48	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 23:48	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 23:48	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 23:48	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-9

Lab Sample ID: 500-46773-24

Date Collected: 05/24/12 10:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 23:48	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 23:48	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 23:48	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 23:48	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 23:48	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 23:48	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 23:48	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 23:48	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 23:48	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 23:48	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 23:48	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 23:48	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 23:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 131					06/04/12 23:48	1
Toluene-d8 (Surr)	100		80 - 120					06/04/12 23:48	1
4-Bromofluorobenzene (Surr)	95		79 - 120					06/04/12 23:48	1
Dibromofluoromethane	85		74 - 123					06/04/12 23:48	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-46773-25

Date Collected: 05/24/12 10:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/05/12 00:14	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/05/12 00:14	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/05/12 00:14	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/05/12 00:14	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/05/12 00:14	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/05/12 00:14	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/05/12 00:14	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/05/12 00:14	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/05/12 00:14	1
Acetone	<5.0		5.0	1.3	ug/L			06/05/12 00:14	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/05/12 00:14	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/05/12 00:14	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/05/12 00:14	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/05/12 00:14	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/05/12 00:14	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/05/12 00:14	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/05/12 00:14	1
Chloroform	<1.0		1.0	0.20	ug/L			06/05/12 00:14	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/05/12 00:14	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/05/12 00:14	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/05/12 00:14	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/05/12 00:14	1
Trichloroethene	0.61		0.50	0.19	ug/L			06/05/12 00:14	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/05/12 00:14	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/05/12 00:14	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/05/12 00:14	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/05/12 00:14	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/05/12 00:14	1
Toluene	<0.50		0.50	0.11	ug/L			06/05/12 00:14	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/05/12 00:14	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/05/12 00:14	1
Tetrachloroethene	99		1.0	0.17	ug/L			06/05/12 00:14	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/05/12 00:14	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/05/12 00:14	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/05/12 00:14	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/05/12 00:14	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/05/12 00:14	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/05/12 00:14	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/05/12 00:14	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/05/12 00:14	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/05/12 00:14	1
Styrene	<1.0		1.0	0.10	ug/L			06/05/12 00:14	1
Bromoform	<1.0		1.0	0.28	ug/L			06/05/12 00:14	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/05/12 00:14	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/05/12 00:14	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/05/12 00:14	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/05/12 00:14	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/05/12 00:14	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/05/12 00:14	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/05/12 00:14	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/05/12 00:14	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-46773-25

Date Collected: 05/24/12 10:50

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/05/12 00:14	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/05/12 00:14	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/05/12 00:14	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/05/12 00:14	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/05/12 00:14	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/05/12 00:14	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/05/12 00:14	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/05/12 00:14	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/05/12 00:14	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/05/12 00:14	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/05/12 00:14	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/05/12 00:14	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/05/12 00:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		75 - 131		06/05/12 00:14	1
Toluene-d8 (Surr)	99		80 - 120		06/05/12 00:14	1
4-Bromofluorobenzene (Surr)	96		79 - 120		06/05/12 00:14	1
Dibromofluoromethane	85		74 - 123		06/05/12 00:14	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-10

Lab Sample ID: 500-46773-26

Date Collected: 05/24/12 10:40

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			06/05/12 00:40	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/05/12 00:40	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/05/12 00:40	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/05/12 00:40	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/05/12 00:40	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/05/12 00:40	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/05/12 00:40	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/05/12 00:40	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/05/12 00:40	1
Acetone	<5.0		5.0	1.3	ug/L			06/05/12 00:40	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/05/12 00:40	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/05/12 00:40	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/05/12 00:40	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/05/12 00:40	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/05/12 00:40	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/05/12 00:40	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/05/12 00:40	1
Chloroform	<1.0		1.0	0.20	ug/L			06/05/12 00:40	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/05/12 00:40	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/05/12 00:40	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/05/12 00:40	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/05/12 00:40	1
Trichloroethene	<0.50		0.50	0.19	ug/L			06/05/12 00:40	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/05/12 00:40	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/05/12 00:40	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/05/12 00:40	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/05/12 00:40	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/05/12 00:40	1
Toluene	<0.50		0.50	0.11	ug/L			06/05/12 00:40	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/05/12 00:40	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/05/12 00:40	1
Tetrachloroethene	0.77	J	1.0	0.17	ug/L			06/05/12 00:40	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/05/12 00:40	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/05/12 00:40	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/05/12 00:40	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/05/12 00:40	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/05/12 00:40	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/05/12 00:40	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/05/12 00:40	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/05/12 00:40	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/05/12 00:40	1
Styrene	<1.0		1.0	0.10	ug/L			06/05/12 00:40	1
Bromoform	<1.0		1.0	0.28	ug/L			06/05/12 00:40	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/05/12 00:40	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/05/12 00:40	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/05/12 00:40	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/05/12 00:40	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/05/12 00:40	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/05/12 00:40	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/05/12 00:40	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/05/12 00:40	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-10

Lab Sample ID: 500-46773-26

Date Collected: 05/24/12 10:40

Matrix: Water

Date Received: 05/26/12 09:30

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/05/12 00:40	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/05/12 00:40	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/05/12 00:40	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/05/12 00:40	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/05/12 00:40	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/05/12 00:40	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/05/12 00:40	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/05/12 00:40	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/05/12 00:40	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/05/12 00:40	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/05/12 00:40	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/05/12 00:40	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/05/12 00:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		75 - 131		06/05/12 00:40	1
Toluene-d8 (Surr)	96		80 - 120		06/05/12 00:40	1
4-Bromofluorobenzene (Surr)	92		79 - 120		06/05/12 00:40	1
Dibromofluoromethane	83		74 - 123		06/05/12 00:40	1

Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

GC/MS VOA

Analysis Batch: 151634

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-46773-1	RFW-2A	Total/NA	Water	8260B	
500-46773-2	RFW-2B	Total/NA	Water	8260B	
500-46773-3	RFW-1A	Total/NA	Water	8260B	
500-46773-4	RFW-1B	Total/NA	Water	8260B	
500-46773-5	RFW-7	Total/NA	Water	8260B	
500-46773-6	RFW-17	Total/NA	Water	8260B	
500-46773-7	RFW-6	Total/NA	Water	8260B	
500-46773-8	RFW-13	Total/NA	Water	8260B	
500-46773-9	RFW-3B	Total/NA	Water	8260B	
500-46773-10	RFW-12B	Total/NA	Water	8260B	
500-46773-11	RFW-4A	Total/NA	Water	8260B	
500-46773-12	RFW-4A DUP	Total/NA	Water	8260B	
500-46773-13	RFW-4B	Total/NA	Water	8260B	
500-46773-14	RFW-9	Total/NA	Water	8260B	
500-46773-15	RFW-11B	Total/NA	Water	8260B	
500-46773-15 MS	RFW-11B	Total/NA	Water	8260B	
500-46773-15 MSD	RFW-11B	Total/NA	Water	8260B	
500-46773-16	Trip Blank	Total/NA	Water	8260B	
500-46773-17	EW-2	Total/NA	Water	8260B	
500-46773-17 - DL	EW-2	Total/NA	Water	8260B	
LCS 500-151634/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-151634/5	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 151660

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-46773-18	EW-3	Total/NA	Water	8260B	
500-46773-19	EW-4	Total/NA	Water	8260B	
500-46773-19 - DL	EW-4	Total/NA	Water	8260B	
500-46773-20	EW-5	Total/NA	Water	8260B	
500-46773-21	EW-6	Total/NA	Water	8260B	
500-46773-22	EW-7	Total/NA	Water	8260B	
500-46773-23	EW-8	Total/NA	Water	8260B	
500-46773-24	EW-9	Total/NA	Water	8260B	
500-46773-25	EW-9 DUP	Total/NA	Water	8260B	
500-46773-26	EW-10	Total/NA	Water	8260B	
500-46773-26 MS	EW-10	Total/NA	Water	8260B	
500-46773-26 MSD	EW-10	Total/NA	Water	8260B	
LCS 500-151660/6	Lab Control Sample	Total/NA	Water	8260B	
MB 500-151660/8	Method Blank	Total/NA	Water	8260B	

Surrogate Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method: 8260B - VOC

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		12DCE (75-131)	TOL (80-120)	BFB (79-120)	DBFM (74-123)
500-46773-1	RFW-2A	96	108	91	95
500-46773-2	RFW-2B	94	105	89	92
500-46773-3	RFW-1A	97	103	90	92
500-46773-4	RFW-1B	96	108	90	94
500-46773-5	RFW-7	96	103	89	92
500-46773-6	RFW-17	97	106	89	95
500-46773-7	RFW-6	97	101	89	93
500-46773-8	RFW-13	98	99	92	95
500-46773-9	RFW-3B	98	105	90	95
500-46773-10	RFW-12B	97	109	86	95
500-46773-11	RFW-4A	94	99	88	92
500-46773-12	RFW-4A DUP	101	100	91	97
500-46773-13	RFW-4B	95	108	89	97
500-46773-14	RFW-9	100	105	91	101
500-46773-15	RFW-11B	94	101	86	95
500-46773-15 MS	RFW-11B	99	106	98	103
500-46773-15 MSD	RFW-11B	101	108	99	106
500-46773-16	Trip Blank	99	101	91	98
500-46773-17	EW-2	99	104	90	96
500-46773-17 - DL	EW-2	94	102	87	91
500-46773-18	EW-3	97	99	94	82
500-46773-19	EW-4	94	98	93	83
500-46773-19 - DL	EW-4	92	96	91	80
500-46773-20	EW-5	98	99	95	85
500-46773-21	EW-6	95	98	94	82
500-46773-22	EW-7	97	100	94	84
500-46773-23	EW-8	99	101	96	85
500-46773-24	EW-9	97	100	95	85
500-46773-25	EW-9 DUP	98	99	96	85
500-46773-26	EW-10	96	96	92	83
500-46773-26 MS	EW-10	98	99	98	85
500-46773-26 MSD	EW-10	97	98	96	86
LCS 500-151634/4	Lab Control Sample	100	109	101	99
LCS 500-151660/6	Lab Control Sample	96	101	97	85
MB 500-151634/5	Method Blank	95	103	93	95
MB 500-151660/8	Method Blank	103	107	103	90

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

TOL = Toluene-d8 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method: 8260B - VOC

Lab Sample ID: MB 500-151634/5
Matrix: Water
Analysis Batch: 151634

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 14:02	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 14:02	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 14:02	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 14:02	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 14:02	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 14:02	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 14:02	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 14:02	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 14:02	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 14:02	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 14:02	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 14:02	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 14:02	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 14:02	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 14:02	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 14:02	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 14:02	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 14:02	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 14:02	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 14:02	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 14:02	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 14:02	1
Trichloroethene	<0.50		0.50	0.19	ug/L			06/04/12 14:02	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 14:02	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 14:02	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 14:02	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 14:02	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 14:02	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 14:02	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 14:02	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 14:02	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			06/04/12 14:02	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 14:02	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 14:02	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 14:02	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 14:02	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 14:02	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 14:02	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 14:02	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 14:02	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 14:02	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 14:02	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 14:02	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 14:02	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 14:02	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 14:02	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 14:02	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 14:02	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 14:02	1

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-151634/5
Matrix: Water
Analysis Batch: 151634

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 14:02	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 14:02	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 14:02	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 14:02	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 14:02	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 14:02	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 14:02	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 14:02	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 14:02	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 14:02	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 14:02	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 14:02	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 14:02	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 14:02	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 14:02	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	95		75 - 131		06/04/12 14:02	1
Toluene-d8 (Surr)	103		80 - 120		06/04/12 14:02	1
4-Bromofluorobenzene (Surr)	93		79 - 120		06/04/12 14:02	1
Dibromofluoromethane	95		74 - 123		06/04/12 14:02	1

Lab Sample ID: LCS 500-151634/4
Matrix: Water
Analysis Batch: 151634

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Benzene	50.0	44.3		ug/L		89	74 - 115
Dichlorodifluoromethane	50.0	50.7		ug/L		101	43 - 139
Chloromethane	50.0	48.8		ug/L		98	56 - 144
Vinyl chloride	50.0	49.3		ug/L		99	51 - 149
Bromomethane	50.0	49.7		ug/L		99	47 - 158
Chloroethane	50.0	51.3		ug/L		103	54 - 143
Trichlorofluoromethane	50.0	51.5		ug/L		103	66 - 126
1,1-Dichloroethene	50.0	42.0		ug/L		84	58 - 115
Carbon disulfide	50.0	45.0		ug/L		90	50 - 120
Acetone	50.0	43.2		ug/L		86	41 - 163
Methylene Chloride	50.0	44.1		ug/L		88	63 - 130
trans-1,2-Dichloroethene	50.0	45.5		ug/L		91	74 - 119
1,1-Dichloroethane	50.0	43.0		ug/L		86	66 - 118
2,2-Dichloropropane	50.0	42.7		ug/L		85	70 - 117
cis-1,2-Dichloroethene	50.0	44.8		ug/L		90	75 - 119
Methyl Ethyl Ketone	50.0	38.9		ug/L		78	53 - 140
Bromochloromethane	50.0	44.0		ug/L		88	72 - 119
Chloroform	50.0	44.8		ug/L		90	76 - 117
1,1,1-Trichloroethane	50.0	46.4		ug/L		93	77 - 117
1,1-Dichloropropene	50.0	43.5		ug/L		87	71 - 113
Carbon tetrachloride	50.0	45.2		ug/L		90	72 - 124
1,2-Dichloroethane	50.0	46.7		ug/L		93	76 - 117

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-151634/4

Matrix: Water

Analysis Batch: 151634

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Trichloroethene	50.0	48.3		ug/L		97	75 - 120
1,2-Dichloropropane	50.0	44.8		ug/L		90	77 - 118
Dibromomethane	50.0	46.1		ug/L		92	76 - 120
Bromodichloromethane	50.0	47.6		ug/L		95	79 - 117
cis-1,3-Dichloropropene	53.8	49.5		ug/L		92	71 - 112
methyl isobutyl ketone	50.0	45.1		ug/L		90	59 - 134
Toluene	50.0	50.0		ug/L		100	80 - 120
trans-1,3-Dichloropropene	48.6	46.7		ug/L		96	66 - 116
1,1,2-Trichloroethane	50.0	52.4		ug/L		105	78 - 121
Tetrachloroethene	50.0	49.2		ug/L		98	71 - 120
1,3-Dichloropropane	50.0	49.9		ug/L		100	79 - 114
2-Hexanone	50.0	46.6		ug/L		93	60 - 134
Dibromochloromethane	50.0	47.1		ug/L		94	73 - 120
1,2-Dibromoethane	50.0	52.0		ug/L		104	79 - 120
Chlorobenzene	50.0	47.8		ug/L		96	80 - 120
1,1,1,2-Tetrachloroethane	50.0	43.4		ug/L		87	80 - 120
Ethylbenzene	50.0	48.1		ug/L		96	79 - 115
m&p-Xylene	100	94.6		ug/L		95	78 - 120
o-Xylene	50.0	43.5		ug/L		87	78 - 120
Styrene	50.0	47.1		ug/L		94	80 - 120
Bromoform	50.0	46.7		ug/L		93	64 - 127
Isopropylbenzene	50.0	41.6		ug/L		83	68 - 120
Bromobenzene	50.0	51.4		ug/L		103	80 - 120
1,1,2,2-Tetrachloroethane	50.0	47.4		ug/L		95	78 - 123
1,2,3-Trichloropropane	50.0	46.0		ug/L		92	77 - 119
N-Propylbenzene	50.0	48.2		ug/L		96	77 - 114
2-Chlorotoluene	50.0	47.5		ug/L		95	80 - 120
1,3,5-Trimethylbenzene	50.0	49.5		ug/L		99	83 - 120
4-Chlorotoluene	50.0	47.8		ug/L		96	80 - 120
tert-Butylbenzene	50.0	47.2		ug/L		94	80 - 120
1,2,4-Trimethylbenzene	50.0	47.1		ug/L		94	80 - 120
sec-Butylbenzene	50.0	47.6		ug/L		95	79 - 117
1,3-Dichlorobenzene	50.0	48.1		ug/L		96	80 - 120
p-Isopropyltoluene	50.0	45.7		ug/L		91	77 - 120
1,4-Dichlorobenzene	50.0	48.3		ug/L		97	80 - 120
n-Butylbenzene	50.0	47.4		ug/L		95	78 - 119
1,2-Dichlorobenzene	50.0	46.8		ug/L		94	80 - 120
1,2-Dibromo-3-Chloropropane	50.0	40.6		ug/L		81	53 - 133
1,2,4-Trichlorobenzene	50.0	45.0		ug/L		90	70 - 118
Hexachlorobutadiene	50.0	48.4		ug/L		97	71 - 128
Naphthalene	50.0	44.7		ug/L		89	72 - 127
1,2,3-Trichlorobenzene	50.0	49.5		ug/L		99	74 - 126

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	100		75 - 131
Toluene-d8 (Surr)	109		80 - 120
4-Bromofluorobenzene (Surr)	101		79 - 120
Dibromofluoromethane	99		74 - 123

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-46773-15 MS
Matrix: Water
Analysis Batch: 151634

Client Sample ID: RFW-11B
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier	Added	Result	Qualifier				
Benzene	<0.50		50.0	48.4		ug/L		97	74 - 115
Dichlorodifluoromethane	<1.0		50.0	58.7		ug/L		117	43 - 139
Chloromethane	<1.0		50.0	54.3		ug/L		109	56 - 144
Vinyl chloride	<0.50		50.0	56.0		ug/L		112	51 - 149
Bromomethane	<1.0		50.0	57.3		ug/L		115	47 - 158
Chloroethane	<1.0		50.0	59.9		ug/L		120	54 - 143
Trichlorofluoromethane	<1.0		50.0	59.6		ug/L		119	66 - 126
1,1-Dichloroethene	<1.0		50.0	48.6		ug/L		97	58 - 115
Carbon disulfide	<5.0		50.0	52.6		ug/L		105	50 - 120
Acetone	<5.0		50.0	52.0		ug/L		104	41 - 163
Methylene Chloride	<5.0		50.0	52.2		ug/L		104	63 - 130
trans-1,2-Dichloroethene	<1.0		50.0	53.9		ug/L		108	74 - 119
1,1-Dichloroethane	<1.0		50.0	49.4		ug/L		99	66 - 118
2,2-Dichloropropane	<1.0		50.0	48.6		ug/L		97	70 - 117
cis-1,2-Dichloroethene	<1.0		50.0	52.1		ug/L		104	75 - 119
Methyl Ethyl Ketone	<5.0		50.0	41.7		ug/L		83	53 - 140
Bromochloromethane	<1.0		50.0	51.6		ug/L		103	72 - 119
Chloroform	<1.0		50.0	51.5		ug/L		103	76 - 117
1,1,1-Trichloroethane	<1.0		50.0	54.6		ug/L		109	77 - 117
1,1-Dichloropropene	<1.0		50.0	46.1		ug/L		92	71 - 113
Carbon tetrachloride	<1.0		50.0	53.3		ug/L		107	72 - 124
1,2-Dichloroethane	<1.0		50.0	50.0		ug/L		100	76 - 117
Trichloroethene	3.7		50.0	54.9		ug/L		102	75 - 120
1,2-Dichloropropane	<1.0		50.0	48.7		ug/L		97	77 - 118
Dibromomethane	<1.0		50.0	51.2		ug/L		102	76 - 120
Bromodichloromethane	<1.0		50.0	52.2		ug/L		104	79 - 117
cis-1,3-Dichloropropene	<1.0		53.8	50.0		ug/L		93	71 - 112
methyl isobutyl ketone	<5.0		50.0	47.6		ug/L		95	59 - 134
Toluene	<0.50		50.0	53.6		ug/L		107	80 - 120
trans-1,3-Dichloropropene	<1.0		48.6	48.5		ug/L		100	66 - 116
1,1,2-Trichloroethane	<1.0		50.0	57.9		ug/L		116	78 - 121
Tetrachloroethene	1.8		50.0	49.9		ug/L		96	71 - 120
1,3-Dichloropropane	<1.0		50.0	49.8		ug/L		100	79 - 114
2-Hexanone	<5.0		50.0	45.2		ug/L		90	60 - 134
Dibromochloromethane	<1.0		50.0	49.8		ug/L		100	73 - 120
1,2-Dibromoethane	<1.0		50.0	58.9		ug/L		118	79 - 120
Chlorobenzene	<1.0		50.0	51.6		ug/L		103	80 - 120
1,1,1,2-Tetrachloroethane	<1.0		50.0	48.2		ug/L		96	80 - 120
Ethylbenzene	<0.50		50.0	50.8		ug/L		102	79 - 115
m&p-Xylene	<1.0		100	101		ug/L		101	78 - 120
o-Xylene	<0.50		50.0	47.3		ug/L		95	78 - 120
Styrene	<1.0		50.0	52.1		ug/L		104	80 - 120
Bromoform	<1.0		50.0	53.8		ug/L		108	64 - 127
Isopropylbenzene	<1.0		50.0	43.2		ug/L		86	68 - 120
Bromobenzene	<1.0		50.0	56.0		ug/L		112	80 - 120
1,1,2,2-Tetrachloroethane	<1.0		50.0	50.6		ug/L		101	78 - 123
1,2,3-Trichloropropane	<1.0		50.0	50.3		ug/L		101	77 - 119
N-Propylbenzene	<1.0		50.0	51.1		ug/L		102	77 - 114
2-Chlorotoluene	<1.0		50.0	51.4		ug/L		103	80 - 120

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-46773-15 MS

Matrix: Water

Analysis Batch: 151634

Client Sample ID: RFW-11B

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,3,5-Trimethylbenzene	<1.0		50.0	52.6		ug/L		105	83 - 120
4-Chlorotoluene	<1.0		50.0	51.2		ug/L		102	80 - 120
tert-Butylbenzene	<1.0		50.0	49.4		ug/L		99	80 - 120
1,2,4-Trimethylbenzene	<1.0		50.0	50.7		ug/L		101	80 - 120
sec-Butylbenzene	<1.0		50.0	50.3		ug/L		101	79 - 117
1,3-Dichlorobenzene	<1.0		50.0	51.8		ug/L		104	80 - 120
p-Isopropyltoluene	<1.0		50.0	48.6		ug/L		97	77 - 120
1,4-Dichlorobenzene	<1.0		50.0	51.5		ug/L		103	80 - 120
n-Butylbenzene	<1.0		50.0	50.0		ug/L		100	78 - 119
1,2-Dichlorobenzene	<1.0		50.0	51.4		ug/L		103	80 - 120
1,2-Dibromo-3-Chloropropane	<2.0		50.0	44.7		ug/L		89	53 - 133
1,2,4-Trichlorobenzene	<1.0		50.0	48.1		ug/L		96	70 - 118
Hexachlorobutadiene	<1.0		50.0	53.7		ug/L		107	71 - 128
Naphthalene	<1.0		50.0	48.9		ug/L		98	72 - 127
1,2,3-Trichlorobenzene	<1.0		50.0	53.4		ug/L		107	74 - 126

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		75 - 131
Toluene-d8 (Surr)	106		80 - 120
4-Bromofluorobenzene (Surr)	98		79 - 120
Dibromofluoromethane	103		74 - 123

Lab Sample ID: 500-46773-15 MSD

Matrix: Water

Analysis Batch: 151634

Client Sample ID: RFW-11B

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	<0.50		50.0	47.9		ug/L		96	74 - 115	1	20
Dichlorodifluoromethane	<1.0		50.0	53.5		ug/L		107	43 - 139	9	20
Chloromethane	<1.0		50.0	52.8		ug/L		106	56 - 144	3	20
Vinyl chloride	<0.50		50.0	54.5		ug/L		109	51 - 149	3	20
Bromomethane	<1.0		50.0	55.9		ug/L		112	47 - 158	2	20
Chloroethane	<1.0		50.0	58.1		ug/L		116	54 - 143	3	20
Trichlorofluoromethane	<1.0		50.0	58.1		ug/L		116	66 - 126	3	20
1,1-Dichloroethene	<1.0		50.0	48.1		ug/L		96	58 - 115	1	20
Carbon disulfide	<5.0		50.0	51.7		ug/L		103	50 - 120	2	20
Acetone	<5.0		50.0	48.2		ug/L		96	41 - 163	8	20
Methylene Chloride	<5.0		50.0	51.5		ug/L		103	63 - 130	1	20
trans-1,2-Dichloroethene	<1.0		50.0	52.9		ug/L		106	74 - 119	2	20
1,1-Dichloroethane	<1.0		50.0	48.8		ug/L		98	66 - 118	1	20
2,2-Dichloropropane	<1.0		50.0	48.3		ug/L		97	70 - 117	1	20
cis-1,2-Dichloroethene	<1.0		50.0	52.3		ug/L		105	75 - 119	0	20
Methyl Ethyl Ketone	<5.0		50.0	42.7		ug/L		85	53 - 140	2	20
Bromochloromethane	<1.0		50.0	52.8		ug/L		106	72 - 119	2	20
Chloroform	<1.0		50.0	50.9		ug/L		102	76 - 117	1	20
1,1,1-Trichloroethane	<1.0		50.0	53.2		ug/L		106	77 - 117	3	20
1,1-Dichloropropene	<1.0		50.0	44.7		ug/L		89	71 - 113	3	20
Carbon tetrachloride	<1.0		50.0	52.2		ug/L		104	72 - 124	2	20
1,2-Dichloroethane	<1.0		50.0	50.2		ug/L		100	76 - 117	0	20

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-46773-15 MSD
Matrix: Water
Analysis Batch: 151634

Client Sample ID: RFW-11B
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
Trichloroethene	3.7		50.0	54.7		ug/L		102	75 - 120	0	20
1,2-Dichloropropane	<1.0		50.0	48.1		ug/L		96	77 - 118	1	20
Dibromomethane	<1.0		50.0	50.0		ug/L		100	76 - 120	2	20
Bromodichloromethane	<1.0		50.0	51.1		ug/L		102	79 - 117	2	20
cis-1,3-Dichloropropene	<1.0		53.8	49.2		ug/L		92	71 - 112	2	20
methyl isobutyl ketone	<5.0		50.0	46.1		ug/L		92	59 - 134	3	20
Toluene	<0.50		50.0	52.1		ug/L		104	80 - 120	3	20
trans-1,3-Dichloropropene	<1.0		48.6	46.4		ug/L		95	66 - 116	4	20
1,1,2-Trichloroethane	<1.0		50.0	55.2		ug/L		110	78 - 121	5	20
Tetrachloroethene	1.8		50.0	48.6		ug/L		94	71 - 120	3	20
1,3-Dichloropropane	<1.0		50.0	49.0		ug/L		98	79 - 114	2	20
2-Hexanone	<5.0		50.0	42.8		ug/L		86	60 - 134	5	20
Dibromochloromethane	<1.0		50.0	47.8		ug/L		96	73 - 120	4	20
1,2-Dibromoethane	<1.0		50.0	57.5		ug/L		115	79 - 120	2	20
Chlorobenzene	<1.0		50.0	49.0		ug/L		98	80 - 120	5	20
1,1,1,2-Tetrachloroethane	<1.0		50.0	45.7		ug/L		91	80 - 120	5	20
Ethylbenzene	<0.50		50.0	48.4		ug/L		97	79 - 115	5	20
m&p-Xylene	<1.0		100	95.9		ug/L		96	78 - 120	5	20
o-Xylene	<0.50		50.0	45.3		ug/L		91	78 - 120	4	20
Styrene	<1.0		50.0	48.6		ug/L		97	80 - 120	7	20
Bromoform	<1.0		50.0	49.7		ug/L		99	64 - 127	8	20
Isopropylbenzene	<1.0		50.0	41.5		ug/L		83	68 - 120	4	20
Bromobenzene	<1.0		50.0	52.9		ug/L		106	80 - 120	6	20
1,1,2,2-Tetrachloroethane	<1.0		50.0	49.2		ug/L		98	78 - 123	3	20
1,2,3-Trichloropropane	<1.0		50.0	47.6		ug/L		95	77 - 119	6	20
N-Propylbenzene	<1.0		50.0	48.6		ug/L		97	77 - 114	5	20
2-Chlorotoluene	<1.0		50.0	48.8		ug/L		98	80 - 120	5	20
1,3,5-Trimethylbenzene	<1.0		50.0	49.7		ug/L		99	83 - 120	6	20
4-Chlorotoluene	<1.0		50.0	48.7		ug/L		97	80 - 120	5	20
tert-Butylbenzene	<1.0		50.0	46.7		ug/L		93	80 - 120	6	20
1,2,4-Trimethylbenzene	<1.0		50.0	48.1		ug/L		96	80 - 120	5	20
sec-Butylbenzene	<1.0		50.0	47.2		ug/L		94	79 - 117	6	20
1,3-Dichlorobenzene	<1.0		50.0	49.2		ug/L		98	80 - 120	5	20
p-Isopropyltoluene	<1.0		50.0	45.7		ug/L		91	77 - 120	6	20
1,4-Dichlorobenzene	<1.0		50.0	48.8		ug/L		98	80 - 120	5	20
n-Butylbenzene	<1.0		50.0	46.5		ug/L		93	78 - 119	7	20
1,2-Dichlorobenzene	<1.0		50.0	49.9		ug/L		100	80 - 120	3	20
1,2-Dibromo-3-Chloropropane	<2.0		50.0	44.3		ug/L		89	53 - 133	1	20
1,2,4-Trichlorobenzene	<1.0		50.0	47.7		ug/L		95	70 - 118	1	20
Hexachlorobutadiene	<1.0		50.0	49.7		ug/L		99	71 - 128	8	20
Naphthalene	<1.0		50.0	49.5		ug/L		99	72 - 127	1	20
1,2,3-Trichlorobenzene	<1.0		50.0	54.4		ug/L		109	74 - 126	2	20

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	101		75 - 131
Toluene-d8 (Surr)	108		80 - 120
4-Bromofluorobenzene (Surr)	99		79 - 120
Dibromofluoromethane	106		74 - 123

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-151660/8

Matrix: Water

Analysis Batch: 151660

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.50		0.50	0.074	ug/L			06/04/12 18:36	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			06/04/12 18:36	1
Chloromethane	<1.0		1.0	0.18	ug/L			06/04/12 18:36	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			06/04/12 18:36	1
Bromomethane	<1.0		1.0	0.31	ug/L			06/04/12 18:36	1
Chloroethane	<1.0		1.0	0.34	ug/L			06/04/12 18:36	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			06/04/12 18:36	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			06/04/12 18:36	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			06/04/12 18:36	1
Acetone	<5.0		5.0	1.3	ug/L			06/04/12 18:36	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			06/04/12 18:36	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			06/04/12 18:36	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			06/04/12 18:36	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			06/04/12 18:36	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			06/04/12 18:36	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			06/04/12 18:36	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			06/04/12 18:36	1
Chloroform	<1.0		1.0	0.20	ug/L			06/04/12 18:36	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			06/04/12 18:36	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			06/04/12 18:36	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			06/04/12 18:36	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 18:36	1
Trichloroethene	<0.50		0.50	0.19	ug/L			06/04/12 18:36	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			06/04/12 18:36	1
Dibromomethane	<1.0		1.0	0.33	ug/L			06/04/12 18:36	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			06/04/12 18:36	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			06/04/12 18:36	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			06/04/12 18:36	1
Toluene	<0.50		0.50	0.11	ug/L			06/04/12 18:36	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			06/04/12 18:36	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			06/04/12 18:36	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			06/04/12 18:36	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			06/04/12 18:36	1
2-Hexanone	<5.0		5.0	0.56	ug/L			06/04/12 18:36	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			06/04/12 18:36	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			06/04/12 18:36	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			06/04/12 18:36	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			06/04/12 18:36	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			06/04/12 18:36	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			06/04/12 18:36	1
o-Xylene	<0.50		0.50	0.068	ug/L			06/04/12 18:36	1
Styrene	<1.0		1.0	0.10	ug/L			06/04/12 18:36	1
Bromoform	<1.0		1.0	0.28	ug/L			06/04/12 18:36	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 18:36	1
Bromobenzene	<1.0		1.0	0.25	ug/L			06/04/12 18:36	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			06/04/12 18:36	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			06/04/12 18:36	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 18:36	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			06/04/12 18:36	1

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-151660/8
Matrix: Water
Analysis Batch: 151660

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			06/04/12 18:36	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			06/04/12 18:36	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 18:36	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			06/04/12 18:36	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			06/04/12 18:36	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 18:36	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			06/04/12 18:36	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			06/04/12 18:36	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			06/04/12 18:36	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			06/04/12 18:36	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.68	ug/L			06/04/12 18:36	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			06/04/12 18:36	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			06/04/12 18:36	1
Naphthalene	<1.0		1.0	0.16	ug/L			06/04/12 18:36	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			06/04/12 18:36	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 131		06/04/12 18:36	1
Toluene-d8 (Surr)	107		80 - 120		06/04/12 18:36	1
4-Bromofluorobenzene (Surr)	103		79 - 120		06/04/12 18:36	1
Dibromofluoromethane	90		74 - 123		06/04/12 18:36	1

Lab Sample ID: LCS 500-151660/6
Matrix: Water
Analysis Batch: 151660

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	49.5		ug/L		99	74 - 115
Dichlorodifluoromethane	50.0	32.7		ug/L		65	43 - 139
Chloromethane	50.0	37.0		ug/L		74	56 - 144
Vinyl chloride	50.0	51.5		ug/L		103	51 - 149
Bromomethane	50.0	48.2		ug/L		96	47 - 158
Chloroethane	50.0	52.0		ug/L		104	54 - 143
Trichlorofluoromethane	50.0	43.9		ug/L		88	66 - 126
1,1-Dichloroethene	50.0	44.9		ug/L		90	58 - 115
Carbon disulfide	50.0	43.5		ug/L		87	50 - 120
Acetone	50.0	39.4		ug/L		79	41 - 163
Methylene Chloride	50.0	45.7		ug/L		91	63 - 130
trans-1,2-Dichloroethene	50.0	46.6		ug/L		93	74 - 119
1,1-Dichloroethane	50.0	48.1		ug/L		96	66 - 118
2,2-Dichloropropane	50.0	47.0		ug/L		94	70 - 117
cis-1,2-Dichloroethene	50.0	44.3		ug/L		89	75 - 119
Methyl Ethyl Ketone	50.0	39.1		ug/L		78	53 - 140
Bromochloromethane	50.0	42.4		ug/L		85	72 - 119
Chloroform	50.0	46.0		ug/L		92	76 - 117
1,1,1-Trichloroethane	50.0	44.3		ug/L		89	77 - 117
1,1-Dichloropropene	50.0	45.0		ug/L		90	71 - 113
Carbon tetrachloride	50.0	49.0		ug/L		98	72 - 124
1,2-Dichloroethane	50.0	48.9		ug/L		98	76 - 117

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-151660/6
Matrix: Water
Analysis Batch: 151660

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Trichloroethene	50.0	50.9		ug/L		102	75 - 120
1,2-Dichloropropane	50.0	54.5		ug/L		109	77 - 118
Dibromomethane	50.0	45.0		ug/L		90	76 - 120
Bromodichloromethane	50.0	48.9		ug/L		98	79 - 117
cis-1,3-Dichloropropene	53.8	51.7		ug/L		96	71 - 112
methyl isobutyl ketone	50.0	44.9		ug/L		90	59 - 134
Toluene	50.0	49.7		ug/L		99	80 - 120
trans-1,3-Dichloropropene	48.6	46.8		ug/L		96	66 - 116
1,1,2-Trichloroethane	50.0	48.7		ug/L		97	78 - 121
Tetrachloroethene	50.0	49.1		ug/L		98	71 - 120
1,3-Dichloropropane	50.0	50.3		ug/L		101	79 - 114
2-Hexanone	50.0	44.2		ug/L		88	60 - 134
Dibromochloromethane	50.0	48.6		ug/L		97	73 - 120
1,2-Dibromoethane	50.0	45.8		ug/L		92	79 - 120
Chlorobenzene	50.0	48.5		ug/L		97	80 - 120
1,1,1,2-Tetrachloroethane	50.0	48.5		ug/L		97	80 - 120
Ethylbenzene	50.0	46.8		ug/L		94	79 - 115
m&p-Xylene	100	103		ug/L		103	78 - 120
o-Xylene	50.0	52.0		ug/L		104	78 - 120
Styrene	50.0	49.0		ug/L		98	80 - 120
Bromoform	50.0	50.6		ug/L		101	64 - 127
Isopropylbenzene	50.0	40.6		ug/L		81	68 - 120
Bromobenzene	50.0	44.9		ug/L		90	80 - 120
1,1,2,2-Tetrachloroethane	50.0	47.7		ug/L		95	78 - 123
1,2,3-Trichloropropane	50.0	44.8		ug/L		90	77 - 119
N-Propylbenzene	50.0	46.1		ug/L		92	77 - 114
2-Chlorotoluene	50.0	46.9		ug/L		94	80 - 120
1,3,5-Trimethylbenzene	50.0	48.8		ug/L		98	83 - 120
4-Chlorotoluene	50.0	46.5		ug/L		93	80 - 120
tert-Butylbenzene	50.0	46.5		ug/L		93	80 - 120
1,2,4-Trimethylbenzene	50.0	46.0		ug/L		92	80 - 120
sec-Butylbenzene	50.0	46.4		ug/L		93	79 - 117
1,3-Dichlorobenzene	50.0	45.3		ug/L		91	80 - 120
p-Isopropyltoluene	50.0	44.5		ug/L		89	77 - 120
1,4-Dichlorobenzene	50.0	45.4		ug/L		91	80 - 120
n-Butylbenzene	50.0	46.8		ug/L		94	78 - 119
1,2-Dichlorobenzene	50.0	45.6		ug/L		91	80 - 120
1,2-Dibromo-3-Chloropropane	50.0	42.9		ug/L		86	53 - 133
1,2,4-Trichlorobenzene	50.0	47.7		ug/L		95	70 - 118
Hexachlorobutadiene	50.0	58.7		ug/L		117	71 - 128
Naphthalene	50.0	36.7		ug/L		73	72 - 127
1,2,3-Trichlorobenzene	50.0	44.8		ug/L		90	74 - 126

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		75 - 131
Toluene-d8 (Surr)	101		80 - 120
4-Bromofluorobenzene (Surr)	97		79 - 120
Dibromofluoromethane	85		74 - 123

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-46773-26 MS
Matrix: Water
Analysis Batch: 151660

Client Sample ID: EW-10
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	<0.50		50.0	50.4		ug/L		101	74 - 115
Dichlorodifluoromethane	<1.0		50.0	37.2		ug/L		74	43 - 139
Chloromethane	<1.0		50.0	40.9		ug/L		82	56 - 144
Vinyl chloride	<0.50		50.0	54.6		ug/L		109	51 - 149
Bromomethane	<1.0		50.0	48.8		ug/L		98	47 - 158
Chloroethane	<1.0		50.0	56.0		ug/L		112	54 - 143
Trichlorofluoromethane	<1.0		50.0	47.1		ug/L		94	66 - 126
1,1-Dichloroethene	<1.0		50.0	46.7		ug/L		93	58 - 115
Carbon disulfide	<5.0		50.0	45.1		ug/L		90	50 - 120
Acetone	<5.0		50.0	40.7		ug/L		81	41 - 163
Methylene Chloride	<5.0		50.0	47.3		ug/L		95	63 - 130
trans-1,2-Dichloroethene	<1.0		50.0	49.0		ug/L		98	74 - 119
1,1-Dichloroethane	<1.0		50.0	49.9		ug/L		100	66 - 118
2,2-Dichloropropane	<1.0		50.0	49.3		ug/L		99	70 - 117
cis-1,2-Dichloroethene	<1.0		50.0	45.8		ug/L		92	75 - 119
Methyl Ethyl Ketone	<5.0		50.0	42.4		ug/L		85	53 - 140
Bromochloromethane	<1.0		50.0	44.8		ug/L		90	72 - 119
Chloroform	<1.0		50.0	48.6		ug/L		97	76 - 117
1,1,1-Trichloroethane	<1.0		50.0	47.6		ug/L		95	77 - 117
1,1-Dichloropropene	<1.0		50.0	47.5		ug/L		95	71 - 113
Carbon tetrachloride	<1.0		50.0	51.7		ug/L		103	72 - 124
1,2-Dichloroethane	<1.0		50.0	52.1		ug/L		104	76 - 117
Trichloroethene	<0.50		50.0	52.7		ug/L		105	75 - 120
1,2-Dichloropropane	<1.0		50.0	56.6		ug/L		113	77 - 118
Dibromomethane	<1.0		50.0	49.1		ug/L		98	76 - 120
Bromodichloromethane	<1.0		50.0	51.0		ug/L		102	79 - 117
cis-1,3-Dichloropropene	<1.0		53.8	54.1		ug/L		101	71 - 112
methyl isobutyl ketone	<5.0		50.0	48.3		ug/L		97	59 - 134
Toluene	<0.50		50.0	51.5		ug/L		103	80 - 120
trans-1,3-Dichloropropene	<1.0		48.6	48.7		ug/L		100	66 - 116
1,1,2-Trichloroethane	<1.0		50.0	51.7		ug/L		103	78 - 121
Tetrachloroethene	0.77	J	50.0	53.3		ug/L		105	71 - 120
1,3-Dichloropropane	<1.0		50.0	52.8		ug/L		106	79 - 114
2-Hexanone	<5.0		50.0	47.6		ug/L		95	60 - 134
Dibromochloromethane	<1.0		50.0	51.9		ug/L		104	73 - 120
1,2-Dibromoethane	<1.0		50.0	49.4		ug/L		99	79 - 120
Chlorobenzene	<1.0		50.0	50.5		ug/L		101	80 - 120
1,1,1,2-Tetrachloroethane	<1.0		50.0	51.0		ug/L		102	80 - 120
Ethylbenzene	<0.50		50.0	49.3		ug/L		99	79 - 115
m&p-Xylene	<1.0		100	108		ug/L		108	78 - 120
o-Xylene	<0.50		50.0	54.0		ug/L		108	78 - 120
Styrene	<1.0		50.0	49.9		ug/L		100	80 - 120
Bromoform	<1.0		50.0	53.4		ug/L		107	64 - 127
Isopropylbenzene	<1.0		50.0	43.4		ug/L		87	68 - 120
Bromobenzene	<1.0		50.0	47.5		ug/L		95	80 - 120
1,1,2,2-Tetrachloroethane	<1.0		50.0	51.1		ug/L		102	78 - 123
1,2,3-Trichloropropane	<1.0		50.0	48.3		ug/L		97	77 - 119
N-Propylbenzene	<1.0		50.0	49.0		ug/L		98	77 - 114
2-Chlorotoluene	<1.0		50.0	48.4		ug/L		97	80 - 120

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-46773-26 MS
Matrix: Water
Analysis Batch: 151660

Client Sample ID: EW-10
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS		Unit	D	%Rec	%Rec.	Limits
	Result	Qualifier		Result	Qualifier					
1,3,5-Trimethylbenzene	<1.0		50.0	51.2		ug/L		102	83 - 120	
4-Chlorotoluene	<1.0		50.0	49.4		ug/L		99	80 - 120	
tert-Butylbenzene	<1.0		50.0	49.0		ug/L		98	80 - 120	
1,2,4-Trimethylbenzene	<1.0		50.0	47.9		ug/L		96	80 - 120	
sec-Butylbenzene	<1.0		50.0	49.4		ug/L		99	79 - 117	
1,3-Dichlorobenzene	<1.0		50.0	47.1		ug/L		94	80 - 120	
p-Isopropyltoluene	<1.0		50.0	46.9		ug/L		94	77 - 120	
1,4-Dichlorobenzene	<1.0		50.0	47.7		ug/L		95	80 - 120	
n-Butylbenzene	<1.0		50.0	48.8		ug/L		98	78 - 119	
1,2-Dichlorobenzene	<1.0		50.0	47.9		ug/L		96	80 - 120	
1,2-Dibromo-3-Chloropropane	<2.0		50.0	46.0		ug/L		92	53 - 133	
1,2,4-Trichlorobenzene	<1.0		50.0	47.5		ug/L		95	70 - 118	
Hexachlorobutadiene	<1.0		50.0	61.7		ug/L		123	71 - 128	
Naphthalene	<1.0		50.0	38.2		ug/L		76	72 - 127	
1,2,3-Trichlorobenzene	<1.0		50.0	46.5		ug/L		93	74 - 126	

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	98		75 - 131
Toluene-d8 (Surr)	99		80 - 120
4-Bromofluorobenzene (Surr)	98		79 - 120
Dibromofluoromethane	85		74 - 123

Lab Sample ID: 500-46773-26 MSD
Matrix: Water
Analysis Batch: 151660

Client Sample ID: EW-10
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec.	RPD	Limit
	Result	Qualifier		Result	Qualifier						
Benzene	<0.50		50.0	51.0		ug/L		102	74 - 115	1	20
Dichlorodifluoromethane	<1.0		50.0	35.5		ug/L		71	43 - 139	5	20
Chloromethane	<1.0		50.0	37.4		ug/L		75	56 - 144	9	20
Vinyl chloride	<0.50		50.0	51.0		ug/L		102	51 - 149	7	20
Bromomethane	<1.0		50.0	44.8		ug/L		90	47 - 158	9	20
Chloroethane	<1.0		50.0	53.4		ug/L		107	54 - 143	5	20
Trichlorofluoromethane	<1.0		50.0	45.3		ug/L		91	66 - 126	4	20
1,1-Dichloroethene	<1.0		50.0	48.5		ug/L		97	58 - 115	4	20
Carbon disulfide	<5.0		50.0	45.7		ug/L		91	50 - 120	1	20
Acetone	<5.0		50.0	40.5		ug/L		81	41 - 163	0	20
Methylene Chloride	<5.0		50.0	46.8		ug/L		94	63 - 130	1	20
trans-1,2-Dichloroethene	<1.0		50.0	48.8		ug/L		98	74 - 119	0	20
1,1-Dichloroethane	<1.0		50.0	51.1		ug/L		102	66 - 118	2	20
2,2-Dichloropropane	<1.0		50.0	49.3		ug/L		99	70 - 117	0	20
cis-1,2-Dichloroethene	<1.0		50.0	45.9		ug/L		92	75 - 119	0	20
Methyl Ethyl Ketone	<5.0		50.0	41.4		ug/L		83	53 - 140	2	20
Bromochloromethane	<1.0		50.0	44.7		ug/L		89	72 - 119	0	20
Chloroform	<1.0		50.0	49.2		ug/L		98	76 - 117	1	20
1,1,1-Trichloroethane	<1.0		50.0	48.1		ug/L		96	77 - 117	1	20
1,1-Dichloropropene	<1.0		50.0	48.3		ug/L		97	71 - 113	2	20
Carbon tetrachloride	<1.0		50.0	52.0		ug/L		104	72 - 124	1	20
1,2-Dichloroethane	<1.0		50.0	51.8		ug/L		104	76 - 117	1	20

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-46773-26 MSD
Matrix: Water
Analysis Batch: 151660

Client Sample ID: EW-10
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
Trichloroethene	<0.50		50.0	53.0		ug/L		106	75 - 120	1	20
1,2-Dichloropropane	<1.0		50.0	56.5		ug/L		113	77 - 118	0	20
Dibromomethane	<1.0		50.0	47.9		ug/L		96	76 - 120	2	20
Bromodichloromethane	<1.0		50.0	51.0		ug/L		102	79 - 117	0	20
cis-1,3-Dichloropropene	<1.0		53.8	53.1		ug/L		99	71 - 112	2	20
methyl isobutyl ketone	<5.0		50.0	45.6		ug/L		91	59 - 134	6	20
Toluene	<0.50		50.0	51.6		ug/L		103	80 - 120	0	20
trans-1,3-Dichloropropene	<1.0		48.6	47.6		ug/L		98	66 - 116	2	20
1,1,2-Trichloroethane	<1.0		50.0	50.4		ug/L		101	78 - 121	3	20
Tetrachloroethene	0.77	J	50.0	53.3		ug/L		105	71 - 120	0	20
1,3-Dichloropropane	<1.0		50.0	53.1		ug/L		106	79 - 114	1	20
2-Hexanone	<5.0		50.0	45.8		ug/L		92	60 - 134	4	20
Dibromochloromethane	<1.0		50.0	52.3		ug/L		105	73 - 120	1	20
1,2-Dibromoethane	<1.0		50.0	49.3		ug/L		99	79 - 120	0	20
Chlorobenzene	<1.0		50.0	50.9		ug/L		102	80 - 120	1	20
1,1,1,2-Tetrachloroethane	<1.0		50.0	50.7		ug/L		101	80 - 120	1	20
Ethylbenzene	<0.50		50.0	49.1		ug/L		98	79 - 115	0	20
m&p-Xylene	<1.0		100	108		ug/L		108	78 - 120	0	20
o-Xylene	<0.50		50.0	53.6		ug/L		107	78 - 120	1	20
Styrene	<1.0		50.0	50.2		ug/L		100	80 - 120	1	20
Bromoform	<1.0		50.0	52.5		ug/L		105	64 - 127	2	20
Isopropylbenzene	<1.0		50.0	43.0		ug/L		86	68 - 120	1	20
Bromobenzene	<1.0		50.0	46.7		ug/L		93	80 - 120	2	20
1,1,2,2-Tetrachloroethane	<1.0		50.0	47.8		ug/L		96	78 - 123	7	20
1,2,3-Trichloropropane	<1.0		50.0	46.5		ug/L		93	77 - 119	4	20
N-Propylbenzene	<1.0		50.0	48.6		ug/L		97	77 - 114	1	20
2-Chlorotoluene	<1.0		50.0	48.7		ug/L		97	80 - 120	1	20
1,3,5-Trimethylbenzene	<1.0		50.0	51.1		ug/L		102	83 - 120	0	20
4-Chlorotoluene	<1.0		50.0	48.7		ug/L		97	80 - 120	1	20
tert-Butylbenzene	<1.0		50.0	48.1		ug/L		96	80 - 120	2	20
1,2,4-Trimethylbenzene	<1.0		50.0	47.9		ug/L		96	80 - 120	0	20
sec-Butylbenzene	<1.0		50.0	49.1		ug/L		98	79 - 117	1	20
1,3-Dichlorobenzene	<1.0		50.0	47.5		ug/L		95	80 - 120	1	20
p-Isopropyltoluene	<1.0		50.0	46.4		ug/L		93	77 - 120	1	20
1,4-Dichlorobenzene	<1.0		50.0	47.7		ug/L		95	80 - 120	0	20
n-Butylbenzene	<1.0		50.0	49.1		ug/L		98	78 - 119	1	20
1,2-Dichlorobenzene	<1.0		50.0	46.9		ug/L		94	80 - 120	2	20
1,2-Dibromo-3-Chloropropane	<2.0		50.0	45.5		ug/L		91	53 - 133	1	20
1,2,4-Trichlorobenzene	<1.0		50.0	49.1		ug/L		98	70 - 118	3	20
Hexachlorobutadiene	<1.0		50.0	62.4		ug/L		125	71 - 128	1	20
Naphthalene	<1.0		50.0	37.5		ug/L		75	72 - 127	2	20
1,2,3-Trichlorobenzene	<1.0		50.0	47.3		ug/L		95	74 - 126	2	20

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	97		75 - 131
Toluene-d8 (Surr)	98		80 - 120
4-Bromofluorobenzene (Surr)	96		79 - 120
Dibromofluoromethane	86		74 - 123

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-46773-1

Date Collected: 05/24/12 07:40

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 15:59	EA	TAL CHI

Client Sample ID: RFW-2B

Lab Sample ID: 500-46773-2

Date Collected: 05/24/12 08:10

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 16:23	EA	TAL CHI

Client Sample ID: RFW-1A

Lab Sample ID: 500-46773-3

Date Collected: 05/24/12 08:50

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 16:46	EA	TAL CHI

Client Sample ID: RFW-1B

Lab Sample ID: 500-46773-4

Date Collected: 05/24/12 17:00

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 17:10	EA	TAL CHI

Client Sample ID: RFW-7

Lab Sample ID: 500-46773-5

Date Collected: 05/24/12 09:50

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 17:32	EA	TAL CHI

Client Sample ID: RFW-17

Lab Sample ID: 500-46773-6

Date Collected: 05/24/12 14:25

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 17:55	EA	TAL CHI

Client Sample ID: RFW-6

Lab Sample ID: 500-46773-7

Date Collected: 05/24/12 10:55

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 18:18	EA	TAL CHI

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-13

Lab Sample ID: 500-46773-8

Date Collected: 05/24/12 16:35

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 18:41	EA	TAL CHI

Client Sample ID: RFW-3B

Lab Sample ID: 500-46773-9

Date Collected: 05/24/12 15:30

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 19:04	EA	TAL CHI

Client Sample ID: RFW-12B

Lab Sample ID: 500-46773-10

Date Collected: 05/25/12 06:45

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 19:27	EA	TAL CHI

Client Sample ID: RFW-4A

Lab Sample ID: 500-46773-11

Date Collected: 05/25/12 07:50

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 19:51	EA	TAL CHI

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-46773-12

Date Collected: 05/25/12 07:50

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 20:14	EA	TAL CHI

Client Sample ID: RFW-4B

Lab Sample ID: 500-46773-13

Date Collected: 05/25/12 08:30

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 20:37	EA	TAL CHI

Client Sample ID: RFW-9

Lab Sample ID: 500-46773-14

Date Collected: 05/25/12 10:25

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 21:00	EA	TAL CHI

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-46773-15

Date Collected: 05/25/12 11:40

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 21:23	EA	TAL CHI

Client Sample ID: Trip Blank

Lab Sample ID: 500-46773-16

Date Collected: 05/24/12 07:00

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 21:46	EA	TAL CHI

Client Sample ID: EW-2

Lab Sample ID: 500-46773-17

Date Collected: 05/24/12 17:15

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151634	06/04/12 22:09	EA	TAL CHI
Total/NA	Analysis	8260B	DL	10	151634	06/04/12 22:32	EA	TAL CHI

Client Sample ID: EW-3

Lab Sample ID: 500-46773-18

Date Collected: 05/25/12 08:50

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151660	06/04/12 20:45	LM	TAL CHI

Client Sample ID: EW-4

Lab Sample ID: 500-46773-19

Date Collected: 05/25/12 12:00

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151660	06/04/12 21:11	LM	TAL CHI
Total/NA	Analysis	8260B	DL	10	151660	06/04/12 21:37	LM	TAL CHI

Client Sample ID: EW-5

Lab Sample ID: 500-46773-20

Date Collected: 05/24/12 08:45

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151660	06/04/12 22:04	LM	TAL CHI

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Client Sample ID: EW-6

Lab Sample ID: 500-46773-21

Date Collected: 05/24/12 14:30

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151660	06/04/12 22:30	LM	TAL CHI

Client Sample ID: EW-7

Lab Sample ID: 500-46773-22

Date Collected: 05/24/12 11:10

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151660	06/04/12 22:56	LM	TAL CHI

Client Sample ID: EW-8

Lab Sample ID: 500-46773-23

Date Collected: 05/24/12 11:00

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151660	06/04/12 23:22	LM	TAL CHI

Client Sample ID: EW-9

Lab Sample ID: 500-46773-24

Date Collected: 05/24/12 10:50

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151660	06/04/12 23:48	LM	TAL CHI

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-46773-25

Date Collected: 05/24/12 10:50

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151660	06/05/12 00:14	LM	TAL CHI

Client Sample ID: EW-10

Lab Sample ID: 500-46773-26

Date Collected: 05/24/12 10:40

Matrix: Water

Date Received: 05/26/12 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	151660	06/05/12 00:40	LM	TAL CHI

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Certification Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-46773-1

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Chicago	Alabama	State Program	4	40461
TestAmerica Chicago	California	NELAC	9	01132CA
TestAmerica Chicago	Florida	NELAC	4	E871072
TestAmerica Chicago	Georgia	State Program	4	939
TestAmerica Chicago	Georgia	State Program	4	N/A
TestAmerica Chicago	Hawaii	State Program	9	N/A
TestAmerica Chicago	Illinois	NELAC	5	100201
TestAmerica Chicago	Indiana	State Program	5	C-IL-02
TestAmerica Chicago	Iowa	State Program	7	82
TestAmerica Chicago	Kansas	NELAC	7	E-10161
TestAmerica Chicago	Kentucky	State Program	4	90023
TestAmerica Chicago	Kentucky (UST)	State Program	4	66
TestAmerica Chicago	L-A-B	DoD ELAP		L2304
TestAmerica Chicago	L-A-B	ISO/IEC 17025		L2304
TestAmerica Chicago	Louisiana	NELAC	6	30720
TestAmerica Chicago	Massachusetts	State Program	1	M-IL035
TestAmerica Chicago	Mississippi	State Program	4	N/A
TestAmerica Chicago	North Carolina DENR	State Program	4	291
TestAmerica Chicago	North Dakota	State Program	8	R-194
TestAmerica Chicago	Oklahoma	State Program	6	8908
TestAmerica Chicago	South Carolina	State Program	4	77001
TestAmerica Chicago	Texas	NELAC	6	T104704252-09-TX
TestAmerica Chicago	USDA	Federal		P330-12-00038
TestAmerica Chicago	Virginia	NELAC	3	460142
TestAmerica Chicago	Wisconsin	State Program	5	999580010
TestAmerica Chicago	Wyoming	State Program	8	8TMS-Q

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To (optional)
 Contact: _____
 Company: Western
 Address: _____
 Address: _____
 Phone: 610.701.3779
 Fax: _____
 E-Mail: _____

Bill To (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference#: _____

Chain of Custody Record

Lab Job #: 500-46773
 Chain of Custody Number: _____
 Page 1 of 3
 Temperature °C of Cooler: 210

Client <u>Western</u> <u>Black</u>		Client Project #		Preservative	Parameter		VOC	Matrix	Comments
Project Name <u>Black + Decker</u>		Lab Project #		Parameter	HCl				
Project Location/State <u>Hampstead MD</u>		Sampler <u>Greg Flaszki</u>		Lab PM <u>Dick Wright</u>					
Lab ID	MS/MSL	Sample ID	Sampling		# of Containers	Matrix	VOC	Matrix	Comments
			Date	Time					
1		RFW-2A	5/24/12	0746	3	W	✓		
2		RFW-2B		810			✓		
3		RFW-1A		850			✓		
4		RFW-1B		1700			✓		
5		RFW-7		0950			✓		
6		RFW-17		1425			✓		
7		RFW-6		1055			✓		
8		RFW-13		1635			✓		
9		RFW-3B		1530			✓		
10		RFW-12B	5/25/12	0645			✓		

- Preservative Key
1. HCL, Cool to 4°
 2. H2SO4, Cool to 4°
 3. HNO3, Cool to 4°
 4. NaOH, Cool to 4°
 5. NaOH/Zn, Cool to 4°
 6. NaHSO4
 7. Cool to 4°
 8. None
 9. Other

Turnaround Time Required (Business Days)

1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months

(A fee may be assessed if samples are retained longer than 1 month)

Requested Due Date

Relinquished By <u>[Signature]</u>	Company <u>Western</u>	Date <u>5/25/12</u>	Time <u>1600</u>	Received By <u>[Signature]</u>	Company <u>Fed Ex</u>	Date <u>5/26/12</u>	Time <u>9:30</u>
Relinquished By	Company	Date	Time	Received By	Company	Date	Time
Relinquished By	Company	Date	Time	Received By	Company	Date	Time

Lab Courier
 Shipped FedEx
 Hand Delivered

Matrix Key

WW - Wastewater	SE - Sediment
W - Water	SO - Soil
S - Soil	L - Leachate
SL - Sludge	WI - Wipe
MS - Miscellaneous	DW - Drinking Water
OL - Oil	O - Other
A - Air	

Client Comments

Lab Comments:

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-46773
 Chain of Custody Number: _____
 Page 2 of 3
 Temperature °C of Cooler: 210

Client		Client Project #		Preservative		Parameter		Matrix		Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other
Project Name		Lab Project #		Matrix		Matrix		Matrix		
Project Location/State		Lab Project #		Matrix		Matrix		Matrix		
<u>Western</u>				<u>HCl</u>						
<u>B+D</u>										
<u>MD</u>										
Sampler		Lab PM								
<u>Greg Plasunk</u>		<u>Dick Wright</u>								
Lab ID	MS/MSD	Sample ID	Date	Time	# of Containers	Matrix	Matrix	Matrix	Matrix	Comments
<u>11</u>		<u>RFW-4A</u>	<u>5/25/12</u>	<u>750</u>	<u>3</u>	<u>E</u>				
<u>12</u>		<u>RFW-4A Dup</u>	<u>1</u>	<u>750</u>	<u>1</u>	<u>1</u>				
<u>13</u>		<u>RFW-4B</u>	<u>1</u>	<u>830</u>	<u>1</u>	<u>1</u>				
<u>14</u>		<u>RFW-9</u>	<u>1</u>	<u>1025</u>	<u>1</u>	<u>1</u>				
<u>15</u>		<u>RFW-11B</u>	<u>1</u>	<u>1140</u>	<u>1</u>	<u>1</u>				
<u>16</u>		<u>Trip Blank</u>	<u>5/24/12</u>	<u>700</u>	<u>2</u>	<u>1</u>				

Turnaround Time Required (Business Days)
 1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other

Sample Disposal
 Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Requested Date: _____

Relinquished By: <u>[Signature]</u>	Company: _____	Date: <u>5/25/12</u>	Time: <u>1000</u>	Received By: <u>[Signature]</u>	Company: _____	Date: _____	Time: _____
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: <u>[Signature]</u>	Company: <u>TA-CHE</u>	Date: <u>5/26/12</u>	Time: <u>930</u>
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____

Lab Courier: _____
 Shipped: FedEx
 Hand Delivered: _____

Matrix Key
 WW - Wastewater SE - Sediment
 W - Water SO - Soap
 S - Soil L - Leachate
 SL - Sludge WI - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments: _____
 Lab Comments: _____

1
2
3
4
5
6
7
8
9
10
11
12
13
14

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference#: _____

Chain of Custody Record

Lab Job #: 500-46773
 Chain of Custody Number: _____
 Page _____ of _____
 Temperature °C of Cooler: 2.0

Client		Client Project #		Preservative		Parameter		Matrix		Comments
Project Name		Lab Project #		HCl		VOC				
Project Location/State		Sampler		Date		Time		# of Containers		Matrix
B + D MD		Greg Florsinski		5/24/12		1715		3 W		
Lab ID	MS/MSL	Sample ID	Date	Time	# of Containers	Matrix				
17		EW-2	5/24/12	1715	3	W				
18		EW-3	5/25/12	850	1					
19		EW-4	5/25/12	1200	1					
20		EW-5	5/24/12	845	1					
21		EW-6		1430	1					
22		EW-7		1110	1					
23		EW-8		1100	1					
24		EW-9		1050	1					
25		EW-9 Dup		1050	1					
26		EW-10		1040	1					

- Preservative Key
1. HCL, Cool to 4°
 2. H2SO4, Cool to 4°
 3. HNO3, Cool to 4°
 4. NaOH, Cool to 4°
 5. NaOH/Zn, Cool to 4°
 6. NaHSO4
 7. Cool to 4°
 8. None
 9. Other

Turnaround Time Required (Business Days)

1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By: <u>[Signature]</u>	Company: <u>Western</u>	Date: <u>5/25/12</u>	Time: <u>1600</u>	Received By: <u>[Signature]</u>	Company: _____	Date: _____	Time: _____
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: <u>[Signature]</u>	Company: <u>TA</u>	Date: <u>5/26/12</u>	Time: <u>930</u>
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____

Lab Courier: _____
 Shipped: Fed-X
 Hand Delivered: _____

- Matrix Key
- | | |
|--------------------|---------------------|
| WW - Wastewater | SE - Sediment |
| W - Water | SO - Soil |
| S - Soil | L - Leachate |
| SL - Sludge | WI - Wipe |
| MS - Miscellaneous | DW - Drinking Water |
| OL - Oil | O - Other |
| A - Air | |

Client Comments:

Lab Comments:

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 500-46773-1

Login Number: 46773

List Number: 1

Creator: Scott, Sherri L

List Source: TestAmerica Chicago

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.0
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-79843-1
Client Project/Site: Black & Decker Qtr GW Sampling

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Greg Flasinski



Authorized for release by:
6/12/2012 3:58:43 PM

Lisa Harvey
Project Manager II
lisa.harvey@testamericainc.com

LINKS

Review your project results through

Total Access

Have a Question?

Ask The Expert


Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Job ID: 680-79843-1

Laboratory: TestAmerica Savannah

Narrative

Job Narrative
680-79843-1

Receipt

The samples were received on 5/26/2012 10:05 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.6° C.

GC/MS VOA

Method(s) 524.2: A full list spike was utilized for this method. Due to the large number of spiked analytes, there is a high probability that one or more analytes will recover outside acceptance limits. The laboratory's SOP allows for 4 analytes to recover outside criteria for this method when a full list spike is utilized. The LCS associated with batch 239697 had 3 analytes outside control limits; therefore, re-extraction/re-analysis was not performed. These results have been reported and qualified.

Method(s) 524.2: The method blank for batch 239697 contained 1,2,3-trichlorobenzene and 1,2,4-trichlorobenzene above the method detection limit (MDL). This target analyte concentration was less than one-half the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method(s) 524.2: The method blank associated with batch 239697 contained hexachlorobutadiene greater than one-half the reporting limit (RL). The data have been qualified and reported.

No other analytical or quality issues were noted.



Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-79843-1	RFW-20	Water	05/24/12 11:55	05/26/12 10:05
680-79843-2	RFW-21	Water	05/24/12 13:30	05/26/12 10:05
680-79843-3	HAMP-22	Water	05/25/12 09:35	05/26/12 10:05
680-79843-4	HAMP-23	Water	05/25/12 09:45	05/26/12 10:05
680-79843-5	Trip Blank	Water	05/24/12 08:00	05/26/12 10:05



Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Method	Method Description	Protocol	Laboratory
524.2	Volatile Organic Compounds (GC/MS)	EPA-DW	TAL SAV

Protocol References:

EPA-DW = "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858



Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
*	LCS or LCSD exceeds the control limits
*	RPD of the LCS and LCSD exceeds the control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
✱	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Client Sample ID: RFW-20

Lab Sample ID: 680-79843-1

Date Collected: 05/24/12 11:55

Matrix: Water

Date Received: 05/26/12 10:05

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10	*	10	5.0	ug/L			06/07/12 18:38	1
Benzene	<0.50		0.50	0.18	ug/L			06/07/12 18:38	1
Bromobenzene	<0.50		0.50	0.42	ug/L			06/07/12 18:38	1
Bromoform	<0.50		0.50	0.39	ug/L			06/07/12 18:38	1
Bromomethane	<1.0	*	1.0	0.45	ug/L			06/07/12 18:38	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			06/07/12 18:38	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			06/07/12 18:38	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			06/07/12 18:38	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			06/07/12 18:38	1
Chloroethane	<1.0	*	1.0	0.33	ug/L			06/07/12 18:38	1
Chloroform	<0.50		0.50	0.29	ug/L			06/07/12 18:38	1
Chloromethane	<0.50		0.50	0.32	ug/L			06/07/12 18:38	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			06/07/12 18:38	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			06/07/12 18:38	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			06/07/12 18:38	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			06/07/12 18:38	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			06/07/12 18:38	1
Dibromomethane	<0.50		0.50	0.38	ug/L			06/07/12 18:38	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			06/07/12 18:38	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			06/07/12 18:38	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			06/07/12 18:38	1
Dichlorobromomethane	<1.0		1.0	0.54	ug/L			06/07/12 18:38	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			06/07/12 18:38	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			06/07/12 18:38	1
1,2-Dichloroethane	<0.50	*	0.50	0.17	ug/L			06/07/12 18:38	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			06/07/12 18:38	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			06/07/12 18:38	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			06/07/12 18:38	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			06/07/12 18:38	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			06/07/12 18:38	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			06/07/12 18:38	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			06/07/12 18:38	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			06/07/12 18:38	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			06/07/12 18:38	1
Freon 113	<0.50		0.50	0.15	ug/L			06/07/12 18:38	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			06/07/12 18:38	1
2-Hexanone	<10		10	5.0	ug/L			06/07/12 18:38	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			06/07/12 18:38	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			06/07/12 18:38	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			06/07/12 18:38	1
2-Butanone (MEK)	<10		10	5.0	ug/L			06/07/12 18:38	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			06/07/12 18:38	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			06/07/12 18:38	1
Naphthalene	<1.0		1.0	0.43	ug/L			06/07/12 18:38	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 18:38	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 18:38	1
o-Xylene	<0.50		0.50	0.27	ug/L			06/07/12 18:38	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			06/07/12 18:38	1
Styrene	<0.50		0.50	0.28	ug/L			06/07/12 18:38	1
Tert-amyl methyl ether	<0.50	*	0.50	0.20	ug/L			06/07/12 18:38	1
tert-Butyl alcohol	<2.0	*	2.0	1.6	ug/L			06/07/12 18:38	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Client Sample ID: RFW-20

Lab Sample ID: 680-79843-1

Date Collected: 05/24/12 11:55

Matrix: Water

Date Received: 05/26/12 10:05

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			06/07/12 18:38	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			06/07/12 18:38	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			06/07/12 18:38	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			06/07/12 18:38	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			06/07/12 18:38	1
Toluene	<0.50		0.50	0.23	ug/L			06/07/12 18:38	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			06/07/12 18:38	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			06/07/12 18:38	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			06/07/12 18:38	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			06/07/12 18:38	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			06/07/12 18:38	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			06/07/12 18:38	1
Trichloroethene	0.57		0.50	0.37	ug/L			06/07/12 18:38	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			06/07/12 18:38	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			06/07/12 18:38	1
Trihalomethanes, Total	<0.50		0.50	0.29	ug/L			06/07/12 18:38	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 18:38	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			06/07/12 18:38	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			06/07/12 18:38	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			06/07/12 18:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	86		70 - 130		06/07/12 18:38	1
1,2-Dichlorobenzene-d4	86		70 - 130		06/07/12 18:38	1

Client Sample ID: RFW-21

Lab Sample ID: 680-79843-2

Date Collected: 05/24/12 13:30

Matrix: Water

Date Received: 05/26/12 10:05

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10	*	10	5.0	ug/L			06/07/12 19:00	1
Benzene	<0.50		0.50	0.18	ug/L			06/07/12 19:00	1
Bromobenzene	<0.50		0.50	0.42	ug/L			06/07/12 19:00	1
Bromoform	<0.50		0.50	0.39	ug/L			06/07/12 19:00	1
Bromomethane	<1.0	*	1.0	0.45	ug/L			06/07/12 19:00	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			06/07/12 19:00	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			06/07/12 19:00	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			06/07/12 19:00	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			06/07/12 19:00	1
Chloroethane	<1.0		1.0	0.33	ug/L			06/07/12 19:00	1
Chloroform	<0.50		0.50	0.29	ug/L			06/07/12 19:00	1
Chloromethane	<0.50		0.50	0.32	ug/L			06/07/12 19:00	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			06/07/12 19:00	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			06/07/12 19:00	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			06/07/12 19:00	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			06/07/12 19:00	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			06/07/12 19:00	1
Dibromomethane	<0.50		0.50	0.38	ug/L			06/07/12 19:00	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			06/07/12 19:00	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			06/07/12 19:00	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Client Sample ID: RFW-21

Lab Sample ID: 680-79843-2

Date Collected: 05/24/12 13:30

Matrix: Water

Date Received: 05/26/12 10:05

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			06/07/12 19:00	1
Dichlorobromomethane	<1.0		1.0	0.54	ug/L			06/07/12 19:00	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			06/07/12 19:00	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			06/07/12 19:00	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			06/07/12 19:00	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			06/07/12 19:00	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			06/07/12 19:00	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			06/07/12 19:00	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			06/07/12 19:00	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			06/07/12 19:00	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			06/07/12 19:00	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			06/07/12 19:00	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			06/07/12 19:00	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			06/07/12 19:00	1
Freon 113	<0.50		0.50	0.15	ug/L			06/07/12 19:00	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			06/07/12 19:00	1
2-Hexanone	<10		10	5.0	ug/L			06/07/12 19:00	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			06/07/12 19:00	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			06/07/12 19:00	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			06/07/12 19:00	1
2-Butanone (MEK)	<10		10	5.0	ug/L			06/07/12 19:00	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			06/07/12 19:00	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			06/07/12 19:00	1
Naphthalene	<1.0		1.0	0.43	ug/L			06/07/12 19:00	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 19:00	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 19:00	1
o-Xylene	<0.50		0.50	0.27	ug/L			06/07/12 19:00	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			06/07/12 19:00	1
Styrene	<0.50		0.50	0.28	ug/L			06/07/12 19:00	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			06/07/12 19:00	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			06/07/12 19:00	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			06/07/12 19:00	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			06/07/12 19:00	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			06/07/12 19:00	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			06/07/12 19:00	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			06/07/12 19:00	1
Toluene	<0.50		0.50	0.23	ug/L			06/07/12 19:00	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			06/07/12 19:00	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			06/07/12 19:00	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			06/07/12 19:00	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			06/07/12 19:00	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			06/07/12 19:00	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			06/07/12 19:00	1
Trichloroethene	<0.50		0.50	0.37	ug/L			06/07/12 19:00	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			06/07/12 19:00	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			06/07/12 19:00	1
Trihalomethanes, Total	<0.50		0.50	0.29	ug/L			06/07/12 19:00	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 19:00	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			06/07/12 19:00	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			06/07/12 19:00	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			06/07/12 19:00	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Client Sample ID: RFW-21

Lab Sample ID: 680-79843-2

Date Collected: 05/24/12 13:30

Matrix: Water

Date Received: 05/26/12 10:05

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	82		70 - 130		06/07/12 19:00	1
1,2-Dichlorobenzene-d4	84		70 - 130		06/07/12 19:00	1

Client Sample ID: HAMP-22

Lab Sample ID: 680-79843-3

Date Collected: 05/25/12 09:35

Matrix: Water

Date Received: 05/26/12 10:05

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10	*	10	5.0	ug/L			06/07/12 19:22	1
Benzene	<0.50		0.50	0.18	ug/L			06/07/12 19:22	1
Bromobenzene	<0.50		0.50	0.42	ug/L			06/07/12 19:22	1
Bromoform	<0.50		0.50	0.39	ug/L			06/07/12 19:22	1
Bromomethane	<1.0	*	1.0	0.45	ug/L			06/07/12 19:22	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			06/07/12 19:22	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			06/07/12 19:22	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			06/07/12 19:22	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			06/07/12 19:22	1
Chloroethane	<1.0	*	1.0	0.33	ug/L			06/07/12 19:22	1
Chloroform	<0.50		0.50	0.29	ug/L			06/07/12 19:22	1
Chloromethane	<0.50		0.50	0.32	ug/L			06/07/12 19:22	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			06/07/12 19:22	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			06/07/12 19:22	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			06/07/12 19:22	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			06/07/12 19:22	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			06/07/12 19:22	1
Dibromomethane	<0.50		0.50	0.38	ug/L			06/07/12 19:22	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			06/07/12 19:22	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			06/07/12 19:22	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			06/07/12 19:22	1
Dichlorobromomethane	<1.0	*	1.0	0.54	ug/L			06/07/12 19:22	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			06/07/12 19:22	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			06/07/12 19:22	1
1,2-Dichloroethane	<0.50	*	0.50	0.17	ug/L			06/07/12 19:22	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			06/07/12 19:22	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			06/07/12 19:22	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			06/07/12 19:22	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			06/07/12 19:22	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			06/07/12 19:22	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			06/07/12 19:22	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			06/07/12 19:22	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			06/07/12 19:22	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			06/07/12 19:22	1
Freon 113	<0.50		0.50	0.15	ug/L			06/07/12 19:22	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			06/07/12 19:22	1
2-Hexanone	<10		10	5.0	ug/L			06/07/12 19:22	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			06/07/12 19:22	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			06/07/12 19:22	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			06/07/12 19:22	1
2-Butanone (MEK)	<10		10	5.0	ug/L			06/07/12 19:22	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			06/07/12 19:22	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			06/07/12 19:22	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Client Sample ID: HAMP-22

Lab Sample ID: 680-79843-3

Date Collected: 05/25/12 09:35

Matrix: Water

Date Received: 05/26/12 10:05

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	<1.0		1.0	0.43	ug/L			06/07/12 19:22	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 19:22	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 19:22	1
o-Xylene	<0.50		0.50	0.27	ug/L			06/07/12 19:22	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			06/07/12 19:22	1
Styrene	<0.50		0.50	0.28	ug/L			06/07/12 19:22	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			06/07/12 19:22	1
tert-Butyl alcohol	<2.0	*	2.0	1.6	ug/L			06/07/12 19:22	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			06/07/12 19:22	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			06/07/12 19:22	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			06/07/12 19:22	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			06/07/12 19:22	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			06/07/12 19:22	1
Toluene	<0.50		0.50	0.23	ug/L			06/07/12 19:22	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			06/07/12 19:22	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			06/07/12 19:22	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			06/07/12 19:22	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			06/07/12 19:22	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			06/07/12 19:22	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			06/07/12 19:22	1
Trichloroethene	<0.50		0.50	0.37	ug/L			06/07/12 19:22	1
Trichlorofluoromethane	<0.50	*	0.50	0.23	ug/L			06/07/12 19:22	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			06/07/12 19:22	1
Trihalomethanes, Total	<0.50		0.50	0.29	ug/L			06/07/12 19:22	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 19:22	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			06/07/12 19:22	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			06/07/12 19:22	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			06/07/12 19:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	83		70 - 130		06/07/12 19:22	1
1,2-Dichlorobenzene-d4	82		70 - 130		06/07/12 19:22	1

Client Sample ID: HAMP-23

Lab Sample ID: 680-79843-4

Date Collected: 05/25/12 09:45

Matrix: Water

Date Received: 05/26/12 10:05

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10	*	10	5.0	ug/L			06/07/12 19:44	1
Benzene	<0.50		0.50	0.18	ug/L			06/07/12 19:44	1
Bromobenzene	<0.50		0.50	0.42	ug/L			06/07/12 19:44	1
Bromoform	<0.50		0.50	0.39	ug/L			06/07/12 19:44	1
Bromomethane	<1.0	*	1.0	0.45	ug/L			06/07/12 19:44	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			06/07/12 19:44	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			06/07/12 19:44	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			06/07/12 19:44	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			06/07/12 19:44	1
Chloroethane	<1.0		1.0	0.33	ug/L			06/07/12 19:44	1
Chloroform	<0.50		0.50	0.29	ug/L			06/07/12 19:44	1
Chloromethane	<0.50		0.50	0.32	ug/L			06/07/12 19:44	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-79843-4

Date Collected: 05/25/12 09:45

Matrix: Water

Date Received: 05/26/12 10:05

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			06/07/12 19:44	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			06/07/12 19:44	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			06/07/12 19:44	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			06/07/12 19:44	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			06/07/12 19:44	1
Dibromomethane	<0.50		0.50	0.38	ug/L			06/07/12 19:44	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			06/07/12 19:44	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			06/07/12 19:44	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			06/07/12 19:44	1
Dichlorobromomethane	<1.0		1.0	0.54	ug/L			06/07/12 19:44	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			06/07/12 19:44	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			06/07/12 19:44	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			06/07/12 19:44	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			06/07/12 19:44	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			06/07/12 19:44	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			06/07/12 19:44	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			06/07/12 19:44	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			06/07/12 19:44	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			06/07/12 19:44	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			06/07/12 19:44	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			06/07/12 19:44	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			06/07/12 19:44	1
Freon 113	<0.50		0.50	0.15	ug/L			06/07/12 19:44	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			06/07/12 19:44	1
2-Hexanone	<10		10	5.0	ug/L			06/07/12 19:44	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			06/07/12 19:44	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			06/07/12 19:44	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			06/07/12 19:44	1
2-Butanone (MEK)	<10		10	5.0	ug/L			06/07/12 19:44	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			06/07/12 19:44	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			06/07/12 19:44	1
Naphthalene	<1.0		1.0	0.43	ug/L			06/07/12 19:44	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 19:44	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 19:44	1
o-Xylene	<0.50		0.50	0.27	ug/L			06/07/12 19:44	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			06/07/12 19:44	1
Styrene	<0.50		0.50	0.28	ug/L			06/07/12 19:44	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			06/07/12 19:44	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			06/07/12 19:44	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			06/07/12 19:44	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			06/07/12 19:44	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			06/07/12 19:44	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			06/07/12 19:44	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			06/07/12 19:44	1
Toluene	<0.50		0.50	0.23	ug/L			06/07/12 19:44	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			06/07/12 19:44	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			06/07/12 19:44	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			06/07/12 19:44	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			06/07/12 19:44	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			06/07/12 19:44	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			06/07/12 19:44	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-79843-4

Date Collected: 05/25/12 09:45

Matrix: Water

Date Received: 05/26/12 10:05

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	<0.50		0.50	0.37	ug/L			06/07/12 19:44	1
Trichlorofluoromethane	<0.50	*	0.50	0.23	ug/L			06/07/12 19:44	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			06/07/12 19:44	1
Trihalomethanes, Total	<0.50		0.50	0.29	ug/L			06/07/12 19:44	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 19:44	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			06/07/12 19:44	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			06/07/12 19:44	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			06/07/12 19:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	84		70 - 130		06/07/12 19:44	1
1,2-Dichlorobenzene-d4	83		70 - 130		06/07/12 19:44	1

Client Sample ID: Trip Blank

Lab Sample ID: 680-79843-5

Date Collected: 05/24/12 08:00

Matrix: Water

Date Received: 05/26/12 10:05

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10	*	10	5.0	ug/L			06/07/12 21:58	1
Benzene	<0.50		0.50	0.18	ug/L			06/07/12 21:58	1
Bromobenzene	<0.50		0.50	0.42	ug/L			06/07/12 21:58	1
Bromoform	<0.50		0.50	0.39	ug/L			06/07/12 21:58	1
Bromomethane	<1.0	*	1.0	0.45	ug/L			06/07/12 21:58	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			06/07/12 21:58	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			06/07/12 21:58	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			06/07/12 21:58	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			06/07/12 21:58	1
Chloroethane	<1.0		1.0	0.33	ug/L			06/07/12 21:58	1
Chloroform	<0.50		0.50	0.29	ug/L			06/07/12 21:58	1
Chloromethane	<0.50		0.50	0.32	ug/L			06/07/12 21:58	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			06/07/12 21:58	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			06/07/12 21:58	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			06/07/12 21:58	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			06/07/12 21:58	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			06/07/12 21:58	1
Dibromomethane	<0.50		0.50	0.38	ug/L			06/07/12 21:58	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			06/07/12 21:58	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			06/07/12 21:58	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			06/07/12 21:58	1
Dichlorobromomethane	<1.0		1.0	0.54	ug/L			06/07/12 21:58	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			06/07/12 21:58	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			06/07/12 21:58	1
1,2-Dichloroethane	<0.50	*	0.50	0.17	ug/L			06/07/12 21:58	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			06/07/12 21:58	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			06/07/12 21:58	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			06/07/12 21:58	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			06/07/12 21:58	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			06/07/12 21:58	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			06/07/12 21:58	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			06/07/12 21:58	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-79843-5

Date Collected: 05/24/12 08:00

Matrix: Water

Date Received: 05/26/12 10:05

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	<0.50		0.50	0.12	ug/L			06/07/12 21:58	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			06/07/12 21:58	1
Freon 113	<0.50		0.50	0.15	ug/L			06/07/12 21:58	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			06/07/12 21:58	1
2-Hexanone	<10		10	5.0	ug/L			06/07/12 21:58	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			06/07/12 21:58	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			06/07/12 21:58	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			06/07/12 21:58	1
2-Butanone (MEK)	<10		10	5.0	ug/L			06/07/12 21:58	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			06/07/12 21:58	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			06/07/12 21:58	1
Naphthalene	<1.0		1.0	0.43	ug/L			06/07/12 21:58	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 21:58	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 21:58	1
o-Xylene	<0.50		0.50	0.27	ug/L			06/07/12 21:58	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			06/07/12 21:58	1
Styrene	<0.50		0.50	0.28	ug/L			06/07/12 21:58	1
Tert-amiyl methyl ether	<0.50		0.50	0.20	ug/L			06/07/12 21:58	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			06/07/12 21:58	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			06/07/12 21:58	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			06/07/12 21:58	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			06/07/12 21:58	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			06/07/12 21:58	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			06/07/12 21:58	1
Toluene	<0.50		0.50	0.23	ug/L			06/07/12 21:58	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			06/07/12 21:58	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			06/07/12 21:58	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			06/07/12 21:58	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			06/07/12 21:58	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			06/07/12 21:58	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			06/07/12 21:58	1
Trichloroethene	<0.50		0.50	0.37	ug/L			06/07/12 21:58	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			06/07/12 21:58	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			06/07/12 21:58	1
Trihalomethanes, Total	<0.50		0.50	0.29	ug/L			06/07/12 21:58	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 21:58	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			06/07/12 21:58	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			06/07/12 21:58	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			06/07/12 21:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	90		70 - 130		06/07/12 21:58	1
1,2-Dichlorobenzene-d4	84		70 - 130		06/07/12 21:58	1

QC Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-239697/5
 Matrix: Water
 Analysis Batch: 239697

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acetone	<10		10	5.0	ug/L			06/07/12 17:58	1
Benzene	<0.50		0.50	0.18	ug/L			06/07/12 17:58	1
Bromobenzene	<0.50		0.50	0.42	ug/L			06/07/12 17:58	1
Bromoform	<0.50		0.50	0.39	ug/L			06/07/12 17:58	1
Bromomethane	<1.0		1.0	0.45	ug/L			06/07/12 17:58	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			06/07/12 17:58	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			06/07/12 17:58	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			06/07/12 17:58	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			06/07/12 17:58	1
Chloroethane	<1.0		1.0	0.33	ug/L			06/07/12 17:58	1
Chloroform	<0.50		0.50	0.29	ug/L			06/07/12 17:58	1
Chloromethane	<0.50		0.50	0.32	ug/L			06/07/12 17:58	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			06/07/12 17:58	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			06/07/12 17:58	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			06/07/12 17:58	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			06/07/12 17:58	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			06/07/12 17:58	1
Dibromomethane	<0.50		0.50	0.38	ug/L			06/07/12 17:58	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			06/07/12 17:58	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			06/07/12 17:58	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			06/07/12 17:58	1
Dichlorobromomethane	<1.0		1.0	0.54	ug/L			06/07/12 17:58	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			06/07/12 17:58	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			06/07/12 17:58	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			06/07/12 17:58	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			06/07/12 17:58	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			06/07/12 17:58	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			06/07/12 17:58	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			06/07/12 17:58	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			06/07/12 17:58	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			06/07/12 17:58	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			06/07/12 17:58	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			06/07/12 17:58	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			06/07/12 17:58	1
Freon 113	<0.50		0.50	0.15	ug/L			06/07/12 17:58	1
Hexachlorobutadiene	0.299 J		0.50	0.26	ug/L			06/07/12 17:58	1
2-Hexanone	<10		10	5.0	ug/L			06/07/12 17:58	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			06/07/12 17:58	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			06/07/12 17:58	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			06/07/12 17:58	1
2-Butanone (MEK)	<10		10	5.0	ug/L			06/07/12 17:58	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			06/07/12 17:58	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			06/07/12 17:58	1
Naphthalene	<1.0		1.0	0.43	ug/L			06/07/12 17:58	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 17:58	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 17:58	1
o-Xylene	<0.50		0.50	0.27	ug/L			06/07/12 17:58	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			06/07/12 17:58	1
Styrene	<0.50		0.50	0.28	ug/L			06/07/12 17:58	1

QC Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-239697/5
 Matrix: Water
 Analysis Batch: 239697

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			06/07/12 17:58	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			06/07/12 17:58	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			06/07/12 17:58	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			06/07/12 17:58	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			06/07/12 17:58	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			06/07/12 17:58	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			06/07/12 17:58	1
Toluene	<0.50		0.50	0.23	ug/L			06/07/12 17:58	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			06/07/12 17:58	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			06/07/12 17:58	1
1,2,3-Trichlorobenzene	0.224	J	0.50	0.14	ug/L			06/07/12 17:58	1
1,2,4-Trichlorobenzene	0.223	J	0.50	0.18	ug/L			06/07/12 17:58	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			06/07/12 17:58	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			06/07/12 17:58	1
Trichloroethene	<0.50		0.50	0.37	ug/L			06/07/12 17:58	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			06/07/12 17:58	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			06/07/12 17:58	1
Trihalomethanes, Total	<0.50		0.50	0.29	ug/L			06/07/12 17:58	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			06/07/12 17:58	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			06/07/12 17:58	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			06/07/12 17:58	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			06/07/12 17:58	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene	101		70 - 130		06/07/12 17:58	1
1,2-Dichlorobenzene-d4	100		70 - 130		06/07/12 17:58	1

Lab Sample ID: LCS 680-239697/3
 Matrix: Water
 Analysis Batch: 239697

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Acetone	40.0	26.9	*	ug/L		67	70 - 130
Benzene	20.0	20.9		ug/L		104	70 - 130
Bromobenzene	20.0	20.1		ug/L		100	70 - 130
Bromoform	20.0	17.4		ug/L		87	70 - 130
Bromomethane	20.0	21.7		ug/L		109	70 - 130
Carbon tetrachloride	20.0	16.1		ug/L		81	70 - 130
Chlorobenzene	20.0	21.2		ug/L		106	70 - 130
Chlorobromomethane	20.0	18.6		ug/L		93	70 - 130
Chlorodibromomethane	20.0	18.4		ug/L		92	70 - 130
Chloroethane	20.0	19.4		ug/L		97	70 - 130
Chloroform	20.0	16.9		ug/L		84	70 - 130
Chloromethane	20.0	18.8		ug/L		94	70 - 130
2-Chlorotoluene	20.0	19.6		ug/L		98	70 - 130
4-Chlorotoluene	20.0	19.3		ug/L		96	70 - 130
cis-1,2-Dichloroethene	20.0	20.0		ug/L		100	70 - 130
cis-1,3-Dichloropropene	20.0	21.1		ug/L		105	70 - 130
1,2-Dibromo-3-Chloropropane	20.0	15.6		ug/L		78	70 - 130

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-239697/3

Matrix: Water

Analysis Batch: 239697

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dibromomethane	20.0	16.5		ug/L		83	70 - 130
1,2-Dichlorobenzene	20.0	19.4		ug/L		97	70 - 130
1,3-Dichlorobenzene	20.0	19.9		ug/L		100	70 - 130
1,4-Dichlorobenzene	20.0	20.0		ug/L		100	70 - 130
Dichlorobromomethane	20.0	16.9		ug/L		84	70 - 130
Dichlorodifluoromethane	20.0	18.9		ug/L		95	70 - 130
1,1-Dichloroethane	20.0	18.3		ug/L		92	70 - 130
1,2-Dichloroethane	20.0	13.7	*	ug/L		68	70 - 130
1,1-Dichloroethene	20.0	18.4		ug/L		92	70 - 130
1,2-Dichloropropane	20.0	20.6		ug/L		103	70 - 130
1,3-Dichloropropane	20.0	18.8		ug/L		94	70 - 130
2,2-Dichloropropane	20.0	16.9		ug/L		85	70 - 130
1,1-Dichloropropene	20.0	19.2		ug/L		96	70 - 130
1,3-Dichloropropene, Total	40.0	39.6		ug/L		99	70 - 130
Diisopropyl ether	16.0	17.6		ug/L		110	70 - 130
Ethylbenzene	20.0	21.5		ug/L		108	70 - 130
Ethylene Dibromide	20.0	18.3		ug/L		92	70 - 130
Freon 113	16.0	18.1		ug/L		113	70 - 130
Hexachlorobutadiene	20.0	16.5		ug/L		83	70 - 130
2-Hexanone	40.0	37.4		ug/L		94	70 - 130
Isopropylbenzene	20.0	23.7		ug/L		118	70 - 130
4-Isopropyltoluene	20.0	22.0		ug/L		110	70 - 130
Methylene Chloride	20.0	19.8		ug/L		99	70 - 130
2-Butanone (MEK)	40.0	30.8		ug/L		77	70 - 130
4-Methyl-2-pentanone (MIBK)	40.0	36.8		ug/L		92	70 - 130
m-Xylene & p-Xylene	40.0	44.6		ug/L		111	70 - 130
Naphthalene	20.0	20.8		ug/L		104	70 - 130
n-Butylbenzene	20.0	21.0		ug/L		105	70 - 130
N-Propylbenzene	20.0	20.8		ug/L		104	70 - 130
o-Xylene	20.0	22.3		ug/L		111	70 - 130
sec-Butylbenzene	20.0	21.3		ug/L		107	70 - 130
Styrene	20.0	22.9		ug/L		115	70 - 130
Tert-amyl methyl ether	16.0	15.7		ug/L		98	70 - 130
tert-Butyl alcohol	80.0	58.2		ug/L		73	70 - 130
tert-Butylbenzene	20.0	21.8		ug/L		109	70 - 130
Tert-butyl ethyl ether	16.0	16.5		ug/L		103	70 - 130
1,1,1,2-Tetrachloroethane	20.0	18.8		ug/L		94	70 - 130
1,1,1,2,2-Tetrachloroethane	20.0	18.5		ug/L		92	70 - 130
Tetrachloroethene	20.0	19.5		ug/L		98	70 - 130
Toluene	20.0	21.8		ug/L		109	70 - 130
trans-1,2-Dichloroethene	20.0	19.3		ug/L		97	70 - 130
trans-1,3-Dichloropropene	20.0	18.5		ug/L		93	70 - 130
1,2,3-Trichlorobenzene	20.0	22.3		ug/L		111	70 - 130
1,2,4-Trichlorobenzene	20.0	22.1		ug/L		111	70 - 130
1,1,1-Trichloroethane	20.0	16.0		ug/L		80	70 - 130
1,1,2-Trichloroethane	20.0	19.7		ug/L		98	70 - 130
Trichloroethene	20.0	18.6		ug/L		93	70 - 130
Trichlorofluoromethane	20.0	13.7	*	ug/L		69	70 - 130
1,2,3-Trichloropropane	20.0	15.3		ug/L		76	70 - 130
1,2,4-Trimethylbenzene	20.0	21.1		ug/L		105	70 - 130

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-239697/3
Matrix: Water
Analysis Batch: 239697

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,3,5-Trimethylbenzene	20.0	21.0		ug/L		105	70 - 130
Vinyl chloride	20.0	20.6		ug/L		103	70 - 130
Xylenes, Total	60.0	66.8		ug/L		111	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	107		70 - 130
1,2-Dichlorobenzene-d4	108		70 - 130

Lab Sample ID: LCSD 680-239697/21
Matrix: Water
Analysis Batch: 239697

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acetone	40.0	26.3	*	ug/L		66	70 - 130	2	30
Benzene	20.0	21.4		ug/L		107	70 - 130	2	30
Bromobenzene	20.0	21.0		ug/L		105	70 - 130	4	30
Bromoform	20.0	17.2		ug/L		86	70 - 130	1	30
Bromomethane	20.0	8.52	*	ug/L		43	70 - 130	87	30
Carbon tetrachloride	20.0	16.0		ug/L		80	70 - 130	1	30
Chlorobenzene	20.0	21.9		ug/L		109	70 - 130	3	30
Chlorobromomethane	20.0	19.1		ug/L		95	70 - 130	3	30
Chlorodibromomethane	20.0	18.6		ug/L		93	70 - 130	1	30
Chloroethane	20.0	20.4		ug/L		102	70 - 130	5	30
Chloroform	20.0	17.3		ug/L		87	70 - 130	3	30
Chloromethane	20.0	17.1		ug/L		86	70 - 130	9	30
2-Chlorotoluene	20.0	20.4		ug/L		102	70 - 130	4	30
4-Chlorotoluene	20.0	19.9		ug/L		100	70 - 130	3	30
cis-1,2-Dichloroethene	20.0	20.5		ug/L		103	70 - 130	3	30
cis-1,3-Dichloropropene	20.0	20.9		ug/L		105	70 - 130	1	30
1,2-Dibromo-3-Chloropropane	20.0	14.3		ug/L		71	70 - 130	9	30
Dibromomethane	20.0	17.2		ug/L		86	70 - 130	4	30
1,2-Dichlorobenzene	20.0	19.5		ug/L		97	70 - 130	0	30
1,3-Dichlorobenzene	20.0	19.8		ug/L		99	70 - 130	1	30
1,4-Dichlorobenzene	20.0	20.3		ug/L		102	70 - 130	2	30
Dichlorobromomethane	20.0	17.3		ug/L		86	70 - 130	2	30
Dichlorodifluoromethane	20.0	16.9		ug/L		85	70 - 130	11	30
1,1-Dichloroethane	20.0	18.7		ug/L		93	70 - 130	2	30
1,2-Dichloroethane	20.0	14.1		ug/L		71	70 - 130	3	30
1,1-Dichloroethene	20.0	19.9		ug/L		99	70 - 130	8	30
1,2-Dichloropropane	20.0	21.9		ug/L		109	70 - 130	6	30
1,3-Dichloropropane	20.0	19.0		ug/L		95	70 - 130	1	30
2,2-Dichloropropane	20.0	15.1		ug/L		76	70 - 130	11	30
1,1-Dichloropropene	20.0	20.2		ug/L		101	70 - 130	5	30
1,3-Dichloropropene, Total	40.0	39.0		ug/L		97	70 - 130	2	30
Diisopropyl ether	16.0	17.7		ug/L		110	70 - 130	1	30
Ethylbenzene	20.0	22.2		ug/L		111	70 - 130	3	30
Ethylene Dibromide	20.0	18.6		ug/L		93	70 - 130	2	30
Freon 113	16.0	20.2		ug/L		126	70 - 130	11	30
Hexachlorobutadiene	20.0	15.6		ug/L		78	70 - 130	6	30

QC Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 680-239697/21
 Matrix: Water
 Analysis Batch: 239697

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
2-Hexanone	40.0	36.9		ug/L		92	70 - 130	2	30
Isopropylbenzene	20.0	22.4		ug/L		112	70 - 130	6	30
4-Isopropyltoluene	20.0	21.5		ug/L		108	70 - 130	2	30
Methylene Chloride	20.0	20.0		ug/L		100	70 - 130	1	30
2-Butanone (MEK)	40.0	32.1		ug/L		80	70 - 130	4	30
4-Methyl-2-pentanone (MIBK)	40.0	37.3		ug/L		93	70 - 130	1	30
m-Xylene & p-Xylene	40.0	45.5		ug/L		114	70 - 130	2	30
Naphthalene	20.0	19.7		ug/L		98	70 - 130	5	30
n-Butylbenzene	20.0	20.9		ug/L		104	70 - 130	1	30
N-Propylbenzene	20.0	21.0		ug/L		105	70 - 130	1	30
o-Xylene	20.0	22.6		ug/L		113	70 - 130	2	30
sec-Butylbenzene	20.0	21.5		ug/L		107	70 - 130	1	30
Styrene	20.0	23.8		ug/L		119	70 - 130	4	30
Tert-amyl methyl ether	16.0	15.5		ug/L		97	70 - 130	1	30
tert-Butyl alcohol	80.0	53.2	*	ug/L		67	70 - 130	9	30
tert-Butylbenzene	20.0	22.2		ug/L		111	70 - 130	2	30
Tert-butyl ethyl ether	16.0	16.0		ug/L		100	70 - 130	3	30
1,1,1,2-Tetrachloroethane	20.0	19.2		ug/L		96	70 - 130	2	30
1,1,2,2-Tetrachloroethane	20.0	19.2		ug/L		96	70 - 130	4	30
Tetrachloroethene	20.0	20.4		ug/L		102	70 - 130	4	30
Toluene	20.0	22.2		ug/L		111	70 - 130	2	30
trans-1,2-Dichloroethene	20.0	20.1		ug/L		101	70 - 130	4	30
trans-1,3-Dichloropropene	20.0	18.0		ug/L		90	70 - 130	3	30
1,2,3-Trichlorobenzene	20.0	20.1		ug/L		100	70 - 130	10	30
1,2,4-Trichlorobenzene	20.0	20.5		ug/L		103	70 - 130	7	30
1,1,1-Trichloroethane	20.0	16.0		ug/L		80	70 - 130	0	30
1,1,2-Trichloroethane	20.0	19.8		ug/L		99	70 - 130	1	30
Trichloroethene	20.0	19.6		ug/L		98	70 - 130	5	30
Trichlorofluoromethane	20.0	13.3	*	ug/L		66	70 - 130	3	30
1,2,3-Trichloropropane	20.0	15.9		ug/L		80	70 - 130	4	30
1,2,4-Trimethylbenzene	20.0	21.4		ug/L		107	70 - 130	1	30
1,3,5-Trimethylbenzene	20.0	21.2		ug/L		106	70 - 130	1	30
Vinyl chloride	20.0	19.6		ug/L		98	70 - 130	5	30
Xylenes, Total	60.0	68.1		ug/L		113	70 - 130	2	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	109		70 - 130
1,2-Dichlorobenzene-d4	108		70 - 130

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

GC/MS VOA

Analysis Batch: 239697

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-79843-1	RFW-20	Total/NA	Water	524.2	
680-79843-2	RFW-21	Total/NA	Water	524.2	
680-79843-3	HAMP-22	Total/NA	Water	524.2	
680-79843-4	HAMP-23	Total/NA	Water	524.2	
680-79843-5	Trip Blank	Total/NA	Water	524.2	
LCS 680-239697/3	Lab Control Sample	Total/NA	Water	524.2	
LCSD 680-239697/21	Lab Control Sample Dup	Total/NA	Water	524.2	
MB 680-239697/5	Method Blank	Total/NA	Water	524.2	

Lab Chronicle

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Client Sample ID: RFW-20

Date Collected: 05/24/12 11:55

Date Received: 05/26/12 10:05

Lab Sample ID: 680-79843-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	239697	06/07/12 18:38	WJC	TAL SAV

Client Sample ID: RFW-21

Date Collected: 05/24/12 13:30

Date Received: 05/26/12 10:05

Lab Sample ID: 680-79843-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	239697	06/07/12 19:00	WJC	TAL SAV

Client Sample ID: HAMP-22

Date Collected: 05/25/12 09:35

Date Received: 05/26/12 10:05

Lab Sample ID: 680-79843-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	239697	06/07/12 19:22	WJC	TAL SAV

Client Sample ID: HAMP-23

Date Collected: 05/25/12 09:45

Date Received: 05/26/12 10:05

Lab Sample ID: 680-79843-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	239697	06/07/12 19:44	WJC	TAL SAV

Client Sample ID: Trip Blank

Date Collected: 05/24/12 08:00

Date Received: 05/26/12 10:05

Lab Sample ID: 680-79843-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	239697	06/07/12 21:58	WJC	TAL SAV

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TestAmerica Savannah

5102 LaRoche Avenue
Savannah, GA 31404
Phone (912) 354-7858 Fax (912) 352-0165

Chain of Custody Record

TestAmerica

Client Information		Sampler:		Lab PM:		Carrier Tracking No(s):		COC No:					
Client Contact: Greg Flasinski		Phone:		Yant, Abbie G				680-40600-18335.1					
Company: Weston Solutions, Inc.				E-Mail: abbie.yant@testamericainc.com				Page: Page 1 of 1					
Address: 1400 Weston Way PO BOX 2653		Due Date Requested:		Analysis Requested						Job #:			
City: West Chester		TAT Requested (days):								Preservation Codes:			
State, Zip: PA, 19380										A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - ph 4-5 Z - other (specify)	
Phone: 610-701-3779(Tel)		PO #: 50357								Other:			
Email: greg.flasinski@westonsolutions.com		WO #: 02501.004.001.0200											
Project Name: Black & Decker Qtr GW Sampling		Project #: 68002345		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		524.2_Preserved - (MOD) Custom Sublist Template					
Site:		SSOW#:											
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, BT=Trace, Anal)		Total Number of containers			
						Preservation Code:				Special Instructions/Note:			
RFLW-20		5/24/12		1155		G		Water		X			
RFLW-21		5/24/12		1330				Water		✓			
HAMP-22		5/25/12		935				Water		✓			
HAMP-23		5/25/12		945				Water		✓			
Trip Blank		5/24/12		800		+		Water		✓			
Possible Hazard Identification		<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months									
Deliverable Requested: I, II, III, IV, Other (specify)				Special Instructions/QC Requirements:									
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:							
Relinquished by: <i>[Signature]</i>		Date/Time: 5/25/12 1600		Company: Weston		Received by: Fed Ex		Date/Time:		Company:			
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:			
Relinquished by:		Date/Time:		Company:		Received by: <i>[Signature]</i>		Date/Time: 5/26/12 1005		Company: T45			
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks:									

Page 21 of 23

6/7/2012

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 680-79843-1

Login Number: 79843

List Source: TestAmerica Savannah

List Number: 1

Creator: Conner, Keaton

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker Qtr GW Sampling

TestAmerica Job ID: 680-79843-1

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Savannah	A2LA	DoD ELAP		0399-01
TestAmerica Savannah	A2LA	ISO/IEC 17025		399.01
TestAmerica Savannah	Alabama	State Program	4	41450
TestAmerica Savannah	Arkansas DEQ	State Program	6	88-0692
TestAmerica Savannah	California	NELAC	9	3217CA
TestAmerica Savannah	Colorado	State Program	8	N/A
TestAmerica Savannah	Connecticut	State Program	1	PH-0161
TestAmerica Savannah	Florida	NELAC	4	E87052
TestAmerica Savannah	GA Dept. of Agriculture	State Program	4	N/A
TestAmerica Savannah	Georgia	State Program	4	803
TestAmerica Savannah	Georgia	State Program	4	N/A
TestAmerica Savannah	Guam	State Program	9	09-005r
TestAmerica Savannah	Hawaii	State Program	9	N/A
TestAmerica Savannah	Illinois	NELAC	5	200022
TestAmerica Savannah	Indiana	State Program	5	N/A
TestAmerica Savannah	Iowa	State Program	7	353
TestAmerica Savannah	Kentucky	State Program	4	90084
TestAmerica Savannah	Kentucky (UST)	State Program	4	18
TestAmerica Savannah	Louisiana	NELAC	6	30690
TestAmerica Savannah	Louisiana	NELAC	6	LA100015
TestAmerica Savannah	Maine	State Program	1	GA00006
TestAmerica Savannah	Maryland	State Program	3	250
TestAmerica Savannah	Massachusetts	State Program	1	M-GA006
TestAmerica Savannah	Michigan	State Program	5	9925
TestAmerica Savannah	Mississippi	State Program	4	N/A
TestAmerica Savannah	Montana	State Program	8	CERT0081
TestAmerica Savannah	Nebraska	State Program	7	TestAmerica-Savannah
TestAmerica Savannah	New Jersey	NELAC	2	GA769
TestAmerica Savannah	New Mexico	State Program	6	N/A
TestAmerica Savannah	New York	NELAC	2	10842
TestAmerica Savannah	North Carolina DENR	State Program	4	269
TestAmerica Savannah	North Carolina DHHS	State Program	4	13701
TestAmerica Savannah	Oklahoma	State Program	6	9984
TestAmerica Savannah	Pennsylvania	NELAC	3	68-00474
TestAmerica Savannah	Puerto Rico	State Program	2	GA00006
TestAmerica Savannah	Rhode Island	State Program	1	LAO00244
TestAmerica Savannah	South Carolina	State Program	4	98001
TestAmerica Savannah	Tennessee	State Program	4	TN02961
TestAmerica Savannah	Texas	NELAC	6	T104704185-08-TX
TestAmerica Savannah	USDA	Federal		SAV 3-04
TestAmerica Savannah	Vermont	State Program	1	87052
TestAmerica Savannah	Virginia	NELAC	3	460161
TestAmerica Savannah	Washington	State Program	10	C1794
TestAmerica Savannah	West Virginia	State Program	3	9950C
TestAmerica Savannah	West Virginia DEP	State Program	3	94
TestAmerica Savannah	Wisconsin	State Program	5	999819810
TestAmerica Savannah	Wyoming	State Program	8	8TMS-Q

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.